




***NATIONWIDE***  
***INDUSTRIES™***

2022 PRODUCT CATALOG

# FENCE & GATE HARDWARE

Vinyl | Ornamental | Wood | Chain Link



A photograph of a residential backyard. In the foreground, there is a lush green lawn. To the left, a black metal fence runs along the edge of the yard. Behind it, a wooden privacy fence is visible. A large, mature tree stands in the center-right of the background. The yard is landscaped with mulch, small shrubs, and a large rock. The sky is overcast.

**FENCE PRO'S  
#1 CHOICE**





## **ABOUT NATIONWIDE INDUSTRIES**

For more than 30 years, Nationwide Industries has designed and manufactured innovative hardware products and solutions that make our product easy to choose and install. With the largest in-stock selection of fence and gate hardware, Nationwide Industries offers more than 2,000 SKUs and holds 29 patents on products designed for strength, performance, and proper operation. Our range of products include latches, hinges, locks, and other essential fence and gate components for every kind of fencing, such as aluminum, steel, ornamental, vinyl, wood, chain link, and pool and patio enclosures.

We are committed to delivering customers the highest quality materials available – from the simplest solutions to the most complex components. Nationwide Industries has a dedicated team of customer service professionals committed to selecting products and solutions to ensure ease of installation and fewer call backs. Products and solutions are easy to come by with industry experts just a phone call or email away.

[www.nationwideindustries.com](http://www.nationwideindustries.com)  
[info@nationwideindustries.com](mailto:info@nationwideindustries.com) | 813-988-2628



Made from the highest quality materials available, including aluminum, steel, stainless steel, glass-filled nylon, and die-castings, Nationwide Industries brands are engineered and manufactured to outlast, outperform, and outshine any other brand of fence and gate hardware available on the market. Our products are guaranteed to last, easy to install, and select products come with our Million Cycle Warranty. Our rigorous testing ensures that our products can withstand repetitive use without costly repairs or replacements. More than 20 products and counting have met the testing requirements to feature our Million Cycle Warranty. They are guaranteed to work for one million cycles, or you will receive a complete product replacement for any loss of functionality.

Cornerstone | Cornerstone 2 | Keystone | Keystone X | Keystone X2 | Keystone X-External | Keystone Traverse | Ornamag | AquaLatch | Trident | Manta | Armorlatch | Heavy Duty Ball Bearing Hinge



## TABLE OF CONTENTS

### VINYL

Innovative Products	12
Hinges	15
Latches	22
Drop Rods	24
Bumpers, Handles and Wheels	25
Gate Braces and Stiffeners	26
Springs and Rivets	27
Closers and Post Mounts	28
Post Caps	29
Accessories	30

### ORNAMENTAL

Innovative Products	34
Forks and Hinges	38
Brackets and Latches	45
Post Caps	46
Brackets	47
End Caps	52
Floor Mounts	53
Finials	54
'O' Rings and Keyless Locks	56
Handles and Drop Rods	57
Wheels and Closers	58
Trolleys and Brackets	59

### WOOD

Innovative Products	62
Hinges	64
Screw Hooks and Rustic Series	67
Latches	68
Gate Kits	70
Drop Rods	71
Caps	72
Gates Braces, Bumpers and Closers	73
Handles and Brackets	74
Accessories and Tools	75

### CHAIN LINK

Innovative Products	78
Hinges	81
Latches	84
Collars and Forks	86
Cantilever Rollers and Covers	87
Receivers and Trolleys	89
Rollers and Drop Rods	90
Gate Wheels	92
Brackets and Post Caps	94
Rail Ends	95
Clamps and Sleeves	96
Bands and Barb Arms	98
Bolts, Plugs and Accessories	100
Tools and Kits	102



# FIND THE RIGHT LATCH

## COMPARE FEATURES & BENEFITS



KEYSTONE®



KEYSTONE® X



KEYSTONE® X2



KEYSTONE® TRAVERSE




KEYSTONE® TRAVERSE 500



KEYSTONE® PANIC LATCH™

Product	Rekeyable	Post Size	Adjustability	Fits Right and Left Handed Gates	Locks/Unlocks from Both Sides
Keystone® One-Sided	X	>1.33"	Vertical	X	
Keystone® Two-Sided	X	1.75" to 5"	Vertical	X	X
Keystone® X One-Sided		1.71"	Vertical	X	
Keystone® X Two-Sided		2" to 5"	Vertical	X	X
Keystone® X2 One-Sided		.88"	Vertical	X	
Keystone® X2 Two-Sided		2" to 5"	Vertical	X	X
Keystone® Traverse		2"	Vertical	X	X
Keystone® Traverse 500	X	5"	Vertical	X	X
Keystone® Panic Latch™	X	2" to 6-5/8"	Horizontal	X	
Trident™		1.13+	Horizontal & Vertical	X	X
AquaLatch®		1.13+	Horizontal & Vertical	X	X
Protector™		1.13+	Horizontal & Vertical	X	X
GateShare™				X	
ZipLatch™			Horizontal & Vertical	X	X
ArmorLatch™	X	1-1/2" to 5"	Horizontal & Vertical	X	X
Manta™	X	1-1/2" to 5"	Horizontal & Vertical	X	X
OrnaMag®		up to 2"	Vertical	X	





Wood	Vinyl	Chain Link	Ornamental	Pool Safety Latch	Double Drive	Privacy Gates	Pedestrian Gates	Commercial Use
X	X		X		X	X	X	
X	X		X		X	X	X	
X	X	X	X		X	X	X	
X	X		X		X	X	X	
X	X		X		X	X	X	
X	X		X		X	X	X	
			X		X	X	X	
	X				X		X	
X	X	X	X				X	X
	X	X	X	X	X		X	
	X	X	X	X	X		X	
	X	X	X	X	X		X	
		X			X			X
		X		X	X		X	
X	X		X		X	X	X	
X	X		X			X	X	
			X		X		X	



# FIND THE RIGHT HINGE

## COMPARE FEATURES & BENEFITS



C2H200F



C2H300F



CH095F



CH200F



CH350

Product	Adjustable	Gate Gap Min (in)	Gate Gap Max (in)	Total Adj (in)	Post Thickness Min (in)	Post Width Min (in)	Frame Thickness Min (in)	Frame Width Min* (in)	Rating** (lbs)
C2H200F	X	0.55	1.5	0.95	1.5	1.5	1.5	1.8	75
C2H300F	X	0.75	1.75	1	1.5	3.1	1.5	2.61	75
CH095F	X	0.7	1.9	1.2	0.875	0.985	0.875	1.02	60
CH200F	X	0.67	1.87	1.2	1.5	1.445	1.5	1.42	75
CH200FR	X	0.46	1.66	1.2	1.375	-	1.875	-	75
CH300F	X	0.4	1.3	0.9	1.5	2.925	1.5	2.02	75
CH300H	X	0.3	2	1	1.25	2.873	-	1.75	75
CH350F	X	0.4	1.65	1.25	1.5	3.3	1.5	2.054	150
C2H350F	X	0.75	1.71	0.96	1.5	3	1.5	2.5	-
C2H100N		0.75	0.75	-	1	1	1	1	75
C2H120NB		0.75	0.75	-	1	1.25	1	1.25	135
C2H121NB		0.375	1.22	-	-	-	0.15	1.25	135
CH090		0.75	0.75	-	0.88	0.88	0.88	0.88	60
CH100N		0.5	0.5	-	1	1	1	1	75
CH101V		-	1.25	-	-	1	-	1	75
CH102V		0.23	0.23	-	0.13	1.14	0.13	1.14	75
CH300N		0.5	0.5	-	1.25	2.87	1.25	2.87	75
Nautilus® AA		1.05	1.55	0.5	0.875	1.4	0.875	1.4	125
Nautilus® AD		1.05	1.55	0.5	0.875	1.4	0.875	1.4	75
HDBYSC-SWM-SWM	X	2.56	3.04	0.48	1.5	-	1.5	-	-

\*\*Based on a 6' H X 4' W gate



C2H100N



C2H120



CH100/300N



HDBYSC



NAUTILUS

Point Load* (lbs)	Self-Closing	Commercial Use	Chain Link	Ornamental	Vinyl	Wood	Turn-N-Go Tensioning	Safe, Anti-Climb Design	Adjustable Closing Speeds
1500	Yes				x	x	x	x	
2000	Yes				x	x	x	x	
-	Yes				x	x			
1000	Yes				x	x			
-	Yes		x		x	x			
1500	Yes				x	x			
1200	Yes				x	x			
-	Yes				x	x			
-	Yes				x	x		x	
1500	Yes				x	x	x	x	
-	Yes				x	x	x	x	
-	Yes				x	x	x	x	
900	Yes				x	x			
1000	Yes				x	x			
-	Yes				x	x			
-	Yes				x	x			
950	Yes				x	x			
-	Yes	x		x					x
-	Yes	x		x					x
-	Yes	x		x					x



# VINYL

## FENCE & GATE HARDWARE

### TABLE OF CONTENTS

Innovative Products	12
Hinges	15
Latches	22
Drop Rods	24
Bumpers, Handles and Wheels	25
Gate Braces and Stiffeners	26
Springs and Rivets	27
Closers and Post Mounts	28
Post Caps	29
Accessories	30



VINYL

ORNAMENTAL


WOOD

CHAIN LINK

## CORNERSTONE® 2 SERIES

**PATENTED**

### CORNERSTONE® 2 NON ADJUSTABLE HINGE



- ▶ Post and Gate flanges: 1"(W) x 1"(D)
- ▶ Heavy-duty design produced with durable glass-filled nylon
- ▶ 1/4" Allen wrench included for easy Turn-N-Go™ tension adjustment
- ▶ Safe, anti-climb design
- ▶ 20 pair per case @ 33lbs



Point-load tested over 1500 lbs per pair

C2H100N-SD-BK Black w/stainless steel self-drilling screws included  
C2H100N-SD-WH White w/stainless steel self-drilling screws included  
C2H100N-ZD-BK Black w/zinc plated steel self-drilling screws included  
C2H100N-ZD-WH White w/zinc plated steel self-drilling screws included

**PATENTED**

### CORNERSTONE® 2 HEAVY-DUTY SELF-CLOSING ON GATES UP TO 135 LB



- ▶ Fits both right and left-hand applications
- ▶ C2H121 Includes Alignment tab on Gate Post side
- ▶ 1/4" Allen wrench included for easy Turn-N-Go™ tension adjustment
- ▶ 20 pair per case @ 29lbs
- ▶ White available through special order.

C2H120NB-SD-BK Black w/stainless steel screws  
C2H121NB-SD-BK Black w/stainless steel screws



Point-load tested to 1700 lbs per pair

**PATENTED**

### CORNERSTONE® 2 SQUARE POST FULLY ADJUSTABLE HINGE



- ▶ Horizontally adjustable to 0.98"
- ▶ Vertically adjustable to 0.875"
- ▶ Fits both right and left-hand applications
- ▶ 1/4" Allen wrench included for easy Turn-N-Go™ tension adjustment
- ▶ Safe, anti-climb design
- ▶ 20 pair per case @ 46lbs



Point-load tested to 1500 lbs per pair

C2H200F-SD-BK Black w/stainless steel self-drilling screws included  
C2H200F-SD-WH White\* w/stainless steel self-drilling screws included  
C2H200F-ZD-BK Black w/zinc plated steel self-drilling screws included  
C2H200F-ZD-WH White\* w/zinc plated steel self-drilling screws included  
\*Special Order

**PATENTED**

### CORNERSTONE® 2 FULLY ADJUSTABLE HINGE



- ▶ Horizontally adjustable up to 1.0"
- ▶ Vertically adjustable up to 1.0"
- ▶ Fits both right and left-hand applications
- ▶ 1/4" Allen wrench included for easy Turn-N-Go™ tension adjustment
- ▶ Safe, anti-climb design
- ▶ 10 pair per case @ 30lbs

C2H300F-BK Black w/stainless steel screws  
C2H300F-WH\* White w/stainless steel screws  
C2H300F-SD-BK Black w/stainless steel self-drilling screws  
C2H300F-SD-WH\* White w/ stainless steel self-drilling screws  
\*Special Order



Point-load tested over 2000 lbs per pair

**PATENTED**

### NEW! CORNERSTONE® 2 FULLY ADJUSTABLE HINGE



- ▶ Fully adjustable self-closing hinge
- ▶ Safe, anti-climb design
- ▶ Horizontally and vertically adjustable up to 0.96"
- ▶ 10 per case @ 29lbs


C2H350F-SD-BK Black w/stainless steel screws  
C2H350F-SD-WH\* White w/stainless steel screws  
\*Special Order



## CORNERSTONE® SERIES

**PATENTED**

### CORNERSTONE® FULLY ADJUSTABLE HINGE



Double dimensions indicate range of adjustability

CH300F-BK Black w/stainless steel screws  
CH300F-WH White w/stainless steel screws  
CH300F-SD-BK Black w/stainless steel self-drilling screws  
CH300F-SD-WH White w/stainless steel self-drilling screws


- ▶ Both flanges: 4.25"(H) x 2.88"(W) x 1.50"(D)
- ▶ Back plates allow horizontal and vertical adjustability
- ▶ Produced with durable glass-filled nylon
- ▶ 1/4" Allen wrench included for tension adjustment
- ▶ 20 pair per case @ 42lbs



Point-load  
tested over  
1500 lbs  
per pair

**PATENTED**

### CORNERSTONE® FULLY ADJUSTABLE HINGE



Double dimensions indicate range of adjustability

#### Ideal for Narrow Gate Frames - Fits Square Profiles

CH200F-BK Black w/stainless steel screws  
CH200F-WH White w/stainless steel screws  
CH200F-SD-BK Black w/stainless steel self-drilling screws  
CH200F-SD-WH White w/stainless steel self-drilling screws


- ▶ Horizontally adjustable up to 1 1/4"
- ▶ Vertically adjustable up to 1/2"
- ▶ Fits both right and left hand applications
- ▶ 20 pair per case @ 40lbs



Point-load  
tested over  
1000 lbs  
per pair

**PATENTED**

### CORNERSTONE® FULLY ADJUSTABLE HINGES



CH350F-BK Black w/stainless steel screws  
CH350F-WH White w/stainless steel screws  
CH350F-SD-BK Black w/stainless steel self-drilling screws  
CH350F-SD-WH White w/stainless steel self-drilling screws

- ▶ Produced with durable glass-filled nylon
- ▶ Nationwide's V-notch™ styling
- ▶ 1/4" Allen wrench included for tension adjustment
- ▶ 10 pair per case @ 29lbs




1  
MILLION  
CYCLE WARRANTY



SUPER Heavy-duty  
Closing Power Rated  
at 150lbs per pair

**PATENTED**

### CORNERSTONE® HORIZONTALLY ADJUSTABLE HINGES



Slotted, serrated holes for horizontal holding power

CH300H-BK Black w/stainless steel screws  
CH300H-WH White w/stainless steel screws  
CH300H-SD-BK Black w/stainless steel self-drilling screws  
CH300H-SD-WH White w/stainless steel self-drilling screws

- ▶ Both flanges: 4.25"(H) x 2.88"(W) x 1.25"(D)
- ▶ Produced with durable glass-filled nylon
- ▶ 1/4" Allen wrench included for tension adjustment
- ▶ 20 pair per case @ 26lbs




1  
MILLION  
CYCLE WARRANTY



Point-load  
tested over  
1200 lbs  
per pair

**PATENTED**

### CORNERSTONE® FIXED POSITION HINGES



CH300N-BK Black w/stainless steel screws  
CH300N-WH White w/stainless steel screws  
CH300N-SD-BK Black w/stainless steel self-drilling screws  
CH300N-SD-WH White w/stainless steel self-drilling screws

- ▶ Produced with durable glass-filled nylon
- ▶ 1/4" Allen wrench included for tension adjustment
- ▶ Stainless steel screws included
- ▶ 20 pair per case @ 34lbs




Point-load  
tested over  
950 lbs  
per pair

VINYL

ORNAMENTAL


WOOD

CHAIN LINK

**PATENTED**
**CORNERSTONE® FIXED POSITION HINGES**


CH100/300N-BK Black w/stainless steel screws  
CH100/300N-WH White w/stainless steel screws  
CH100/300N-SD-BK Black w/stainless steel self-drilling screws  
CH100/300N-SD-WH White w/stainless steel self-drilling screws

- ▶ Produced with durable glass-filled nylon
- ▶ 1/4" Allen wrench included for tension adjustment
- ▶ 20 pair per case @ 32lbs


**PATENTED**
**CORNERSTONE® NARROW FIXED POSITION HINGES**


Point-load tested to 1000 lbs per pair

CH100N-SD-BK Black w/stainless steel self-drilling screws included  
CH100N-SD-WH White w/stainless steel self-drilling screws included  
CH100N-ZD-BK Black w/zinc plated steel self-drilling screws included  
CH100N-ZD-WH White w/zinc plated steel self-drilling screws included

- ▶ Post and Gate flanges: 1"(W) x 1"(D)
- ▶ Produced with durable glass-filled nylon
- ▶ 1/4" Allen wrench included for tension adjustment
- ▶ 20 pair per case @ 19lbs

Width and Depth Orientation for Stainless Steel Hinges  
Downward view of gate and fence



**For reference:** A "standard" size flange is generally 3" to 3 1/2" deep (D), while a "narrow" size flange is generally 1 1/4" to 1 1/2" deep (D)

**KEYSTONE® SERIES**
**PATENTED**
**KEYSTONE® SERIES**

**TWO-SIDED LOCKABLE LATCH**

KLADV2-P2-BK Black (Nylon)  
KLADV2-P2-WH White (Nylon)

- ▶ **NEW & IMPROVED with 6-pin cylinder**
- ▶ Locking feature accessible from both sides
- ▶ Same specifications as KLADV-P2 below
- KLADV-P2-BK Black (Nylon)
- KLADV-P2-WH White (Nylon)
- ▶ Reversible for right-hand or left-hand use
- ▶ Glass-filled nylon housing
- ▶ Thumb release button on one side, gravity latch lever on opposite side
- ▶ Stainless steel screws included
- ▶ 20 each per case @ 23lbs

KLADV-M2-BK Black (Zinc diecast)  
KLADV-M2-WH White (Zinc diecast)

- ▶ Same as KLADV-P2 but with zinc die cast housing
- ▶ 20 each per case @ 48lbs

**ONE-SIDED LOCKABLE LATCH**

KLADV2-P1-BK Black (Nylon)  
KLADV2-P1-WH White (Nylon)

- ▶ **NEW & IMPROVED with 6-pin cylinder**
- KLADV-P1-BK Black (Nylon)
- KLADV-P1-WH White (Nylon)
- ▶ Features latch side only
- ▶ 20 each per case @ 17lbs

KLADV-M1-BK Black (Zinc diecast)  
KLADV-M1-WH White (Zinc diecast)

- ▶ 20 each per case @ 31lbs

**SPINDLE ADAPTOR**

KLADV-SpinAdapt

Extension Kit allows Two-Sided Keystone® to be used on posts over 5" wide


**PATENTED**
**KEYSTONE® PANICLATCH™**

KPL-P2-BK Black

- ▶ Self-Locking anti-tamper design
- ▶ Easy exit with large button
- ▶ Secure Entry with 6-pin key
- ▶ 6 each per case @20lbs



Functions like a panic bar but made for gates

**PATENTED****KEYSTONE® X-EXTERNAL MOUNT LATCH****TWO-SIDED**

KLX-P2-BK Black (Nylon)

KLX-P2-WH White (Nylon)

- ▶ Marked in 1/2" increments for quick, easy and accurate fitting to post sizes 2"-5"
- ▶ Flat design safely encloses spindle ends
- ▶ 20 each per case @ 22lbs

**ONE-SIDED**

KLX-P1-BK Black (Nylon)

KLX-P1-WH White (Nylon)

- ▶ Features latch side only
- ▶ 20 each per case @ 15lbs



Very Easy Installation

**KLX-SPINDLE-10**

- ▶ Longer spindle for gate frames over 5" thick

**SAME KLX LATCH, WITH SLIMLINE DESIGN**

KLX2-P2-BK Black

KLX2-P2-WH White

- ▶ Slimline design
- ▶ 20 each per case @ 20lbs

KLX2-P1-BK Black

KLX2-P1-WH White

- ▶ Features Latch only
- ▶ 20 each per case @ 13lbs



Button Side

**PATENTED****MANTA® MAGNETIC LATCH**MANTA-L-BK Black  
MANTA-L-WH White

- ▶ Self-latching and key-lockable
- ▶ Glass-filled nylon material for low maintenance, strength and durability
- ▶ Locks & unlocks from either side
- ▶ Reversible for left or right hand use without changing components

**PATENTED****ARMORLATCH®**

NW6244-SD-FB Flat Black w/self-drilling stainless steel screws  
 NW6244-FB Flat Black w/ non self-drilling stainless steel screws  
 NW6244CV-BK Cover Plates Glossy Black  
 NW6244CV-MI Cover Plates Unpainted  
 NW6244CV-WH Cover Plates White  
 NW6244CV-BZ Cover Plates Bronze

- ▶ Locks & unlocks from either side
- ▶ Add aluminum cover plates for metal look and color
- ▶ Re-keyable to home locks
- ▶ Reversible for left or right hand use
- ▶ Easy installation including horizontal & vertical adjustability
- ▶ Works with double drive gates
- ▶ Fits gate frames from 1-1/2" to 5" deep

**KEYLESS LOCKS FOR VINYL GATES**

- ▶ Mechanical Combination Locks- No electronics
- ▶ Passage function may be set for entering/exiting without code
- ▶ Deadlocking spring latch - locks automatically
- ▶ Marine Grade finishes available (Jet Black & Satin Chrome)
- ▶ Slip clutch design - no damage to lock if handle is pushed down too hard

**TWO SIDED KEYPAD**

2835-ABDC - Antique Brass

2835-BBDC - Bright Brass

2835-BCDC - Bright Chrome

2835-JBMGDC - Jet Black Marine Grade

2835-OILDC - Oil Rubbed Bronze

2835-SCMGDC - Satin Chrome Marine Grade

2835-SNDC - Satin Nickel

2835-WHDC - White

**1 SIDE KEYPAD & 1 SIDE BLANK**

2835-AB - Antique Brass

2835-BB - Bright Brass

2835-BC - Bright Chrome

2835-JBMG - Jet Black Marine Grade

2835-OIL - Oil Rubbed Bronze

28355-CMG - Satin Chrome Marine Grade

2835-SN - Satin Nickel

2835-WH - White

**2835-ADAPTER**

- ▶ Keeper has vertical adjustment and needs to be located on the post
- ▶ Fits a gate frame of 2"-5"
- ▶ Reversible for left and right handed use
- ▶ 10 per box @ 15lbs







**PATENTED**

## TRIDENT™ MAGNETIC GATE LATCH

TRIDENT20-BK Black 20"  
TRIDENT20-WH White 20"  
TRIDENT10-BK Black 10"  
TRIDENT10-WH White 10"

- ▶ Trident™ strong magnetic closing power, easy installation and guaranteed to last!
- ▶ Sophisticated, modern design
- ▶ Rust-resistant components
- ▶ Meets international pool codes, please check local pool codes prior to use.

Adapter available for use with round posts.  
Part No. NW6149-BK



10"

20"



**PATENTED**

## AQUALATCH® MAGNETIC GATE LATCH

AQUA10-BK AquaLatch® w/Std Keeper  
AQUA10-WH AquaLatch® w/Std Keeper  
AQUA10H-BK AquaLatch® w/Handle/Keeper  
AQUA10H-WH AquaLatch® w/Handle/Keeper  
AQUA20-BK AquaLatch® w/Std Keeper  
AQUA20-WH AquaLatch® w/Std Keeper  
AQUA20H-BK AquaLatch® w/Handle/Keeper  
AQUA20H-WH AquaLatch® w/Handle/Keeper

- ▶ Heavy-duty construction
- ▶ Beautiful, modern design
- ▶ Multi-directional leveling for misaligned gates
- ▶ Excellent horizontal and vertical adjustability
- ▶ Fits right or left handed gates
- ▶ Industry-best Warranty



10"

20"

## KEYSTONE® TRAVERSE

KLTRV-20L-SD-BK Left handed with Self Drilling Screws  
KLTRV-20R-SD-BK Right handed with Self Drilling Screws

- ▶ Easy to install
- ▶ For 2" fence posts
- ▶ No drilling holes through your posts
- ▶ Locks and unlocks from both sides
- ▶ Time saver for your installers



## NEW! KEYSTONE® TRAVERSE 500

KLTRV-500-SD-BK Reversible 6-pin w/ SD Screws, Black  
KLTRV-500-SD-WH\* Reversible 6-pin w/ SD Screws, White  
KLTRV-500-ZD-BK Reversible 6-pin w/ ZD Screws, Black  
KLTRV-500-ZD-WH\* Reversible 6-pin w/ ZD Screws, White

- ▶ Fits 5" Fence Posts
- ▶ Reversible for mounting/install
- ▶ No drilling holes through post
- ▶ Lock & unlocks from both sides
- ▶ Uses a 6-pin key cylinder

\*Special Order



## NEW! KEYSTONE® TRAVERSE 400

KLTRV-400-SD-BK Reversible 6-pin w/ SD Screws, Black  
KLTRV-400-SD-WH\* Reversible 6-pin w/ SD Screws, White  
KLTRV-400-ZD-BK Reversible 6-pin w/ ZD Screws, Black  
KLTRV-400-ZD-WH\* Reversible 6-pin w/ ZD Screws, White

- ▶ Fits 4" Fence Posts
- ▶ Reversible for mounting/install
- ▶ No drilling holes through post
- ▶ Lock & unlocks from both sides
- ▶ Uses a 6-pin key cylinder

\*Special Order



## THE PROTECTOR®

NW276NE-26 Black  
NW276NE-56 White

- ▶ Horizontal and vertical adjustment up to 2"
- ▶ Reversible for right-hand or left-hand use
- ▶ Easy-grip release knob
- ▶ Key cylinder is at a 45° angle for easy access
- ▶ Extruded aluminum body with glass-filled nylon components
- ▶ Packaged in heavy-duty poly bag with stain less steel screws
- ▶ 20 each per case @ 30lbs

Key cylinder at 45° for easy access  
and protection from water and debris

Latch height  
is 19.5"



## THE PROTECTOR® JR.

NW308-26 Black  
NW308-56 White

- ▶ Horizontal & vertical adjustment up to 2"
- ▶ Reversible for right-hand or left-hand use
- ▶ Total latch height is 10"
- ▶ Easy-grip release knob
- ▶ Key cylinder is at a 45° angle for easy access
- ▶ Extruded aluminum body with glass-filled nylon components
- ▶ Packaged in heavy-duty poly bag with stainless screws
- ▶ 20 each per case @ 23lbs

Latch height  
is 10"



## HORIZONTALLY ADJUSTABLE STAINLESS STEEL SELF-CLOSING HINGES – SCP SERIES


More Durable Design, Stronger Spring and Larger Holding Pins




- ▶ Closes better
- ▶ Horizontally adjustable
- ▶ Lasts longer
- ▶ Easier to adjust

### Easy Tension Adjustment

Just turn with Allen wrench.  
A one-step process that is quick and avoids stripping.  
Allen wrench included.



**Brushed Copper Finish**  
Available on parts where noted.  
May be ordered in less than box quantity.



**Tan Color**  
Available as a special order item.  
Check with customer service for available products.



### NARROW TO NARROW

**V-Notch**  
HINGES

- NW171NASC-SSB Black w/stainless steel screws  
NW171NASC-SSBD Black w/stainless steel self-drilling screws  
NW171NASC-SSW White w/stainless steel screws  
NW171NASC-SSWD White w/stainless steel self-drilling screws  
NW171NASC-SSRC Copper w/stainless steel screws
- ▶ Both flanges: 3.5"(H) x 3.5"(W) x 1.25"(D)
  - ▶ Horizontally adjustable
  - ▶ Enclosed spring with tension adjustment
  - ▶ 12 pair per case @ 37lbs



### NARROW TO NARROW "U-NOTCH"

- WI-6000-MA-SS Black w/stainless steel self-drilling screws  
WI-6000-MA-SSW White w/stainless steel self-drilling screws
- ▶ Both flanges 3.5"(H) x 3.5"(W) x 1.25"(D)
  - ▶ U-Notch Style hinges
  - ▶ Horizontally adjustable
  - ▶ Enclosed spring with tension adjustment
  - ▶ 12 pair per case



Strong Closing Power

### NARROW TO NARROW

**V-Notch**  
HINGES

- NW171SCP-SSB Black w/stainless steel screws  
NW171SCP-SSBD Black w/stainless steel self-drilling screws  
NW171SCP-SSW White w/stainless steel screws  
NW171SCP-SSWD White w/stainless steel self-drilling screws
- ▶ 12 pair per case @ 35lbs

### LONGER THREADED ROD WITH MORE ADJUSTABILITY

- NW171SCPL-SSB Black\*  
NW171SCPL-SSW White\*  
NW171SCPL-SSBD Black w/self-drilling screws\*  
NW171SCPL-SSWD White w/self-drilling screws\*
- ▶ 12 pair per case @ 36lbs

\*Special Order



### STANDARD TO NARROW



**V-Notch**  
HINGES

- NW171NASCA-SSB Black w/stainless steel screws  
NW171NASCA-SSBD Black w/stainless steel self-drilling screws  
NW171NASCA-SSW White w/stainless steel screws  
NW171NASCA-SSWD White w/stainless steel self-drilling screws
- ▶ Post flange: 3.5"(H) x 3.5"(W) x 3.5"(D)
  - ▶ Gate flange: 3.5"(H) x 2.75"(W) x 1.25"(D)
  - ▶ Horizontally adjustable
  - ▶ Enclosed spring with tension adjustment
  - ▶ 12 pair per case @ 42lbs



### STANDARD TO NARROW "U-NOTCH"

- WI-6010-MA-PH Black w/stainless steel screws
- WI-6010-MA-SS Black w/stainless steel self-drilling screws
- WI-6010-MA-W-PH White w/stainless steel screws
- WI-6010-MA-SSW White w/stainless steel self-drilling screws
  - Post flange 3.5"(H) x 3.5"(W) x 3.5"(D)
  - Gate flange 3.5"(H) x 3.5"(W) x 1.25"(D)
- U-Notch Style hinges
- Horizontally adjustable
- Enclosed spring with tension adjustment
- 12 pair per case @ 37lbs.



### STANDARD TO NARROW

- NW171SCP2-SSB Black w/stainless steel screws
- NW171SCP2-SSBD Black w/stainless steel self-drilling screws
- NW171SCP2-SSW White w/stainless steel screws
- NW171SCP2-SSWD White w/stainless steel self-drilling screws
  - 12 pair per case @ 36lbs



**V-Notch**  
HINGES

### STANDARD TO STANDARD

- NW171SCP3-SSB Black w/stainless steel screws
- NW171SCP3-SSBD Black w/stainless steel self-drilling screws
- NW171SCP3-SSW White w/stainless steel screws
- NW171SCP3-SSWD White w/stainless steel self-drilling screws
- NW171SCP3-SSRC Copper w/stainless steel screws
  - 12 pair per case @ 42lbs

**V-Notch**  
HINGES



### STANDARD TO STANDARD "U-NOTCH"

- WI-6040-MA-PH Black w/stainless steel screws
- WI-6040-MA-SS Black w/stainless steel self-drilling screws
- WI-6040-MA-W-PH White w/stainless steel screws
- WI-6040-MA-SSW White w/stainless steel self-drilling screws
  - Post flange 3.5"(H) x 3.5"(W) x 3.5"(D)
  - Gate flange 3.5"(H) x 3.5"(W) x 3.5"(D)
- U-Notch Style hinges
- Horizontally adjustable
- Enclosed spring with tension adjustment
- 12 pair per case

## STAINLESS STEEL GATE LATCHES

### LOCKABLE BOTH SIDES

- NW38308NUA-SSB Black
- NW38308NUA-SSW White
- NW38308NUA-SSRC Copper
- NW38308NUA-SSBD
  - Strike flange: 1.75"(W) x 3.5"(H) x 1.25"(D)
  - Latch flange: 2.5"(W) x 5.5"(H) x 1.5"(D)
  - Allows entry from both sides
  - Mounts around corner of post and gate frame
  - Pad-lockable on both sides - up to 5" post
  - .63" Strike Bar
  - Return spring for reversible mounting
  - Stainless steel screws included
  - 20 each per case @ 36lbs




Brushed Copper Finish  
may be ordered in less  
than box quantity.

- WI-SPLDL Black
- WI-SPLDL-W White
  - Allows entry from both sides
  - U style Notch on the front plate
  - Pad-lockable on both sides - up to 5" post
  - Return spring for reversible mounting
  - Stainless steel self-drilling screws included
  - 20 each per case



- WI-SPLDL-PH-SK
  - Same as above but with Slotted keeper
  - Stainless steel screws included
  - 20 each per case





### LOCKABLE ONE SIDE

- NW38308NU-SSB Black w/stainless steel screws
- NW38308NU-SSBD (WI-SPLL) Black w/stainless steel self-drilling screws
- NW38308NU-SSW (WI-SPLL-W-PH) White w/stainless steel screws
- NW38308NU-SSWD (WI-SPLL-W) White w/stainless steel self-drilling screws
  - Same as NW38308NUA above but Pad-lockable on one side only
  - 20 each per case @ 35lbs

- WI-SPLL-PH-SK Black w/stainless steel screws
- WI-SPLL-PH-W-SK White w/stainless steel screws
  - Slotted Keeper
  - Pad-lockable on one side only
  - 20 each per case

- SV38308-BK Black
- SV38308-WH White
  - Same as NW38308NU above but with Zinc plated steel with Black finish
  - 20 each per case @ 34lbs






## MIXED PROFILE DESIGN

- NW171SCP4-SSB Black w/stainless steel screws
- NW171SCP4-SSBD Black w/stainless steel self-drilling screws
- NW171SCP4-SSW White w/stainless steel screws
- NW171SCP4-SSWD White w/stainless steel self-drilling screws
- ▶ 12 pair per case @ 26lbs

## SMALL PROFILE DESIGN



- NW171SCP5-SSB Black w/stainless steel screws
- NW171SCP5-SSBD Black w/stainless steel self-drilling screws
- NW171SCP5-SSW White w/stainless steel screws
- NW171SCP5-SSWD White w/stainless steel self-drilling screws
- ▶ 12 pair per case @ 29lbs

- WI-62SC-SS Black w/stainless steel self-drilling screws
- ▶ 30 pair per case




## ADJUSTABLE ALUMINUM/ZINC SELF-CLOSING HINGES

### FULLY ADJUSTABLE HINGE

- ▶ Post flange: 5"(H) x 3.88"(W) x 1.62"(D)
- ▶ Gate flange: 5"(H) x 3"(W) x 1.62"(D)
- ▶ Aluminum leaf with Zinc die cast back plate
- ▶ Enclosed spring with tension adjustment
- ▶ Stainless steel screws included
- ▶ 10 pair per case @ 39lbs
- ▶ Back plates allow horizontal and vertical adjustability

NW093V-26 Black  
NW093V-56 White



## ADJUSTABLE STAINLESS STEEL/NYLON SELF-CLOSING HINGES

**V-Notch**  
HINGES

### NARROW TO NARROW

- HBH1SC-SSB Black\*
- HBH1SC-SSW White
- ▶ Both flanges: 3"(H) x 3"(W) x 1.5"(D)
- ▶ Horizontally adjustable
- ▶ Stainless steel screws included
- ▶ 20 pair per case @ 27lbs



## HORIZONTALLY ADJUSTABLE STAINLESS STEEL SELF-CLOSING HINGES

**V-Notch**  
HINGES



### STANDARD TO STANDARD

- NW38952SCR-BCP Black
- NW38952SCR-WCP White
- ▶ Both flanges: 3"(H) x 3"(W) x 3"(D)
- ▶ Horizontally adjustable
- ▶ Stainless steel screws included
- ▶ 12 pair per case @ 25lbs


### STANDARD TO NARROW

- NW38953SCR-BCP Black
- NW38953SCR-WCP White
- ▶ Post flange: 3"(H) x 3"(W) x 3"(D)
- ▶ Gate flange: 3"(H) x 3"(W) x 1.25"(D)
- ▶ Horizontally adjustable
- ▶ Stainless steel screws included
- ▶ 12 pair per case @ 23lbs

### WRAP AROUND

**V-Notch**  
HINGES

- NW6082SCP-SSB Black - for 1 3/4" gate frames
- NW6082ASCP-SSB Black - for 1 1/2" gate frames
- NW6082BSCP-SSB Black - for 2" gate frames
- NW6082SCP-SSW White - for 1 3/4" gate frames\*
- NW6082ASCP-SSW White - for 1 1/2" gate frames\*
- NW6082BSCP-SSW White - for 2" gate frames\*
- ▶ Enclosed spring with tension adjustment
- ▶ 12 pair per case @ 34lbs
- ▶ 8 case minimum order



Post flange: 1.25"(D)

- NW6082-SSB Black - for 1 3/4" gate frame\*
- NW6082A-SSB Black - for 1 1/2" gate frames\*
- NW6082B-SSB Black - for 2" gate frames\*

\*Special Order



### WRAP AROUND "U-NOTCH"

- WI-6020-MA-SS Black - for 1-3/4" gate frames  
 WI-6020-MA-SSW White - for 1-3/4" gate frames  
 WI-6022-MA-SS Black - for 2" gate frames  
 WI-6022-MA-SSW White - for 2" gate frames
- ▶ U-Notch style wrap around hinges
  - ▶ 12 pair per case



### "T" HINGE

- NWSS-HDT-SC-BK Black w/stainless steel screws  
 NWSS-HDT-SC-BKD Black w/stainless steel self-drilling screws
- ▶ Stainless steel, powder coated
  - ▶ Easy tension adjustment
  - ▶ Allen wrench included
  - ▶ Larger easy to hold pin
  - ▶ 12 pairs per case @ 40lbs

### HALF STRAP - EQUAL HEIGHTS ON BOTH SIDES

NW171SCPT-BK Black (special order)



### HEAVY-DUTY SELF-CLOSING HINGES

- NWSS-HD-SC-BK Black w/stainless steel screws  
 NWSS-HD-SC-BKD Black w/stainless steel self-drilling screws
- ▶ Stainless steel, powder coated
  - ▶ Easy tension adjustment
  - ▶ Allen wrench included
  - ▶ Larger easy to hold pin
  - ▶ 12 pairs per case @ 40lbs




Large and Heavy-duty

### ADJUSTABLE STAINLESS STEEL **V-Notch** NON SELF-CLOSING HINGES

#### STANDARD TO NARROW

- NW172-SSB Black
- ▶ Post flange: 4"(H) x 4"(W) x 4"(D)
  - ▶ Gate flange: 4"(H) x 4"(W) x 1.5"(D)
  - ▶ Horizontally adjustable
  - ▶ Stainless steel screws included
  - ▶ 12 pair per case @ 49lbs



#### STANDARD TO STANDARD



- NW38950NSSB (WI-SS-AGH-E-PH) Black w/stainless steel screws  
 NW38950NSSBD (WI-SS-AGH-E) Black w/stainless steel self-drilling screws  
 NW38950NSSW (WI-SS-AGH-EW-PH) White w/stainless steel screws  
 NW38950NSSWD (WI-SS-AGH-EW) White w/stainless steel self-drilling screws
- ▶ Both flanges: 3.5"(H) x 3.25"(W) x 3.25"(D)
  - ▶ Minimum gate frame or post size is 3.5"(W) x 3.5"(D)
  - ▶ Horizontally adjustable
  - ▶ 12 pair per case @ 43lbs



#### STANDARD TO NARROW

- NW38951NSSB Black w/stainless steel screws  
 NW38951NSSBD (WI-SS-AGH-N) Black w/stainless steel self-drilling screws  
 NW38951NSSW White w/stainless steel screws  
 NW38951NSSWD White w/stainless steel self-drilling screws
- ▶ Post flange: 3.5"(H) x 3.25"(W) x 3.25"(D)
  - ▶ Gate flange: 3.5"(H) x 3.25"(W) x 1.5"(D)
  - ▶ Horizontally adjustable
  - ▶ 12 pair per case @ 38lbs

SV38965-BK Black  
 SV38965-WH White

Similar to NW38951NSS above but with Zinc plated steel and Narrow to Narrow flanges

## ADJUSTABLE STAINLESS STEEL/NYLON NON SELF-CLOSING HINGES

### NARROW TO NARROW



HBH1-SSB Black  
HBH1-SSW White

- ▶ Both flanges: 3"(H) x 3"(W) x 1.5"(D)
- ▶ Horizontally adjustable
- ▶ Stainless steel screws included
- ▶ 20 pair per case @ 26lbs



## ADJUSTABLE STAINLESS STEEL NON SELF-CLOSING HINGES

### STANDARD TO STANDARD



NW38954-SSB Black w/ stainless steel screws  
NW38954-SSBD Black w/ stainless steel self-drilling screws

- ▶ Both flanges: 3.5"(H) x 3.12"(W) x 3.12"(D)
- ▶ Heavy-duty 5/8" threaded rod
- ▶ Horizontally adjustable
- ▶ 10 pair per case @ 45lbs

### STANDARD TO NARROW


- NW6159-SSB Black
- ▶ Post flange: 3.5"(H) x 3.12"(W) x 3.12"(D)
  - ▶ Gate flange: 3.5"(H) x 3.12"(W) 1.41"(D)
  - ▶ Heavy-duty 5/8" threaded rod
  - ▶ Horizontally adjustable
  - ▶ Stainless steel screws included
  - ▶ 10 pair per case @ 45lbs



### WALL MOUNT

- NW38951NWV-SSB Black  
NW38951NWV-SSW White
- ▶ Gate flange: 3.5"(H) x 3.25"(W) x 1.5"(D)
  - ▶ Wall flange: 3.5"(H) x 6.38"(W)
  - ▶ Horizontally adjustable
  - ▶ Stainless steel screws included
  - ▶ 12 pair per case @ 39lbs

### WRAP AROUND



- NW38955-SSB Black  
NW38955-SSW White
- ▶ Post flange: 3.5"(H) x 3.5"(W) x 3.5"(D)
  - ▶ For 1 3/4" gate frames only
  - ▶ Horizontally adjustable
  - ▶ Stainless steel screws included
  - ▶ 12 pair per case @ 38lbs
  - ▶ 8 case minimum order

### SUPER-DUTY 3-SIDED



Matching latch  
(NW6057-BK)  
found on page 13

- NW6056-BK Black
- ▶ Use for 5" x 5" post and fence gate only
  - ▶ Both flanges: 3.5"(H) x 3.5"(W) x 5"(D)
  - ▶ Horizontally adjustable
  - ▶ Packaged with stainless thru bolts, nuts and washers
  - ▶ 5 pair per case @ 38lbs

### BUTTERFLY HINGES

- NW38943SSB (WI-CBH-8-SS) Black  
NW38943SSW White
- ▶ 8" Hinge with a traditional wood hardware look
  - ▶ Stainless steel screws included
  - ▶ 20 pair per case @ 45lbs



### HEAVY-DUTY SEALED BEARING HINGES

We offer a full line of sealed bearing hinges for HD applications

- Shown: HDBY-ABB-ABB
- ▶ Body: Alum, Bolt-on, Blk
  - ▶ Yoke: Alum, Bolt-on, Blk






## LOCKABLE BOTH SIDES

NW6255-SD-BK Black  
NW6255-SD-WH White  
NW6255-ZD-WH  
NW6255-ZD-BK

- ▶ Strike flange: 3.12"(W) x 3.5"(H) x 1.38"(D)
- ▶ Latch flange: 1.88"(W) x 5.5"(H) x 1.5"(D)
- ▶ Mounts around corner of post and gate frame
- ▶ Pad-lockable on both sides - Locking slide switch on latch arm
- ▶ Allows entry from both sides
- ▶ Reversible mounting (right or left handed)
- ▶ .63" Strike bar
- ▶ Stainless steel screws included
- ▶ 20 each per case @ 44lbs



WI-6001-SS Black w/stainless steel screws  
WI-6001-SSW White w/stainless steel screws

- ▶ Pad-lockable on both sides
- ▶ 20 each per case

## STAINLESS STEEL CONTEMPORARY GATE LATCHES



NW38310N-SSB(WI-SS-CGL-PH) Black w/stainless steel screws  
NW38310N-SSBD (WI-SS-CGL) Black w/stainless steel self-drilling screws  
NW38310N-SSW (WI-SS-CGL-W-PH) White w/stainless steel screws  
NW38310N-SSWD (WI-SS-CGL-W) White w/stainless steel self-drilling screws

- ▶ Strike flange: 3.12"(W) x 3.5"(H) x 1.38"(D)
- ▶ Latch flange: 1.88"(W) x 5.5"(H) x 1.5"(D)
- ▶ Mounts around corner of post and gate frame
- ▶ Pad-lockable on both sides - Locking slide switch on latch arm
- ▶ Allows entry from both sides
- ▶ Reversible mounting (right or left handed)
- ▶ .63" Strike bar
- ▶ 20 each per case @ 44lbs

NW38310NS-SSB Black  
NW38310NS-SSW White  
NW38310NS-SSBD

- ▶ Strike flange: 3.12"(W) x 3.5"(H) x 1.38"(D)
- ▶ Latch flange: 1.88"(W) x 5.5"(H) x 1.5"(D)
- ▶ Mounts around corner of post and gate frame
- ▶ Pad-lockable on both sides - Locking slide switch on latch arm
- ▶ Allows entry from both sides
- ▶ Reversible mounting (right or left handed)
- ▶ .63" Strike bar
- ▶ Stainless steel screws included
- ▶ 20 each per case @ 44lbs



New stop added  
for easier use

## STAINLESS STEEL GRAVITY LATCHES

NW38210SSB Black  
NW38210SSW White

- ▶ Strike flange: 3"(H) x 3"(W) x 1.25"(D)
- ▶ Latch flange: 3"(H) x 3"(W) x 1"(D)
- ▶ Reversible mounting (right or left hand)
- ▶ Mounts around corner of post and gate frame
- ▶ Pad-lockable on one side
- ▶ .38" Strike bar
- ▶ Stainless steel screws included
- ▶ 25 each per case @ 25lbs




## 2-SIDE ACTIVATED LATCHES

### NARROW STRIKE FLANGE

NW6068-SSB Black w/stainless steel screws  
NW6068-SSBD Black w/stainless steel self-drilling screw  
NW6068-SSW White w/stainless steel screws  
NW6068-SSWD White w/stainless steel self-drilling screws

- ▶ Strike flange is 2"(W) x 3.5"(H) x 1.38"(D)
- ▶ Allows entry from both sides
- ▶ Mounts around corner of post and gate frame
- ▶ Pad-lockable on one side
- ▶ .38" ball-tipped striker bar
- ▶ 40 each per case @ 30lbs



NW6068AL-SSB Black  
NW6068AL-SSW White

- ▶ Same as NW6068 above but with a 1-1/2" longer thumb latch and return spring
- ▶ 40 each per case @ 37lbs

## DUAL ACTION LATCH

WI-SS-DAL Black w/stainless steel screws

- ▶ Larger keeper assembly base than NW6068
- ▶ Allows entry from both sides
- ▶ Pad-lockable on one side
- ▶ 20 per case



## HIDDEN SPRING LATCHES

NW6283-SSB Black w/stainless steel screws included  
NW6283-SSBD Black w/stainless steel self-drilling screws included  
NW6283-SSW White w/stainless steel screws included  
NW6283-SSWD White w/stainless steel self-drilling screws included

- ▶ Suitable for 1-1/4"-2-1/2" gate frames
- ▶ Can be used for Double Drive Gates
- ▶ Pad-Lockable on both sides
- ▶ 20 each per case @ 25lbs




Great for Double  
Drive Gates



### NARROW GAP DESIGN

- NW6268-SSB Black w/stainless steel screws  
 NW6268-SSBD Black w/stainless steel self-drilling screws  
 NW6268-SSW White w/stainless steel screws  
 NW6268-SSWD White w/stainless steel self-drilling screws
- ▶ Allows for tighter gate gaps
  - ▶ 40 each per case @ 29lbs



### MINI STAINLESS STEEL LATCH

- WI-PLVL-SS Black w/stainless steel screws  
 WI-PLVL-SSW White w/stainless steel screws
- ▶ Allows entry from both sides
  - ▶ Pad-lockable on one side
  - ▶ 50 each per case



### WIDE STRIKE FLANGE

- NW170SB-SSB Black  
 NW170SB-SSW White
- ▶ Strike bar flange: 3.5"(W) x 3.5"(H) x 1.38"(D)
  - ▶ Allows entry from both sides
  - ▶ Pad-lockable on one side
  - ▶ .38" ball tipped strike bar
  - ▶ Stainless steel screws included
  - ▶ 40 each per case @ 36lbs

### FLIP LATCH

- NW6169-BK
- ▶ Commercial grade
  - ▶ Great for dumpster use
  - ▶ Pad-lockable
  - ▶ Zinc plated steel with black powder coated finish
  - ▶ Stainless steel through-bolt hardware included
  - ▶ 10 each per case @ 37 lbs



### WI-DGFL

- ▶ Teflon Coated
- ▶ Pad-lockable
- ▶ 12 each per case @ 56 lbs

## HEAVY-DUTY STAINLESS STEEL GRAVITY LATCHES



### 1-SIDED NARROW TO NARROW

NW6160-SSB Black

- ▶ Strike flange: 3"(H) x 3"(W) x 1.25"(D)
- ▶ Latch flange: 3"(H) x 3"(W) x 1"(D)
- ▶ Reversible mounting (right or left hand)
- ▶ Pad-lockable on one side
- ▶ .40" Strike bar
- ▶ Stainless steel screws included
- ▶ 10 each per case @ 17lbs



### 2-SIDED STANDARD TO STANDARD

NW6100-BK Black

- ▶ 10 each per case @ 24lbs

### NARROW TO NARROW

NW6161-SSB Black

- ▶ 10 each per case @ 14lbs

## POST AND RAIL LATCHES



NW175-SSB Black

- ▶ For use on 1 1/2" rail
- ▶ Great for Horse and Cattle gates
- ▶ Stainless steel screws included
- ▶ 12 each per case @ 34 lbs



Heavy-duty Spring  
Loaded Strike Bar

## SUPER-DUTY 3-SIDED STAINLESS STEEL LATCHES



Matching hinge (NW6056-BK) found on page 8

NW6057-BK Black

- ▶ For use on 5" x 5" post and fence gate only
- ▶ Flange: 3.5"(H) x 5"(W) x 3.38"(D)
- ▶ Reversible mounting (right or left hand)
- ▶ Pad-lockable on one side
- ▶ Packaged with stainless thru bolts, nuts and washers
- ▶ 10 each per case @ 35lbs

## HEAVY-DUTY DROP RODS

### 24" STAINLESS STEEL

- NW38305N-24SSB Black \*
- NW38305N-24SSBD (WI-SSLDR-24B) Black \*\*
- NW38305N-24SSW White \*
- NW38305N-24SSWD (WI-SSLDR-24W) White \*\*
- 20 each per case @ 55lbs

### 36" STAINLESS STEEL

- NW38305N-36SSB Black \*
- NW38305N-36SSBD (WI-SSLDR-36B) Black \*\*
- NW38305N-36SSW White \*
- NW38305N-36SSWD (WI-SSLDR-36W) White \*\*
- 10 each per case @ 39lbs

### ZINC PLATED STEEL

- NW38305N-36B Black
- NW38305N-36W White
- 10 each per case @ 39lbs

### 48" STAINLESS STEEL

- NW38305N-48SSB Black \*
- NW38305N-48SSBD (WI-SSLDR-48B) Black \*\*
- NW38305N-48SSW White \*
- NW38305N-48SSWD (WI-SSLDR-48W) White \*\*
- 10 each per case @ 39lbs

- 5/8" diameter
- Screws included
- Dual guides
- Pad-lockable
- Retention-ears for theft prevention

\*w/stainless steel screws \*\*w/stainless steel self-drilling screws

## STAINLESS STEEL KEY LOCKING DROP RODS

- 18"** NW38305KL-18SSB Black
- NW38305KL-18SSW White
- 10 each per case @ 21lbs

- 24"** NW38305KL-24SSB Black
- NW38305KL-24SSW White
- 10 each per case @ 23lbs

- 36"** NW38305KL-36SSB Black
- NW38305KL-36SSW White
- 10 each per case @ 36lbs

- 48"** NW38305KL-48SSB Black
- NW38305KL-48SSW White
- Add the appeal of a key lock to your drop rod
- Anti-theft protection
- The handle & brackets are made of low-maintenance, glass filled nylon
- The rods are 300 series stainless steel
- Available with Black or White brackets
- 2-sided bracket attachment
- Stainless steel screws included

Designed with multiple "set" points for desired height when in the "up" position

All Lockable Drop Rods  
Can Be Keyed Alike

Comfortable, easy  
to use handle



## STAINLESS DROP RODS WITH HOLDER

- 24"** NW38305H-24SSB Black \*
- NW38305H-24SSBD Black \*\*
- NW38305H-24SSW White \*
- NW38305H-24SSWD White \*\*
- 20 each per case @ 53lbs

- 36"** NW38305H-36SSB Black \*
- NW38305H-36SSBD Black \*\*
- NW38305H-36SSW White \*
- NW38305H-36SSWD White \*\*
- 10 each per case @ 36lbs

- 48"** NW38305H-48SSB Black \*
- NW38305H-48SSBD Black \*\*
- NW38305H-48SSW White \*
- NW38305H-48SSWD White \*\*
- 10 each per case @ 44lbs
- No locking nibs
- Includes holder for "up" position

\*w/stainless steel screws \*\*w/stainless steel self-drilling screws



## COMMERCIAL DROP RODS

- 24"** NW6270-24BK Black
- NW6270-24HDG Hot Dip Galvanized
- 10 each per case @ 46lbs

- 36"** NW6270-36BK Black
- NW6270-36HDG Hot Dip Galvanized
- 10 each per case @ 55lbs

- 48"** NW6270-48BK Black
- NW6270-48HDG Hot Dip Galvanized
- 5 each per case @ 36lbs

- Heavy-duty 1" O.D. drop rod
- Zinc plated, powder coated steel
- Through bolt design
- Can be used on vinyl, wood, aluminum or steel gates



## COMMERCIAL PAD LOCKABLE DROP RODS

- 24"** NW6270L-24BK Black
- NW6270L-24HDG Hot Dip Galvanized
- 10 each per case @ 46lbs

- 36"** NW6270L-36BK Black
- NW6270L-36HDG Hot Dip Galvanized
- 10 each per case @ 55lbs

- 48"** NW6270L-48BK Black
- NW6270L-48HDG Hot Dip Galvanized
- 5 each per case @ 36lbs



Padlocks not included



## NYLON GATE HANDLES WITH BUMPER

WI-NGH-SB (NW6143S-BK) Black  
WI-NGH-SB-WH (NW6143S-WH) White

- ▶ Made with durable glass-filled nylon with UV inhibitors
- ▶ Flanges are each 2"(W) x 1.75"(D) for durable attachment
- ▶ Overall height is 4.5" and handle is 1" deep
- ▶ Rubber pad backing absorbs gate slamming shock, reducing latch wear
- ▶ Very comfortable and easy to grasp
- ▶ Stainless steel screws included
- ▶ 50 each per case @ 25lbs
- ▶ Also available in quantities of 10



Reduces  
Damage



## NYLON GATE BUMPERS

NW6186-SD-BK Black  
NW6186-SD-WH White

- ▶ Made with durable glass-filled nylon with UV inhibitors
- ▶ Flanges are each 2"(W) x 1.75"(D) for durable attachment
- ▶ Overall height is 4.5"
- ▶ Stainless steel screws included
- ▶ 50 each per case @ 22lbs
- ▶ Also available in quantities of 10



Reduces  
Damage



## NYLON GATE HANDLES

NW314S-BK w/S.S. screws Black  
NW314S-WH w/S.S. screws White  
NW314-BK (WI-NGH) w/o screws Black  
NW314-WH (WI-NGH-W) w/o screws White

- ▶ Made with durable glass-filled nylon with UV inhibitors
- ▶ Flanges are each 1.5"(W) x 1.25"(D) for durable attachment
- ▶ Overall height is 5" and handle is .75" deep
- ▶ Very comfortable and easy to grasp
- ▶ 50 each per case @ 8lbs



## STAINLESS STEEL GATE HANDLES

NW6184-BK Black  
NW6184-WH White

- ▶ 2-Sided Attachment
- ▶ Modern Design
- ▶ Stainless steel screws included
- ▶ 100 each per case @ 35lbs



## 6" STAINLESS STEEL GATE HANDLES

NW257-SSB (WI-SS-SGH-6) Black  
NW257-SSW (WI-SS-SGH-6W) White

- ▶ Stainless steel screws included
- ▶ 100 each per case @ 19lbs
- ▶ Also available in quantities of 50



## 9" STAINLESS STEEL GATE HANDLES


NW38396-SSB Black  
NW38396-SSW White  
NW38396-SSRC Copper

- ▶ 100 each per case @ 24lbs
- ▶ Also available in quantities of 50



Special Finish  
Available

Brushed Copper Finish  
may be ordered  
in quantities of 12



## POST MOUNT BRACKET SETS

NW6011 (WI-EBSS) - Adapts a 1 5/8" round post for a 4" x 4" vinyl fence post  
NW6012 (WI-EBSL) - Adapts a 1 7/8" round post for a 5" x 5" vinyl fence post  
NW6013 - Adapts a 1 7/8" round post for a 4" x 4" vinyl fence post  
NW6014 - Adapts a 1 5/8" round post for a 5" x 5" vinyl fence post

- ▶ Brackets are made of extruded aluminum
- ▶ Each kit includes 2 full brackets with four 3" stainless steel shoulder bolts and nuts
- ▶ 50 sets per case @ 33lbs

## GATE WHEELS

GW1-SS-BK Black  
GW1-SS-WH White

- ▶ Stainless steel bracket and spring
- ▶ Swivel design for ease of use
- ▶ 2-sided attachment for added strength
- ▶ Nationwide's V-notch™ styling
- ▶ May be used on any square profile
- ▶ Powder-coated finish
- ▶ Stainless steel screws included
- ▶ 10 each per case @ 38 lbs
- ▶ Easily reversible for use on left or right-handed gates



## GATE BRACES



Adjustable



Sturdy Attachment Brackets

NW6132-BK Black  
NW6132-WH White

- ▶ Aluminum brace
- ▶ Available in powder-coated black or white
- ▶ Fits 4' x 4' to 6' x 6' gates



Guards Against  
Sagging and  
Warping

## GALVANIZED STEEL GATE POST STIFFENERS

### STRONGER THAN CONVENTIONAL ALUMINUM "I" BEAMS

NW6142-084 - 4" Profile 84" Height\*  
NW6142-096 - 4" Profile 96" Height\*  
NW6142-108 - 4" Profile 108" Height\*  
NW6146-084 - 5" Profile 84" Height\*  
NW6146-096 - 5" Profile 96" Height\*  
NW6146-108 - 5" Profile 108" Height\*

- ▶ Cost-effective
- ▶ Packaged in pairs
- ▶ No minimum order requirements

\*Special Order


Allows for 2-sided  
attachment of hardware



## ALUMINUM GATE POST STIFFENERS

3950-96  
5" Profile 96" Height "A" Beam Shape


3950-108  
5" Profile 108" Height "A" Beam Shape  
(30 each per bundle)



## ALUMINUM GATE POST STIFFENERS


NW6350-096  
5" Profile 96" Height "A" Beam Shape

NW6350-108  
5" Profile 108" Height "A" Beam Shape  
(30 each per bundle)



2632-SL-72  
5" Profile 72" Height "I" Beam Shape

2632-SL-96  
5" Profile 96" Height "I" Beam Shape



2632-SL-108  
5" Profile 108" Height "I" Beam Shape  
(35 each per bundle)


NW6351-096  
5" Profile 96" Height "I" Beam Shape

NW6351-108  
5" Profile 108" Height "I" Beam Shape  
(35 each per bundle)



2633-72  
4" Profile 72" Height "I" Beam Shape

2633-84  
4" Profile 84" Height "I" Beam Shape




2633-96  
4" Profile 96" Height "I" Beam Shape  
(36 each per bundle)

## ALUMINUM EXTRUSION



### BOTTOM RAIL INSERT

Please contact customer service for bundle quantities. Special order.

WI-E-I168-70 - 1.68" H x 1.28 W x 70" insert  
WI-E-I168-82 - 1.68" H x 1.28 W x 82" insert  
WI-E-I168-96 - 1.68" H x 1.28 W x 96" insert



3007-93 - 93" Aluminum Extrusion WI-E-GPI5X5-96 - 96" Gate Post Insert  
3007-96 - 96" Aluminum Extrusion WI-E-GPI5X5-108 - 108" Gate Post Insert



## STAINLESS STEEL GATE ANTI-SAG KITS



### NW38309-SSM

- ▶ Stainless steel attachment screws included
- ▶ Cable length is 9'
- ▶ 50 each per case @ 33lbs

## STEEL ANTI-SAG KITS

### NW6296-BK (WI-STBK-D-BK)

Steel Cable with Black Plastic Coating

### NW6296-CL (WI-STBK-D-CL)

Steel Cable with Clear Plastic Coating

### NW6296-WH (WI-STBK-D-WH)

Steel Cable with White Plastic Coating

- ▶ Cable Length is 9'
- ▶ 50 each per case



## STAINLESS STEEL 13" GATE SPRINGS

### NW198-SSB (WI-SS-GS-13) Black

### NW198-SSW (WI-SS-GS-13-W) White

- ▶ Stainless steel screws included
- ▶ 20 each per case @ 42lbs



## STAINLESS STEEL SCREWS

### 14X1HEX-SSB Black

### 14X1HEX-SSW White

- ▶ #14 Hex-head by 1" 316 Stainless steel self-drilling
- ▶ Each packet contains 30 screws

### WI-HWH-SSB Black

### WI-HWH-SSW White

- ▶ #14 Hex-head by 1" 410 Stainless steel self-drilling
- ▶ 4000 each per case



### 14X3/4PHILPANSS Black

### 14X3/4PHILPANSW White

- ▶ #14 Philips Pan-head by 3/4"
- ▶ Each packet contains 30 screws



## RIVETS

### NW6199-MI Mill

### NW6199-WH White (ADA613W)

### NW6199-TN Tan

- ▶ 3/16" X .800"
- ▶ 5000 per box @ 23lbs

### ADA614M Mill

### ADA614T Tan

- ▶ 3/16" X 1"
- ▶ 5000 per box



## VINYL RAILING SUPPORT TOWERS

### NW40001-4 - 3 5/8" x 20" Zinc plated steel

### NW40001-4SS - 3 5/8" x 20" Stainless steel\*

### NW40001-5 - 4 5/8" x 20" Zinc plated steel

### NW40001-5SS - 4 5/8" x 20" Stainless steel\*

- ▶ All towers have a wall thickness of .110"
- ▶ Will accommodate line, corner and 'T' post applications
- ▶ Includes snug-fit wedge for post thickness variations
- ▶ 8 per case @ 48lbs

\*Special Order



### 3 5/8" DIMENSIONS FIT A 4" VINYL POST

### 4 5/8" DIMENSIONS FIT A 5" VINYL POST



### NW3004 - 3 5/8" x 20" Zinc plated steel

### NW3004SS - 3 5/8" x 20" Stainless steel\*

### NW3005 - 4 5/8" x 20" Zinc plated steel

### NW3005SS - 4 5/8" x 20" Stainless steel\*

- ▶ Same as NW40001s above but with concrete anchor and adjustable leveling plate kit

\*Special Order

### WI-VFP-4425-ZP - 4.425" Zinc Plated Tower

### WI-VFP-4625-ZP - 4.625" Zinc Plated Tower

- ▶ Comes with concrete anchors and adjustable leveling plate kit
- ▶ 6 each per case






## BRACKET TO ATTACH ROUND HANDRAILS

NW6267 White

- ▶ Aluminum and Powder Coated
- ▶ 50 per case



## HYDRAULIC GATE CLOSERS



GC2-BK Black

GC2-WH White

- ▶ Works with gates up to 125 lbs
- ▶ Works with gates widths up to 54"
- ▶ Adjustable closing speed and adjustable latching speed
- ▶ 90° hold open feature
- ▶ Maximum opening of 90°
- ▶ Powder coated steel
- ▶ 12 each per case @ 30lbs

GC1-BK Black

- ▶ Works with gates up to 150 lbs
- ▶ Works with gates widths up to 54"
- ▶ Adjustable closing speed
- ▶ 90° hold open feature
- ▶ Powder coated steel
- ▶ 8 each per case @ 43lbs



**PATENTED**

## SHOTGUN® GATE CLOSER

**CONTROLLED CLOSING POWER TO AVOID GATE SLAMMING**

SHOTGUN-BK Black

SHOTGUN-SC Satin Chrome

- ▶ One SKU closes any gate up to 250lbs\*
- ▶ Anti-slam technology
- ▶ Adjustable closing speed
- ▶ No oil therefore no leaks
- ▶ 10 per case @ 67lbs



\*Tested on a 6' high, 6' wide. Needs a gate stop at 90 degrees

## VINYL RAILING POST MOUNTS

RPM SERIES



For 4" or 5" Posts



For 4" Posts

**MIX AND MATCH COMPONENTS**

4 sides for secure hardware attachment

Easy bracket position adjustability



All Components Available Individually

- ▶ Code compliant within complete railing system
- ▶ Brackets come attached to post for easy installation
- ▶ Saves installation time
- ▶ Available in 24", 36" and 42" heights

CONCRETE1

Concrete screws: 4 per pack

LEVKIT1

Leveling Kit - SS plate and steel nuts & bolts: 1 each

WOOD1

Wood Mounting Kit - 2 steel plates and 4 carriage bolts & nuts: 1 each

## PVC CAPS AND ACCESSORIES

All PVC caps and accessories are available in White (WH), Almond (AL) and Khaki (KK). Some SKU's may have a short special order lead time for colors. Check with Customer Service for availability.

### GOTHIC POST CAP

VPC-GOTH4-WH-2 (WI-PVC-GC4-W) White

- ▶ 4" cap - external fit
- ▶ Corner radius: .06"
- ▶ Extends: 1.4" over the profile
- ▶ Total height: 7.8"
- ▶ 45 per case @ 25bs



VPC-GOTH5-WH-2 (WI-PVC-GC5-W) White

- ▶ 5" cap - external fit
- ▶ Corner radius: .03"
- ▶ Extends: 1.6" over the profile
- ▶ Total height: 9.64"
- ▶ 48 per case @ 44lbs

## EXTERNAL HORSE FLAT POST CAP

VPC-EXHFL4-WH-2 (WI-PVC-FC4-W) White

- ▶ 4" long lipped cap – external fit
- ▶ Corner radius: .17"
- ▶ Extends: .87" over the profile
- ▶ Total height: 1.5"
- ▶ 204 per case @ 32lbs




VPC-EXHFL5-WH-2 (WI-PVC-FC5-W) White

- ▶ 5" long lipped cap – external fit
- ▶ Corner radius: .17"
- ▶ Extends: 1" over the profile
- ▶ Total height: 1.9"
- ▶ 136 per case @ 39lbs

## EXTERNAL SHORT LIP POST CAP

VPC-SLEXHFL4-WH-2 (White)

- ▶ 4" short lipped cap – external fit
- ▶ Inside corner radius: .17"
- ▶ Extends: .54" over the profile
- ▶ Total height: 1.35"
- ▶ 120 per case @ 13lbs



## NEW ENGLAND POST CAP

VPC-NWENG4-WH-2 (WI-PVC-EC4-W) White

- ▶ 4" square cap – external fit
- ▶ Corner radius: .13"
- ▶ Extends: 1" over the profile
- ▶ Total height: 1.8"
- ▶ 28 per case @ 11lbs



VPC-NWENG5-WH-2 (WI-PVC-EC5-W) White

- ▶ 5" square cap – external fit
- ▶ Corner radius: .16"
- ▶ Extends: 1.3" over the profile
- ▶ Total height: 2.2"
- ▶ 24 per case @ 16lbs

## CAPE COD POST CAP

VPC-CC4-WH-2 (White)

- ▶ 4" cap – external fit
- ▶ Inside corner radius: .125"
- ▶ Extends: 1.03" over the profile
- ▶ Total height: 2.55"
- ▶ 24 per case @ 12bs



VPC-CC5-WH-2 (White)

- ▶ 5" cap – external fit
- ▶ Inside corner radius: .19"
- ▶ Extends: 1.28" over the profile
- ▶ Total height: 2.74"
- ▶ 24 per case @ 17lbs



## FEDERAL POST CAPS

WI-PVC-FED5-W (White)

- ▶ 5" Federal Post Cap
- ▶ 36 each per box @ 42lbs

## 1 1/2" SQUARE SHARP POINT PYRAMID PICKET CAP

VPKT-SHPSQN-WH-2 (White)

- ▶ 1 1/2" X 1 1/2" cap – internal fit
- ▶ Min. inside profile dim: 1.35" x 1.35"
- ▶ Corner radius: .11"
- ▶ Extends: .6" into the profile
- ▶ Total height: 1.4"
- ▶ 500 per case @ 11lbs



## 7/8 X 1 1/2" SHARP POINT/SPADE PICKET CAP

VPKT-SHP150N-WH-2 (White)

- ▶ 7/8" X 1 1/2" cap – internal fit
- ▶ Min. inside profile dim: .74" x 1.36"
- ▶ Corner radius: .125"
- ▶ Extends: .9" into the profile
- ▶ Total height: 2.4"
- ▶ 500 per case @ 14lbs



## 7/8 X 3" SHARP POINT/SPADE PICKET CAP

VPKT-SHP3N-WH-2 (White)

- ▶ 7/8" X 3" cap – internal fit
- ▶ Min. inside profile dim: .73" x 2.85"
- ▶ Corner radius: .125"
- ▶ Extends: .8" into the profile
- ▶ Total height: 2.82"
- ▶ 250 per case @ 13lbs



## 7/8 X 3" DOG EAR PICKET CAP

VPKT-DGR3N-WH-2 (White)

- ▶ 7/8" X 3" cap – internal fit
- ▶ Min. inside profile dim: .73" X 2.85"
- ▶ Corner radius: .125"
- ▶ Extends: .8" into the profile
- ▶ Total height: 1.8"
- ▶ 300 per case @ 13lbs



## WHITE SOLAR LIGHT WITH WHITE TOP

VPL-SOL4-WH-2 (White)

- ▶ 4" X 4" cap – external fit
- ▶ Total height: 4.75"
- ▶ 12 per case @ 21lbs

VPL-SOL5-WH-2 (White)

- ▶ 5" X 5" cap – external fit
- ▶ Total height: 5.25"
- ▶ 12 per case @ 22lbs



**Top easily removes to access batteries.  
No need to remove entire light from post.**

## 2" X 3-1/2" STRAIGHT BRACKET SET

### VBKT-L235-WH-2 (White)

- ▶ Inside Dimensions: 2" X 3-1/2"
- ▶ Inside corner radius: .125"
- ▶ Overall dimensions: 3.75" X 5.2"
- ▶ Screws included
- ▶ 24 kits (2 per kit) per case @ 16lbs



## 2" X 3-1/2" STAIR BRACKET SET

### VBKT-S235-WH-2 (White)

- ▶ Inside Dimensions: 2" X 3-1/2"
- ▶ Inside corner radius: .125"
- ▶ Overall dimensions: 3.75" X 5.2"
- ▶ Screws included
- ▶ 24 kits (2 per kit) per case @ 16lbs
- ▶ Degree of angle: 31-38°



## T-RAIL STRAIGHT BRACKET SET

### VBKT-LTRL-WH-2 (White)

- ▶ Overall dimensions: 3.75" X 5.2"
- ▶ Screws included
- ▶ 24 kits (2 per kit) per case @ 16lbs



## T-RAIL STAIR BRACKET SET

### VBKT-STRL-WH-2 (White)

- ▶ Overall dimensions: 3.75" X 5.2"
- ▶ Screws included
- ▶ 24 kits (2 per kit) per case @ 18lbs
- ▶ Degree of angle: 31-38°



## 3 1/2" RAIL END CAP

### VREC-350-E-WH-2 (White)

- ▶ 2" x 3 1/2" cap – external fit
- ▶ Cap lip - 0.56"
- ▶ 100 per case @ 6lbs

### VREC-350-B-WH-2 (White)

- ▶ 2" x 3 1/2" cap – internal fit
- ▶ Min. inside profile dim: 1.78" X 3.3"
- ▶ Corner radius: .25"
- ▶ Extends: .62" into the profile
- ▶ Total height: .72"
- ▶ 200 per case @ 9lbs



## NEW ENGLAND POST SKIRT

### VPS-NWENG4A-WH-2 (White)

- ▶ 4" post skirt – external fit
- ▶ Corner radius: .125"
- ▶ Total height: 1.30"
- ▶ Overall outside dim: 5.49"
- ▶ 40 per case @ 9lbs

### VPS-NWENG5A-WH-2 (White)


- ▶ 5" post skirt – external fit
- ▶ Corner radius: .125"
- ▶ Total height: 1.62"
- ▶ Overall outside dim: 6.77"
- ▶ 40 per case @ 15lbs



## 2 PIECE POST SKIRT

### VPS-2PC4-WH-2 (White)

- ▶ 4" two piece post skirt – external fit
- ▶ Corner radius: .125"
- ▶ Total height: 1.3"
- ▶ Overall outside dim: 5.49"
- ▶ 50 per case @ 9lbs



## HOLE PLUG

### VHP-580-WH-2(White)

- ▶ Fits into a 5/8" hole
- ▶ 500 per case @ 2lb



## GATE SOCKETS

### VACC-GS-55-WH-2 (White)

- ▶ Dimensions: 1 1/2" X 5 1/2" X 4"
- ▶ 40 per case @ 15lbs

### VACC-GS-35-WH-2 (White)

- ▶ Dimensions: 2" X 3-1/2" X 4"
- ▶ 48 per case @ 22lbs

### VACC-RM-A-WH-2 (White)

- ▶ Dimensions: 1-1/2" X 5-1/2" X 4"
- ▶ 64 per case @ 24lbs

### VACC-RM-B-WH-2 (White)

- ▶ Dimensions: 2" X 3-1/2" X 4"
- ▶ 78 per case @ 36lbs

### VACC-RM-C-WH-2 (White)

- ▶ Dimensions: 2" X 6" X 4"
- ▶ 64 per case @ 41lbs

### VACC-RM-D-WH-2 (White)

- ▶ Dimensions: 1-3/4" X 5-1/2" X 4"
- ▶ 64 per case @ 30lbs





## PVC GLUE

VGL-8W (White)

VGL-8C (Clear)

► 8 Ounce Tube

► 8 per case @ 5lbs

VGL-15W (White)

VGL-15C (Clear)

► 1.5 Ounce Tube

► 24 per case @ 3lbs



## SNAP LOCK TOOL

VT-HHSLT

► 1/4" Hand Held Snap Lock Tool

► 1 per case @ 2lbs



## NOTCHING TOOL

VT-3/4NOTCH

► 3/4" Notching Tool

► 10 per case @ 60lbs



## RAIL LOCK

VRL-A

► Rail Lock for 1-1/2", 1-3/4", and 2" Width

► 500 per case @ 15lbs



## POST HOLE DIGGERS & TOOLS

WI-006

► Wood Handle

► 1/Case



WI-CB06

► Torque Bar

► 1/Case



## POST-TO-PIPE & POST COLLARS

NW-PLC

► For a 5" PVC post

► Fits a 2-3/8" pipe



NW-TRT

► Fits 5" Vinyl Posts



# ORNAMENTAL FENCE & GATE HARDWARE

## TABLE OF CONTENTS

Innovative Products	34
Forks and Hinges	38
Brackets and Latches	45
Post Caps	46
Brackets	47
End Caps	52
Floor Mounts	53
Finials	54
'O' Rings and Keyless Locks	56
Handles and Drop Rods	57
Wheels and Closers	58
Trolleys and Brackets	59





VINYL

ORNAMENTAL

WOOD

CHAIN LINK





## CORNERSTONE® 2 SERIES

**PATENTED**

### CORNERSTONE® 2 NON ADJUSTABLE HINGE

- ▶ Post and Gate flanges: 1"(W) x 1"(D)
- ▶ Heavy-duty design produced with durable glass-filled nylon
- ▶ 1/4" Allen wrench included for easy Turn-N-Go™ tension adjustment
- ▶ Safe, anti-climb design
- ▶ 20 pair per case @ 33lbs



Point-load tested over 1500 lbs per pair

C2H100N-SD-BK Black w/stainless steel self-drilling screws included  
C2H100N-SD-WH White w/stainless steel self-drilling screws included  
C2H100N-ZD-BK Black w/zinc plated steel self-drilling screws included  
C2H100N-ZD-WH White w/zinc plated steel self-drilling screws included

**PATENTED**

### CORNERSTONE® 2 SQUARE POST FULLY ADJUSTABLE HINGE

- ▶ Horizontally adjustable to 0.98"
- ▶ Vertically adjustable to 0.875"
- ▶ Fits both right and left-hand applications
- ▶ 1/4" Allen wrench included for easy Turn-N-Go™ tension adjustment
- ▶ Safe, anti-climb design
- ▶ 20 pair per case @ 46lbs



Point-load tested to 1500 lbs per pair

C2H200F-SD-BK Black w/stainless steel self-drilling screws included  
C2H200F-SD-WH White\* w/stainless steel self-drilling screws included  
C2H200F-ZD-BK Black w/zinc plated steel self-drilling screws included  
C2H200F-ZD-WH White\* w/zinc plated steel self-drilling screws included  
\*Special Order

**PATENTED**

### CORNERSTONE® 2 HEAVY-DUTY SELF-CLOSING ON GATES UP TO 135 LB

- ▶ Fits both right and left-hand applications
- ▶ C2H121 Includes Alignment tab on Gate Post side
- ▶ 1/4" Allen wrench included for easy Turn-N-Go™ tension adjustment
- ▶ 20 pair per case @ 29lbs
- ▶ White available through special order.



C2H120NB-SD-BK Black w/stainless steel screws  
C2H121NB-SD-BK Black w/stainless steel screws




Point-load tested to 1700 lbs per pair

## CORNERSTONE® SERIES

**PATENTED**

### CORNERSTONE® NON ADJUSTABLE HINGE




Point-load tested to 1000 lbs per pair

CH100N-SD-BK Black w/stainless steel self-drilling screws included  
CH100N-SD-WH White w/stainless steel self-drilling screws included  
CH100N-ZD-BK Black w/zinc plated steel self-drilling screws included  
CH100N-ZD-WH White w/zinc plated steel self-drilling screws included

- ▶ Post and Gate flanges: 1"(W) x 1"(D)
- ▶ Produced with durable glass-filled nylon
- ▶ 1/4" Allen wrench included for tension adjustment
- ▶ 20 pair per case @ 19lbs

**PATENTED**

### CORNERSTONE® SQUARE POST FULLY ADJUSTABLE HINGE



Double dimensions indicate range of adjustability


CH200F-SD-BK Black w/stainless steel self-drilling screws included  
CH200F-SD-WH White w/stainless steel self-drilling screws included  
CH200F-ZD-BK Black w/zinc plated steel self-drilling screws included  
CH200F-ZD-WH White w/zinc plated steel self-drilling screws included

- ▶ Horizontally adjustable up to 1 1/4"
- ▶ Vertically adjustable up to 1/2"
- ▶ Fits both right and left hand applications
- ▶ 1/4" Allen wrench included for tension adjustment
- ▶ 20 pair per case @ 40lbs



Point-load tested over 1000 lbs per pair




**PATENTED****CORNERSTONE® MINI VERTICALLY ADJUSTABLE HINGE**

**Designed with smaller look for slightly lighter gates**  
**Tested to 1 million cycles on a 60lb gate**


CH090-SD-BK Black w/stainless steel self-drilling screws included  
 CH090-SD-WH White w/stainless steel self-drilling screws included  
 CH090-ZD-BK Black w/zinc plated steel self-drilling screws included  
 CH090-ZD-WH White w/zinc plated steel self-drilling screws included  
 CH090-NS-BK Black no screws included  
 CH090-NS-WH White no screws included

- ▶ Slotted for vertical adjustability
- ▶ 1/4" Allen wrench included for tension adjustment
- ▶ 20 pair per case @18lbs

**PATENTED****CORNERSTONE® VERTICALLY ADJUSTABLE HINGE**


CH101V-SD-BK Black w/stainless steel self-drilling screws included  
 CH101V-SD-WH White w/stainless steel self-drilling screws included

- ▶ Slotted for vertical adjustability
- ▶ 1/4" Allen wrench included for tension adjustment
- ▶ 20 pair per case @ 19lbs
- ▶ White is special order



CH102V-SD-BK Black w/stainless steel self-drilling screws included  
 CH102V-SD-WH White w/stainless steel self-drilling screws included

- ▶ Slotted for vertical adjustability
- ▶ Includes tabs for alignment
- ▶ 1/4" Allen wrench included for tension adjustment
- ▶ 20 pair per case @ 19lbs

**CORNERSTONE® FULLY ADJUSTABLE HINGE**

CH095F-SD-BK Black w/stainless steel self-drilling screws included  
 CH095F-SD-WH White w/stainless steel self-drilling screws included  
 CH095F-ZD-BK Black w/zinc plated steel self-drilling screws included  
 CH095F-ZD-WH White w/zinc plated steel self-drilling screws included

- ▶ Fully adjustable horizontally and vertically
- ▶ Same spring and barrel as the CH090
- ▶ 1/4" Allen wrench included for tension adjustment
- ▶ 20 pair per case @26lbs



**Tested to 1 million cycles on a 60lb gate**

**THE PROTECTOR®**

NW276NE-26 Black  
 NW276NE-56 White

Key cylinder at 45° for easy access and protection from water and debris

Latch height is 19.5"



- ▶ Horizontal and vertical adjustment up to 2"
- ▶ Reversible for right-hand or left-hand use
- ▶ Easy-grip release knob
- ▶ Key cylinder is at a 45° angle for easy access
- ▶ Extruded aluminum body with glass-filled nylon components
- ▶ Packaged in heavy-duty poly bag with stainless steel screws
- ▶ 20 each per case @ 30lbs

**THE PROTECTOR® JR.**

NW308-26 Black  
 NW308-56 White

Latch height is 10"



- ▶ Horizontal & vertical adjustment up to 2"
- ▶ Reversible for right-hand or left-hand use
- ▶ Total latch height is 10"
- ▶ Easy-grip release knob
- ▶ Key cylinder is at a 45° angle for easy access
- ▶ Extruded aluminum body with glass-filled nylon components
- ▶ Packaged in heavy-duty poly bag with stainless screws
- ▶ 20 each per case @ 23lbs

**KEYLESS LOCK FOR ORNAMENTAL GATES**

SEE PAGE 56 FOR FULL KEYLESS LOCK PRODUCT LINE

**2835-ADAPTER**

- ▶ Keeper has vertical adjustment and needs to be located on the post
- ▶ Fits a gate frame of 2"-5"
- ▶ Reversible for left and right handed use
- ▶ 10 per box at 15lbs

## KEYSTONE® SERIES

**PATENTED**

### KEYSTONE® SERIES



### TWO-SIDED LOCKABLE LATCH - NYLON

KLADV2-P2-BK Black  
KLADV2-P2-WH White

- ▶ **NEW & IMPROVED with 6-pin cylinder**
- ▶ Locking feature accessible from both sides
- ▶ Same specifications as KLADV-P2 below

KLADV-P2-BK Black  
KLADV-P2-WH White  
KLADV-P2ZD-BK Black  
KLADV-P2ZD-WH White

- ▶ Reversible for right-hand or left-hand use
- ▶ Glass-filled nylon housing
- ▶ Thumb release button on one side, gravity latch lever on opposite side
- ▶ Can be used on 1-3/4"-5" posts
- ▶ 20 each per case @ 23lbs



All Keystone® 2-Sided Latches are packed with a durable Plastic Marking Template for installation.

### TWO-SIDED LOCKABLE LATCH - METAL

KLADV-M2-BK Black  
KLADV-M2-WH White  
KLADV-M2ZD-BK Black  
KLADV-M2ZD-WH White

- ▶ Same as KLADV-P2 but with zinc die cast housing
- ▶ 20 each per case @ 48lbs



Heavy-duty Striker Design on every Keystone® Latch

### ONE-SIDED LOCKABLE LATCH - NYLON

KLADV2-P1-BK Black  
KLADV2-P1-WH White

- ▶ **NEW & IMPROVED WITH 6-PIN CYLINDER**

KLADV-P1-BK Black  
KLADV-P1-WH White  
KLADV-P1ZD-BK Black  
KLADV-P1ZD-WH White

- ▶ Same as KLADV-P2 above but with locking (gravity latch lever) on one side
- ▶ 20 each per case @ 17lbs



One-Sided Lockable Latch

### ONE-SIDED LOCKABLE LATCH - METAL

KLADV-M1-BK Black  
KLADV-M1-WH White  
KLADV-M1ZD-BK Black  
KLADV-M1ZD-WH White

- ▶ 20 each per case @ 31lbs

### SPINDLE ADAPTOR

KLADV-SpinAdapt

Extension Kit allows Two-Sided Keystone® to be used on posts over 5" wide



**PATENTED**

### KEYSTONE® X-EXTERNAL MOUNT LATCH



### TWO-SIDED

KLX-P2-BK Black (Nylon)  
KLX-P2-WH White (Nylon)  
KLX-P2ZD-BK Black  
KLX-P2ZD-WH White

- ▶ Marked in 1/2" increments for quick, easy and accurate fitting to post sizes 2"-5"
- ▶ Flat design safely encloses spindle ends
- ▶ 20 each per case @ 22lbs

### ONE-SIDED

KLX-P1-BK Black (Nylon)  
KLX-P1-WH White (Nylon)  
KLX-P1ZD-BK Black  
KLX-P1ZD-WH White

- ▶ Features latch side only
- ▶ 20 each per case @ 15lbs

### KLX-SPINDLE-10

- ▶ Longer spindle for gate frames over 5" thick



### SAME KLX LATCH, WITH SLIMLINE DESIGN

KLX2-P2-BK Black  
KLX2-P2-WH White  
KLX2-P2ZD-BK Black  
KLX2-P2ZD-WH White

- ▶ Slimline design
- ▶ 20 each per case @ 20lbs

KLX2-P1-BK Black  
KLX2-P1-WH White  
KLX2-P1ZD-BK Black  
KLX2-P1ZD-WH White

- ▶ Features Latch only
- ▶ 20 each per case @ 13lbs



Button Side

**PATENTED**

### KEYSTONE® PANICLATCH™

KPL-P2-BK Black

- ▶ Self-Locking anti-tamper design
- ▶ Easy exit with large button
- ▶ Secure Entry with 6-pin key
- ▶ 6 each per case @ 20lbs



Functions like a panic bar but made for gates



**PATENTED**

## TRIDENT™ MAGNETIC GATE LATCH

TRIDENT20-BK Black 20"  
TRIDENT20-WH White 20"  
TRIDENT10-BK Black 10"  
TRIDENT10-WH White 10"

- ▶ Trident™ strong magnetic closing power, easy installation and guaranteed to last!
- ▶ Sophisticated, modern design
- ▶ Rust-resistant components
- ▶ Meets international pool codes, please check local pool codes prior to use.

Adapter available for use with round posts.  
Part No. NW6149-BK



10"

20"



**PATENTED**

## AQUALATCH® MAGNETIC GATE LATCH

AQUA10-BK AquaLatch® w/Std Keeper  
AQUA10-WH AquaLatch® w/Std Keeper  
AQUA10H-BK AquaLatch® w/Handle/Keeper  
AQUA10H-WH AquaLatch® w/Handle/Keeper  
AQUA20-BK AquaLatch® w/Std Keeper  
AQUA20-WH AquaLatch® w/Std Keeper  
AQUA20H-BK AquaLatch® w/Handle/Keeper  
AQUA20H-WH AquaLatch® w/Handle/Keeper

- ▶ Heavy-duty construction
- ▶ Beautiful, modern design
- ▶ Multi-directional leveling for misaligned gates
- ▶ Excellent horizontal and vertical adjustability
- ▶ Fits right or left handed gates
- ▶ Industry-BEST Warranty



10"

20"

**PATENTED**

## ORNAMAG® MAGNETIC GATE LATCH

OM-L-BK Black  
OM-L-BZ Bronze  
OM-L-WH White

- ▶ Accommodates up to 2" gate post profile
- ▶ Key locking
- ▶ Reversible for right-hand or left-hand use
- ▶ Self-drilling stainless steel screws and self-drilling steel screws included
- ▶ Great for double drive gates
- ▶ 10 each per case @ 27lbs



**Back Plates Included to Accommodate Gate Gap Variance**

**Back Plate Gap Range:**

- ▶ Standard Back Plate 5/16" to 13/16"
- ▶ Offset Back Plate 3/16" to 1-7/16"

**PATENTED**

## ARMORLATCH®



NW6244-SD-FB Flat Black w/self-drilling stainless steel screws  
NW6244-FB Flat Black w/ non self-drilling stainless steel screws  
NW6244CV-BK Cover Plates Glossy Black  
NW6244CV-MI Cover Plates Unpainted  
NW6244CV-WH Cover Plates White  
NW6244CV-BZ Cover Plates Bronze

- ▶ Locks & unlocks from either side
- ▶ Add aluminum cover plates for metal look and color
- ▶ Re-keyable to home locks
- ▶ Reversible for left or right hand use
- ▶ Easy installation including horizontal & vertical adjustability
- ▶ Works with double drive gates
- ▶ Fits gate frames from 1-1/2" to 5" deep



**PATENTED**

## MANTA® MAGNETIC LATCH

MANTA-L-BK Black  
MANTA-L-WH White

- ▶ Easy to install
- ▶ For 2" and 2.5" fence posts
- ▶ No drilling holes through posts
- ▶ Locks and unlocks from both sides
- ▶ Time saver for installers



## KEYSTONE® TRAVERSE

KLTRV-20L-SD-BK Left handed with Self Drilling Screws  
KLTRV-20R-SD-BK Right handed with Self Drilling Screws  
KLTRV-20L-SD-WH\* Left handed with Self Drilling Screws  
KLTRV-20R-SD-WH\* Right handed with Self Drilling Screws

- ▶ Easy to install
- ▶ For 2" fence posts
- ▶ No drilling holes through your posts
- ▶ Locks and unlocks from both sides
- ▶ Time saver for your installers



## NEW! KEYSTONE® TRAVERSE 250

KLTRV-250-SD-BK Reversible 6-pin w/ SD Screws, Black  
KLTRV-250-SD-WH\* Reversible 6-pin w/ SD Screws, White

- ▶ Fits 2.5" Fence Post
- ▶ Reversible for mounting/install
- ▶ No drilling holes through post
- ▶ Locks & unlocks from both sides
- ▶ Use a 6-pin key cylinder



\*Special Order

VINYL

ORNAMENTAL

WOOD

CHAIN LINK

## SQUARE FORKS

- ▶ Pressed Steel w/fasteners
- ▶ HDG
- ▶ 4mm




CL-7389-BK Black 1-1/4" x 1" 50(EA)/Case

CL-7391-BK Black 2" x 1" 50(EA)/Case


CL-7392-BK Black 2-1/2" x 1" 50(EA)/Case

## 4" SELF-CLOSING ALUMINUM HINGE



NW093-26 Black  
NW093-36 Bronze  
NW093-56 White

- ▶ Post flange: 1/8"(W) x 2"(D)
- ▶ Gate flange: 1"(W) x 1"(D)
- ▶ Tension adjustment wrench and barrel caps included
- ▶ 50 each per case @ 25lbs




NW093A-26 (WI-JH501-BK) Black  
NW093A-36 (WI-JH501-BZ) Bronze  
NW093A-56 (WI-JH501-WH) White

- ▶ Both flanges: 1"(W) x 1"(D)
- ▶ Tension adjustment wrench and barrel caps included
- ▶ 50 each per case @ 25lbs

NW093A-2S-26 Black  
NW093A-2S-36 Bronze  
NW093A-2S-56 White

- ▶ Pairs come with self-drilling stainless steel screws and instructions
- ▶ 25 pairs per case

## 5" SELF-CLOSING ALUMINUM HINGE



Also includes shim for wall-mount applications


NW093J-26 (WI-JH500-BK) Black  
NW093J-36 (WI-JH500-BZ) Bronze  
NW093J-56 (WI-JH500-WH) White

- ▶ Post flange: 1/8"(W) x 2"(D)
- ▶ Gate flange: 1"(W) x 1"(D)
- ▶ Tension adjustment wrench and barrel caps included
- ▶ 50 each per case @ 32lbs

NW093J-2S-26 Black  
NW093J-2S-36 Bronze  
NW093J-2S-56 White

- ▶ Pairs come with self-drilling stainless steel screws and instructions
- ▶ 25 pairs per case

## PATENTED 5 3/4" SELF-CLOSING ALUMINUM HINGE




NW094-BK Black  
NW094-BZ Bronze  
NW094-WH White

- ▶ White is Special Order
- ▶ Post flange: 1 3/4"(W) x 5/16"(D)
- ▶ Gate flange: 1"(W)
- ▶ Adjustable spring tension
- ▶ 100 each per case @ 55lbs

NW094-2S-BK Black Pair  
NW094-2S-BZ Bronze Pair  
NW094-2S-WH White Pair

- ▶ White is Special Order
- ▶ Pairs come with self-drilling stainless steel screws and instructions
- ▶ 50 pairs per case

## PATENTED



NW094L-BK Black  
NW094L-BZ Bronze  
NW094L-WH White

- ▶ Both flanges: 1 3/4"(W) x 5/16"(D)
- ▶ Adjustable spring tension
- ▶ 100 each per case @ 61lbs

NW094L-2S-BK Black Pair  
NW094L-2S-BZ Bronze Pair  
NW094L-2S-WH White Pair

- ▶ Pairs come with self-drilling stainless steel screws and instructions
- ▶ 50 pairs per case

## NAUTILUS® CONTROLLED CLOSING GATE HINGE




NTLS-R-AA-BK Active-Active Hinge, Black, Right Hand  
NTLS-R-AD-BK Active-Dummy Hinge, Black, Right Hand  
NTLS-L-AA-BK Active-Active Hinge, Black, Left Hand  
NTLS-L-AD-BK Active-Dummy Hinge, Black, Left Hand

- ▶ Anti-slam technology
- ▶ Vertically and Horizontally adjustability
- ▶ Fits both right and left hand applications
- ▶ Easy to adjust closing speed
- ▶ 12 pair per case @ 27lbs

\*Active-Active = closing power of 125 lbs.

\*Active-Dummy = closing power of 75 lbs.




**PATENTED 5 3/4" SELF-CLOSING ALUMINUM HINGE**

NW096-BK Black  
NW096-BZ Bronze  
NW096-WH White

- ▶ Both flanges: 1 1/2"(W) x 5/16"(D)
- ▶ Adjustable spring tension
- ▶ 100 each per case @ 55lbs

NW096-2S-BK Black Pair  
NW096-2S-BZ Bronze Pair  
NW096-2S-WH White Pair

- ▶ Pairs come with self-drilling stainless steel screws and instructions
- ▶ 50 pairs per case


**PATENTED**

NW095-BK Black  
NW095-BZ Bronze  
NW095-WH White

- ▶ Both flanges: 1 1/2"(W) x 1 1/2"(D)
- ▶ Adjustable spring tension
- ▶ 50 each per case @ 42lbs

NW095-2S-BK Black Pair  
NW095-2S-BZ Bronze Pair  
NW095-2S-WH White Pair

- ▶ Pairs come with self-drilling stainless steel screws and instructions
- ▶ 25 pairs per case

**4" NON SELF-CLOSING ALUMINUM HINGE**

NW149-26 Black




- ▶ Both flanges: 1 3/16"(W) x 1 3/16"(D)
- ▶ 100 each per case @ 39lbs

NW149-2S-26 Black Pair

- ▶ Pairs come with self-drilling stainless steel screws and instructions
- ▶ 50 pairs per case



Bronze now comes in 2 shades BZ or (-36) is standard dark bronze. BZ2 is a lighter bronze. Check for availability or minimum order quantity.

**HORIZONTAL ADJUSTABLE SELF-CLOSING STAINLESS STEEL HINGE****STRONG CLOSING POWER**

NW171SCP5-SSB Black  
NW171SCP5-SSBD\* Black  
NW171SCP5-SSBZD\* Bronze

\* D=Self-drilling screws

**SQUARE GATE HINGES - FEMALE**

- ▶ Pressed Steel w/fasteners
- ▶ HDG
- ▶ 4mm



CL-5501-BK Black 1-1/4" x 1" 50(EA)/Case  
CL-5502-BK Black 1-1/2" x 1" 50(EA)/Case  
CL-5503-BK (WI-OFH-2B) Black 2" x 1" 50(EA)/Case

**SQUARE POST HINGES - MALE**

- ▶ Pressed Steel w/fasteners
- ▶ HDG
- ▶ 4mm



CL-5506-BK Black 2" x 1" 25 pairs per case  
CL-5507-BK Black 2-1/2" x 1" 25 pairs per case  
CL-5508-BK (WI-OMH-3B) Black 3" x 1" 25 pairs per case

**SQUARE COLLARS**


- ▶ Pressed Steel w/fasteners
- ▶ HDG
- ▶ 4mm




CL-7379-BK Black 1-1/4" x 1" 50(Sets)/Case  
CL-7382-BK Black 2" x 1" 50(Sets)/Case

## FOR EACH SIDE OF THE HINGE, YOU CHOOSE:

- ▶ Aluminum or Steel material
- ▶ Bolt-on or Weld-on application
- ▶ Black or Mill (unpainted) finish



**Body** - the portion of the hinge (with bearings) that rotates



## HINGE FEATURES:

- ▶ Each hinge contains 2 sealed roller bearings (no grease required)
- ▶ All hinges slotted for horizontal adjustability
- ▶ Rating: 2,500 lbs. per hinge based on factory dynamic rating of bearings\*\*
- ▶ Assembled in the U.S.
- ▶ Warranty: Lifetime on components and 5 years on bearings
- ▶ Unpainted steel hinges are zinc plated.
- ▶ Steel weld-on body fits round or square profiles
- ▶ All hinges sold individually but packaged 8/case.

\*\* On this type of hinge, the mounting bracket is the weak point (not the bearings). Nationwide Industries steel yoke is 15% thicker than competitive products reviewed.



### HDBY-ABB-ABB

- ▶ Body: Alum, Bolt-on, Blk
- ▶ Yoke: Alum, Bolt-on, Blk
- ▶ Gap Min: 2.7"
- ▶ Gap Max: 3.2"
- ▶ Vertical Adjustability: 0.75"
- ▶ Height: 7.2"
- ▶ Weight: 1.5 lbs each



### HDBY-ABB-AWM

- ▶ Body: Alum, Bolt-on, Blk
- ▶ Yoke: Alum, Weld-on, Mill
- ▶ Gap Min: 2.7"
- ▶ Gap Max: 3.2"
- ▶ Hinge Height: 6.5"
- ▶ Weight: 1.4 lbs each



### HDBY-ABB-SBB

- ▶ Body: Alum, Bolt-on, Blk
- ▶ Yoke: Steel, Bolt-on, Blk
- ▶ Gap Min: 3.0"
- ▶ Gap Max: 3.5"
- ▶ Hinge Height: 6.5"
- ▶ Weight: 2.5 lbs each



### HDBY-ABB-SWM

- ▶ Body: Alum, Bolt-on, Blk
- ▶ Yoke: Steel, Weld-on, Mill
- ▶ Gap Min: 2.8"
- ▶ Gap Max: 3.3"
- ▶ Hinge Height: 6.5"
- ▶ Weight: 1.9 lbs each



#### HDBY-ABM-ABM

- ▶ Body: Alum, Bolt-on, Mill
- ▶ Yoke: Alum, Bolt-on, Mill
- ▶ Gap Min: 2.7"
- ▶ Gap Max: 3.2"
- ▶ Vertical Adjustability: 0.75"
- ▶ Height: 7.2"
- ▶ Weight: 1.5 lbs each



#### HDBY-ABM-AWM

- ▶ Body: Alum, Bolt-on, Mill
- ▶ Yoke: Alum, Weld-on, Mill
- ▶ Gap Min: 2.7"
- ▶ Gap Max: 3.2"
- ▶ Hinge Height: 6.5"
- ▶ Weight: 1.4 lbs each



#### HDBY-ABM-SBM

- ▶ Body: Alum, Bolt-on, Mill
- ▶ Yoke: Steel, Bolt-on, Mill
- ▶ Gap Min: 3.0"
- ▶ Gap Max: 3.5"
- ▶ Hinge Height: 6.5"
- ▶ Weight: 2.5 lbs each



#### HDBY-ABM-SWM

- ▶ Body: Alum, Bolt-on, Mill
- ▶ Yoke: Steel, Weld-on, Mill
- ▶ Gap Min: 2.8"
- ▶ Gap Max: 3.3"
- ▶ Hinge Height: 6.5"
- ▶ Weight: 1.9 lbs each



#### HDBY-AWM-ABB

- ▶ Body: Alum, Weld-on, Mill
- ▶ Yoke: Alum, Bolt-on, Blk
- ▶ Gap Min: 2.4"
- ▶ Gap Max: 2.9"
- ▶ Vertical Adjustability: 0.75"
- ▶ Height: 7.2"
- ▶ Weight: 1.3 lbs each



#### HDBY-AWM-ABM

- ▶ Body: Alum, Weld-on, Mill
- ▶ Yoke: Alum, Bolt-on, Mill
- ▶ Gap Min: 2.4"
- ▶ Gap Max: 2.9"
- ▶ Vertical Adjustability: 0.75"
- ▶ Height: 7.2"
- ▶ Weight: 1.2 lbs each



#### HDBY-AWM-AWM

- ▶ Body: Alum, Weld-on, Mill
- ▶ Yoke: Alum, Weld-on, Mill
- ▶ Gap Min: 2.4"
- ▶ Gap Max: 2.9"
- ▶ Hinge Height: 4.1"
- ▶ Weight: 1.1 lbs each



#### HDBY-AWM-SBB

- ▶ Body: Alum, Weld-on, Mill
- ▶ Yoke: Steel, Bolt-on, Blk
- ▶ Gap Min: 2.7"
- ▶ Gap Max: 3.2"
- ▶ Hinge Height: 6.5"
- ▶ Weight: 2.3 lbs each



**HDBY-AWM-SBM**

- ▶ Body: Alum, Weld-on, Mill
- ▶ Yoke: Steel, Bolt-on, Mill
- ▶ Gap Min: 2.7"
- ▶ Gap Max: 3.2"
- ▶ Hinge Height: 6.5"
- ▶ Weight: 2.3 lbs each



**HDBY-SBB-SBB**

- ▶ Body: Steel, Bolt-on, Blk
- ▶ Yoke: Steel, Bolt-on, Blk
- ▶ Gap Min: 3.0"
- ▶ Gap Max: 3.5"
- ▶ Height: 6.5"
- ▶ Weight: 3.7 lbs each



**HDBY-AWM-SWM**

- ▶ Body: Alum, Weld-on, Mill
- ▶ Yoke: Steel, Weld-on, Mill
- ▶ Gap Min: 2.5"
- ▶ Gap Max: 3.0"
- ▶ Hinge Height: 4.1"
- ▶ Weight: 1.6 lbs each



**HDBY-SBB-SWM**

- ▶ Body: Steel, Bolt-on, Blk
- ▶ Yoke: Steel, Weld-on, Mill
- ▶ Gap Min: 2.8"
- ▶ Gap Max: 3.3"
- ▶ Hinge Height: 6.5"
- ▶ Weight: 3.0 lbs each



**HDBY-SBB-ABB**

- ▶ Body: Steel, Bolt-on, Blk
- ▶ Yoke: Alum, Bolt-on, Blk
- ▶ Gap Min: 2.7"
- ▶ Gap Max: 3.2"
- ▶ Vertical Adjustability: 0.75"
- ▶ Hinge Height: 7.2"
- ▶ Weight: 2.7 lbs each



**HDBY-SBM-ABM**

- ▶ Body: Steel, Bolt-on, Mill
- ▶ Yoke: Alum, Bolt-on, Mill
- ▶ Gap Min: 2.7"
- ▶ Gap Max: 3.2"
- ▶ Vertical Adjustability: 0.75"
- ▶ Hinge Height: 7.2"
- ▶ Weight: 2.7 lbs each



**HDBY-SBB-AWM**

- ▶ Body: Steel, Bolt-on, Blk
- ▶ Yoke: Alum, Weld-on, Mill
- ▶ Gap Min: 2.7"
- ▶ Gap Max: 3.2"
- ▶ Hinge Height: 6.5"
- ▶ Weight: 2.5 lbs each



**HDBY-SBM-AWM**

- ▶ Body: Steel, Bolt-on, Mill
- ▶ Yoke: Alum, Weld-on, Mill
- ▶ Gap Min: 2.7"
- ▶ Gap Max: 3.2"
- ▶ Hinge Height: 6.5"
- ▶ Weight: 2.5 lbs each



**HDBY-SBM-SBM**

- Body: Steel, Bolt-on, Mill
- Yoke: Steel, Bolt-on, Mill
- Gap Min: 3.1"
- Gap Max: 3.5"
- Height: 6.5"
- Weight: 3.7 lbs each

**HDBY-SBM-SWM**

- Body: Steel, Bolt-on, Mill
- Yoke: Steel, Weld-on, Mill
- Gap Min: 2.8"
- Gap Max: 3.3"
- Hinge Height: 6.5"
- Weight: 3.0 lbs each

**HDBY-SWM-ABB**

- Body: Steel, Weld-on, Mill
- Yoke: Alum, Bolt-on, Blk
- Body fits round or square profile
- Gap Min: 2.5"
- Gap Max: 3.0"
- Vertical Adjustability: 0.75"
- Hinge Height: 7.2"
- Weight: 2.0 lbs each

**HDBY-SWM-ABM**

- Body: Steel, Weld-on, Mill
- Yoke: Alum, Bolt-on, Mill
- Body fits round or square profile
- Gap Min: 2.5"
- Gap Max: 3.0"
- Vertical Adjustability: 0.75"
- Hinge Height: 7.2"
- Weight: 2.0 lbs each

**HDBY-SWM-AWM**

- Body: Steel, Weld-on, Mill
- Yoke: Alum, Weld-on, Mill
- Body fits round or square profile
- Gap Min: 2.5"
- Gap Max: 3.0"
- Height: 4.1"
- Weight: 1.8 lbs each

**HDBY-SWM-SBB**

- Body: Steel, Weld-on, Mill
- Yoke: Steel, Bolt-on, Blk
- Body fits round or square profile
- Gap Min: 2.8"
- Gap Max: 3.3"
- Hinge Height: 6.5"
- Weight: 3.0 lbs each

**HDBY-SWM-SBM**

- Body: Steel, Weld-on, Mill
- Yoke: Steel, Bolt-on, Mill
- Body fits round or square profile
- Gap Min: 2.8"
- Gap Max: 3.3"
- Hinge Height: 6.5"
- Weight: 3.0 lbs each


**HDBY-SWM-SWM**

- Body: Steel, Weld-on, Mill
- Yoke: Steel, Weld-on, Mill
- Body fits round or square profile
- Gap Min: 2.6"
- Gap Max: 3.0"
- Hinge Height: 4.1"
- Weight: 2.3 lbs each

**HDBYSC-SWM-SWM**

- Body: Steel, Weld-on, Mill
- Yoke: Steel, Weld-on, Mill
- Set includes one self-closing hinge and one dummy hinge (HDBY-SWM-SWM)

## HEAVY-DUTY NON SELF-CLOSING ALUMINUM HINGE



NW216-26 (WI-AIH-BK) Black

NW216-36 (WI-AIH-BZ) Bronze


NW216-56 (WI-AIH-WH) White

- ▶ Post flange: 5"(H) x 3 1/4"(W) x 3 1/4"(D)
- ▶ Gate flange: 2 3/8"(H) x 1 5/16"(W) x 2"(D)
- ▶ Gate flange will accommodate both 2" and 1" gate frame
- ▶ 20 each per case @ 34lbs

WI-AIH-2.5-BK Black

- ▶ Gate flange: 2 1/2"
- ▶ 20 each per case @ 35lbs

## HEAVY-DUTY BLOCK HINGE FOR ALUMINUM GATE



NW6189 (WI-BH)

- ▶ Aluminum
- ▶ Beveled corners, designed to be welded
- ▶ 18 each per case @ 45lbs
- ▶ Brass bushings and heavy-duty stainless steel pin
- ▶ No grease required

WI-BH-SA

- ▶ Aluminum to steel block
- ▶ 10 each per case 30lbs

WI-BH-STEEL



- ▶ Steel to steel block
- ▶ 10 each per case

## HEAVY-DUTY STEEL BARREL HINGE

NW6215R-BK Black

NW6215L-BK Black


- ▶ Contains grease fitting
- ▶ Steel power coated
- ▶ 6 each per case @ 22lbs



## LARGE HEAVY-DUTY BALL BEARING HINGE

NW6229

- ▶ Zinc plated steel
- ▶ Sealed ball bearings
- ▶ No grease required
- ▶ 4" tall
- ▶ 12 each per case @ 44lbs



## BARREL HINGES

### 3/8" Commercial Chain Link

WI-BH4JB

- ▶ 1" Barrel O.D Black
- ▶ 4" J-Bolt
- ▶ 40/Case



### Barrel Hinge w/Grease Fitting

WI-BH-6

- ▶ 1-1/4" Barrel O.D. Black
- ▶ 6" Barrel
- ▶ 18/Case





### Barrel Hinge w/Grease Fitting

WI-BH-6H-1

- ▶ 1-1/2" Barrel O.D. Black
- ▶ 1/2" offset
- ▶ 12/Case



## HEAVY-DUTY ESTATE GATE HINGE



**\*Rotating Nut Design that adjusts without removing the gate**

- ▶ Horizontal adjustability
- ▶ Has an aluminum block for welding
- ▶ Acetal bushing
- ▶ Stainless steel hinge pin
- ▶ Zinc plated steel mounting plate.
- ▶ Fits 2" or 2 1/2" size gate frame.
- ▶ Ships unassembled (weld block to gate, then assemble)
- ▶ 12 each per case @ 40lbs

NW6218 (WI-EH-ASM) Mill (2")

NW6218-BK Black (2")

NW6218-25 Mill (2 1/2")


NW6318S-20\* (2")

NW6318S-20H\* (2") w/mounting holes

NW6318S-25\* (2 1/2")

NW6318S-25H\* (2 1/2") w/mounting holes

## HEAVY-DUTY ESTATE GATE HINGE WITH ADJUSTABILITY



NW6242-B-BK Black Bolt-on (bolts included)

NW6242-W-BK Black Weld-on\*

- ▶ Fits 2" gate frames and posts 4" or larger
- ▶ Aluminum and stainless steel construction
- ▶ Great strength, and horizontal adjustability
- ▶ 8 each per case @ 28lbs

\* Special Order

## 2" SQUARE STEEL UNIVERSAL BRACKET

NW6328

- ▶ 50 pairs per case



## 2" SQUARE STEEL LINE BRACKET WITH FASTENERS, BLACK

NW6329

- ▶ 50 each per case



## 1" UNIVERSAL FLAT WALL MOUNT BRACKET, WITH FASTENERS

NW6330

- ▶ 100 pairs per case



## STAINLESS STEEL GRAVITY LATCH

NW38204SSB Black

NW38204SSW White

NW38204SSM Mill

NW38204-SS-BZ Bronze

- ▶ Pad-lockable on one side
- ▶ Stainless steel screws included
- ▶ 50 each per case @ 28lbs



## HIDDEN SPRING LATCHES

NW6283-SSB Black w/stainless steel screws included

NW6283-SSBD Black w/stainless steel self-drilling screws included

NW6283-SSW White w/stainless steel screws included

NW6283-SSWD White w/stainless steel self-drilling screws included

- ▶ Suitable for 1-1/4"-2-1/2" gate frames
- ▶ Can be used for Double Drive Gates
- ▶ Pad-Lockable on both sides
- ▶ 20 each per case @ 25lbs



## FLIP LATCH

NW6169-BK Black

- ▶ Commercial grade
- ▶ Pad-lockable
- ▶ Zinc plated steel with black powder coated finish
- ▶ Stainless steel through-bolts
- ▶ 10 per case @ 37lbs



WI-DGFL Black

- ▶ Teflon Coated
- ▶ Pad-lockable
- ▶ 12 each per case @ 56 lbs

## FULCRUM LATCH

### 2 1/2" POST SIZE

WI-FL-2-1/2 (NW7060)

WI-FL-2-1/2-BK (NW7060-BK)

- ▶ 6 each per case @ 22lbs

### 4" POST SIZE

WI-FL-4 (NW7062)

WI-FL-4-BK (NW7062-BK)

- ▶ 6 each per case @ 24lbs
- ▶ Heavy-duty Latch for Large Single Swing Gates
- ▶ Fits 2" Gate Frames

### 3" POST SIZE

WI-FL-3 (NW7061)

WI-FL-3-BK (NW7061-BK)

- ▶ 6 each per case @ 24lbs

### 6-5/8" POST SIZE

WI-FL-6-5/8

WI-FL-6-5/8-BK

- ▶ 6 each per case



## MAGNETIC SIDE PULL SPL 100 LATCH

SPL100-SD-BK

- ▶ Designed for small gates
- ▶ Stainless steel screws included
- ▶ Screws hidden by cover plates
- ▶ Fits 1 1/4" or larger profile
- ▶ 20 each per case @ 8lbs



Side Pull Latches Require a Gate Bumper

## TRADITIONAL POST CAP - PRESS FIT

### ZINC

NW220-MI Mill

- ▶ 2" Zinc die cast
- ▶ 250 each per case @ 39lbs

NW244-MI Mill

- ▶ 2.5" Zinc die cast
- ▶ 120 each per case @ 25lbs



### ALUMINUM

NW6099-MI Mill

NW6099-BK Black

NW6099-BZ Bronze\*

NW6099-WH White

- ▶ 2" Aluminum die cast
- ▶ 250 each per case @ 22lbs

NW6098-SBL Mill

NW6098-BK Black

NW6098-BZ Bronze

NW6098-WH White\*

- ▶ 3" Aluminum die cast
- ▶ 100 each per case @ 23lbs

NW6196-SBL Mill

NW6196-BK Black

NW6196-BZ Bronze

NW6196-WH White (All Special Order)

- ▶ 2.5" Aluminum die cast
- ▶ 250 each per case @ 23lbs

NW6084-MI Mill

NW6084-BK Black

▶ 4" Aluminum die cast

▶ 100 each per case @ 35lbs


\*Special Order

## MODERN POST CAP – PRESS FIT

**CUSTOM LOGOS AVAILABLE**  
(REQUIRES MINIMUM RUN QUANTITY)

### WI-IPC-200 Mill

- ▶ 2" Aluminum Post Cap
- ▶ Shorter lip than the NW230NL Series
- ▶ 250 per case @ 22lbs



### NW230NL-SBL (WI-RPC-2NL) Mill

- NW230NL-26 (WI-RPC-2NL-BK) Black
- NW230NL-36 (WI-RPC-2NL-BZ) Bronze
- NW230NL-BZ2 Lt. Bronze
- NW230NL-56 (WI-RPC-2NL-WH) White

- ▶ 2" Aluminum die cast
- ▶ 250 each per case @ 22lbs

### WI-IPC-250 Mill

- ▶ 2.5" Aluminum Post Cap
- ▶ Shorter lip than the NW240NL
- ▶ 320 per case @ 39 lbs

### NW240NL-SBL Mill

- NW240NL-26 Black
- NW240NL-36 Bronze
- NW240NL-56 White
- ▶ 2.5" Aluminum die cast
- ▶ 300 each per case @ 41lbs

### WI-IPC-300 Mill

- ▶ 3" Aluminum Post Cap
- ▶ 300 per case @ 39 lbs

### WI-IPC-400 Mill

- ▶ 4" Aluminum Post Cap
- ▶ 144 per case @ 39 lbs

### WI-IPC-150 Mill

- ▶ 1.5" Aluminum Post Cap
- ▶ Shorter lip than the NW291
- ▶ 500 per case @ 25 lbs

### NW291-SBL Mill

- ▶ 1.5" Aluminum die cast
- ▶ 500 each per case @ 27lbs
- ▶ Colors available with special order

### NW6276-SBL Mill

- NW6276-BK Black
- ▶ 6" Aluminum die cast
- ▶ Sandblast finish
- ▶ 50 each per case @ 47lbs

### PLASTIC

- NW6230-BK Black
- ▶ 2" Plastic post cap
- ▶ 325 each per case @ 15lbs

## STEEL POST CAPS

### NW6208-BK Black\*

- ▶ 1" Stamped steel
- ▶ 250 each per case @ 36lbs

### NW6209-BK Black\*

- ▶ 1.5" Stamped steel
- ▶ 250 each per case @ 36lbs

### NW6210-BK Black

- ▶ 2" Stamped steel
- ▶ 250 each per case @ 36lbs

### NW6211-BK Black

- ▶ 2.5" Stamped steel



### NW6212-BK Black

- ▶ 3" Stamped steel
- ▶ 100 each per case @ 29lbs

### NW6213-BK Black

- ▶ 4" Stamped steel
- ▶ 50 each per case @ 26lbs

\*Special Order




## BALL CAPS – PRESS FIT

**CUSTOM LOGOS AVAILABLE**  
(REQUIRES MINIMUM RUN QUANTITY)

The Ball Caps below are also available with hole for set screws.

When Ordering: add an "H" after the number in the part number.

**Examples:** NW6166H-MI Mill  
NW6191H-SBL Mill



### NW6166-MI Mill

- NW6166-BK Black
- NW6166-BZ Bronze
- NW6166-WH White
- ▶ 2" Aluminum die cast - ball cap
- ▶ 50 each per case @ 15lbs

### NW6179-SBL Mill

- NW6179-BK Black
- NW6179-BZ Bronze
- NW6179-WH White\*
- ▶ 2.5" Aluminum die cast - ball cap
- ▶ 50 each per case @ 18lbs

### NW242-SBL Mill

- ▶ 2" Aluminum die cast - Screw Set
- ▶ 72 each per case @ 41lbs

### NW242A-MI Mill

- ▶ 2" Aluminum die cast - Press Fit
- ▶ 72 per case @ 41lbs

### NW242B-SBL Mill\*

- NW242B-BK Black
- ▶ Fits a True 2" post
- ▶ Aluminum die cast - Press Fit
- ▶ 72 per case @ 41lbs

### WI-IBC-200 Mill

- ▶ 2" Aluminum Die Cast

### WI-IBC-250 Mill

- WI-IBC-250-BK Black
- ▶ 2.5" Aluminum Die Cast

### WI-IBC-300 Mill

- ▶ 3" Aluminum Die Cast

### UBC4 Mill

- ▶ 4" Aluminum Die Cast
- ▶ All 50 per case

\*Special Order

### NW6191-SBL Mill

- NW6191-BK Black
- NW6191-BZ Bronze\*
- NW6191-WH White\*
- ▶ 3" Aluminum die cast - ball cap
- ▶ 50 each per case @ 20lbs

### NW6193-MI Mill

- NW6193-BK Black
- NW6193-BZ Bronze\*
- NW6193-WH White\*
- ▶ 4" Aluminum die cast - ball cap
- ▶ 50 each per case @ 42lbs



### NW290A-SBL Mill

- ▶ 2.5" Aluminum die cast - Press Fit
- ▶ 80 each per case @ 43lbs

### NW6097-SBL Mill

- ▶ 3" Aluminum die cast - Press Fit
- ▶ 50 each per case @ 34lbs






## SWIVEL BALL BRACKET BASES

1" X 1"

### SQUARE DUAL FLANGE WALL MOUNT BRACKET

- NW280-SBL Mill  
 NW280-BK Black  
 NW280-BZ Bronze\*  
 NW280-BZ2 Light Bronze\*  
 NW280-WH White\*  
 ▶ 1" x 1"  
 ▶ Aluminum die cast  
 ▶ 500 per case @ 44lbs

\*Special Order




SMALL BASE

### SWIVEL BALL BRACKET

- NW6192-SBL Mill  
 NW6192-BK Black  
 NW6192-BZ Bronze\*  
 NW6192-WH White\*  
 ▶ 1" x 1" Small Base  
 ▶ Aluminum die cast  
 ▶ 100 each per case @ 18lbs

\*Special Order




1" X 1 1/8"

### SINGLE FLANGE WALL MOUNT BRACKET

- NW211-MI Mill  
 ▶ 1" x 1 1/8"  
 ▶ Rounded Top Corners  
 ▶ Aluminum die cast  
 ▶ 300 each per case @ 38lbs

- NW211-MI-2 Mill  
 NW211-BK-2 Black  
 ▶ 1" x 1 1/8"  
 ▶ Squared in all Corners  
 ▶ Aluminum die cast  
 ▶ 300 each per case @ 38lbs




LARGE BASE  
 CAN ROTATE UP TO 45°

### SWIVEL BALL BRACKET

- NW6266-SBL Mill  
 NW6266-BK Black  
 NW6266-BZ Bronze\*  
 NW6266-WH White\*  
 ▶ 1" x 1 1/8" Small Base  
 ▶ Aluminum die cast  
 ▶ 100 each per case @ 19lbs

\*Special Order



VINYL

ORNAMENTAL

WOOD

CHAIN LINK

**1" X 1 1/2"****SINGLE FLANGE WALL MOUNT BRACKET**

- NW217-SBL Mill  
 NW217-26 Black\*  
 NW217-36 Bronze\*  
 NW217-56 White\*  
 ▶ 1" x 1 1/2"  
 ▶ Aluminum die cast  
 ▶ 240 each per case @ 44lbs



\*Special Order

**SWIVEL BALL BRACKET**


- NW6239-SBL Mill  
 NW6239-BK Black\*  
 NW6239-BZ Bronze\*  
 NW6239-WH White\*  
 ▶ 1" x 1 1/2" Small Base  
 ▶ Aluminum die cast  
 ▶ 100 per case @ 21lbs



Turn and angle in any direction

**RECTANGULAR DUAL FLANGE WALL MOUNT BRACKET**

- NW6167-MI Mill  
 ▶ 1" x 1 1/2"  
 ▶ Aluminum die cast  
 ▶ 250 per case @ 38lbs

**1 1/8" X 1 1/8"****ADJUSTABLE DUAL FLANGE WALL MOUNT BRACKET**


- NW6075V-BK Black  
 NW6075V-BZ Bronze  
 NW6075V-WH White  
 NW6075V-SBL Mill\*  
 ▶ 1 1/8" x 1 1/8"  
 ▶ Aluminum die cast  
 ▶ Adjustable for angle or rake rails  
 ▶ 100 each per case @ 29lbs



\*Special Order

**ADJUSTABLE DUAL FLANGE WALL MOUNT BRACKET**

- NW6075-SBL Mill  
 NW6075-BK Black  
 NW6075-BZ Bronze  
 NW6075-WH White  
 ▶ 1 1/8" x 1 1/8"  
 ▶ Aluminum die cast  
 ▶ Adjustable for angle or rake rails  
 ▶ 100 each per case @ 20lbs




Cup swivels in bracket to desired angle

**1 1/4" X 1 1/4"****SINGLE FLANGE WALL MOUNT BRACKET**


- NW211A-MI Mill  
 ▶ 1 1/4" x 1 1/4"  
 ▶ Aluminum die cast  
 ▶ 300 each per case @ 30lbs

All Painted Swivel Ball and Adjustable Brackets are Assembled

**SWIVEL BALL BRACKET**

- NW6220-SBL Mill  
 NW6220-BK Black  
 NW6220-BZ Bronze\*  
 NW6220-WH White\*  
 ▶ 1 1/4" x 1 1/4" Small Base  
 ▶ Aluminum die cast  
 ▶ 300 each per case @ 30lbs

\*Special Order




**1 1/4" X 1 1/2"****SWIVEL BALL BRACKET**

NW6216-SBL Mill  
 NW6216-BK Black  
 NW6216-BZ Bronze  
 NW6216-WH White

- ▶ 1 1/4" x 1 1/2" Small Base
- ▶ Aluminum die cast
- ▶ 100 each per case @ 21lbs
- ▶ All Special Order



Turn and angle in any direction

**1 3/8" X 1 3/8"****ADJUSTABLE DUAL FLANGE WALL MOUNT BRACKET**

NW6075A-SBL Mill  
 NW6075A-BK Black \*  
 NW6075A-BZ Bronze\*  
 NW6075A-WH White\*

- ▶ 1 3/8" x 1 3/8"
- ▶ Aluminum die cast
- ▶ Adjustable for angle or rake rails
- ▶ 100 each per case @ 29lbs



\*Special Order



Note: Any brackets used in railing applications should be tested within the railing system to any applicable codes.

**1 1/2" X 1 1/2"****SINGLE FLANGE WALL MOUNT BRACKET**

NW292-SBL Mill  
 ▶ 1 1/2" x 1 1/2"  
 ▶ Aluminum die cast  
 ▶ 100 each per case @ 30lbs

All Painted Swivel Ball and  
 Adjustable Brackets are Assembled




Bronze now comes in 2 shades. BZ or (-36) is standard dark bronze. BZ2 is a lighter bronze. Check for availability or minimum order quantity.

**SWIVEL BALL BRACKET**

NW6240-SBL Mill  
 NW6240-BK Black\*  
 NW6240-BZ Bronze\*  
 NW6240-WH White\*  
 ▶ 1 1/2" x 1 1/2" large base  
 ▶ Aluminum die cast  
 ▶ 100 each per case @ 35lbs

\*Special Order

**1" X 2"****RECTANGULAR DUAL FLANGE RAIL MOUNT BRACKET**

NW6233-SBL Mill  
 ▶ Accommodates a 1" x 2" rail  
 ▶ Dual Flange Wall Mount  
 ▶ Aluminum die cast  
 ▶ 100 each per case @13lbs

**RECTANGULAR SINGLE FLANGE RAIL MOUNT BRACKET**

NW6241-SBL Mill  
 ▶ Accommodates a 1" x 2" rail  
 ▶ Aluminum die cast  
 ▶ Top/bottom mounting holes  
 ▶ 200 each per case @ 24lbs

**FLAT WALL MOUNT BRACKET**

WI-SL1X2  
 ▶ 168 per case @ 30lbs.

**2-1/8" X 1-1/8"****FLAT WALL MOUNT BRACKET**

WI-SL2X1-B  
 ▶ 216 per case @ 41lbs

**FLAT WALL MOUNT BRACKET**

WI-SL2X1-S  
 ▶ 200 per case @ 32lbs.

**1" X 1 5/8"****ROUND SINGLE FLANGE WALL MOUNT BRACKET**

NW6238-SBL Mill  
 ▶ 1" x 1 5/8"  
 ▶ Aluminum die cast  
 ▶ 300 each per case @ 52lbs



**1 5/8" X 1 5/8"****SQUARE DUAL FLANGE WALL MOUNT BRACKET**

NW243-SBL Mill

- ▶ 1 5/8" x 1 5/8"
- ▶ Aluminum die cast
- ▶ 240 each per case @ 47lbs

**SWIVEL BALL BRACKET**

NW6217-SBL Mill\*

NW6217-BK Black

NW6217-BZ Bronze\*

NW6217-WH White\*

- ▶ 1 5/8" x 1 5/8" large base
- ▶ Aluminum die cast
- ▶ 100 each per case @ 22lbs




\*Special Order

**ADJUSTABLE DUAL FLANGE WALL MOUNT BRACKET**

NW279-SBL Mill Cup

NW279BP-SBL Mill Base Plate

- ▶ 1 5/8" x 1 5/8"
- ▶ Aluminum die cast
- ▶ Adjustable for angle or rake rails
- ▶ 100 each per case @ 29lbs



The 1 5/8" X 1 5/8" Wall Mount Bracket needs both the Cup and Base Plate and must be ordered together

**1 3/4" X 1 3/4"****STRAIGHT WALL MOUNT BRACKET**

NW6247-SBL Mill

NW6247-BK Black\*

NW6247-BZ Bronze\*

NW6247-WH White\*

- ▶ 1 3/4" x 1 3/4"
- ▶ Aluminum die cast
- ▶ 150 each per case @ 34lbs

**SWIVEL BALL BRACKET**

NW6235-SBL Mill

NW6235-BK Black\*

NW6235-BZ Bronze\*

NW6235-WH White\*

- ▶ 1 3/4" x 1 3/4" large base
- ▶ Aluminum die cast
- ▶ 100 each per case @ 43lbs

**STRAIGHT HAND RAIL BRACKET**


NW6265-SBL Mill\*

NW6265-BK Black\*

NW6265-BZ Bronze\*

NW6265-WH White\*

- ▶ Aluminum die cast
- ▶ 200 each per case @ 27lbs



All Painted Swivel Ball and Adjustable Brackets are Assembled



\*Special Order



## RESIDENTIAL STRAIGHT WALL BRACKET

NW6226-SBL Mill  
 NW6226-BK Black  
 NW6226-BZ Bronze\*  
 NW6226-WH White\*



- ▶ Aluminum die cast
- ▶ 350 each per case @ 19lbs



## COMMERCIAL STRAIGHT WALL BRACKET

NW6227-SBL Mill  
 NW6227-BK Black  
 NW6227-BZ Bronze\*  
 NW6227-WH White\*



- ▶ Aluminum die cast
- ▶ 350 each per case @ 23lbs



## RESIDENTIAL SWIVEL BALL BRACKET

NW6195-SBL Mill  
 NW6195-BK Black  
 NW6195-BZ Bronze\*  
 NW6195-WH White\*



- ▶ Small Base
- ▶ Aluminum die cast
- ▶ 100 each per case @ 19lbs



## COMMERCIAL SWIVEL BALL BRACKET

NW6228-SBL Mill  
 NW6228-BK Black  
 NW6228-BZ Bronze\*  
 NW6228-WH White\*


- ▶ Small Base
- ▶ Aluminum die cast
- ▶ 100 each per case @ 16lbs



## INDUSTRIAL STRAIGHT WALL BRACKET

NW6309-SBL Mill  
 NW6309-BK Black  
 NW6309-BZ Bronze\*  
 NW6309-WH White\*


- ▶ Aluminum die cast
- ▶ 250 each per case @ 27lbs



## INDUSTRIAL SWIVEL BALL BRACKET

NW6308-SBL Mill  
 NW6308-BK Black  
 NW6308-BZ Bronze\*  
 NW6308-WH White\*

- ▶ Aluminum die cast
- ▶ 100 each per case @ 34lbs



\*Special Order

## Bread Loaf Rail Brackets

NW6258-SBL Mill  
 NW6258-BK Black  
 NW6258-BZ Bronze\*  
 NW6258-BZ2 Lighter Bronze\*  
 NW6258-WH White \*

- ▶ Aluminum die cast
- ▶ 100 each per case @ 44lbs

\*Special Order



NW6259-SBL Mill  
 NW6259-BK Black  
 NW6259-BZ Bronze\*  
 NW6259-BZ2 Lighter Bronze\*  
 NW6259-WH White\*

- ▶ 150 each per case @ 25lbs

\*Special Order

BLACK FINISH



MILL FINISH

## Patio Railing Brackets

### 'V' FLANGE WALL MOUNT BRACKET

NW272-36 (WI-SMB-36) Bronze  
 NW272-56 (WI-SMB-56) White  
 NW272-76 (WI-SMB-M) Mill

- ▶ Accepts both bottom channel & snap plate
- ▶ 1" x 1 13/16" opening
- ▶ Aluminum die cast
- ▶ 280 each per case @ 42lbs



### RECTANGULAR DUAL FLANGE WALL MOUNT BRACKET

NW268-36 Bronze  
 NW268-56 White  
 NW268-76 Mill

- ▶ Accommodates a 1" X 1 7/8 "rail
- ▶ Aluminum die cast
- ▶ Accepts both bottom channel and snap plate
- ▶ 168 each per case @ 50lbs



## MUSHROOM SINGLE FLANGE MOUNT BRACKET

NW270-36 Bronze  
 NW270-56 White  
 NW270-76 Mill

- ▶ Accommodates a 1 5/8" x 2 5/8" rail O.D.
- ▶ Aluminum die cast
- ▶ 160 each per case @ 47lbs



## MUSHROOM RAILING END CAP

NW269-36 Bronze  
 NW269-56 White  
 NW269-76 Mill

- ▶ Accommodates a 1 5/8" x 2 1/4" rail I.D.
- ▶ Aluminum die cast
- ▶ 300 each per case @ 47lbs



## ROUND TOP SINGLE FLANGE MOUNT BRACKET

NW271-26 Black  
 NW271-36 Bronze  
 NW271-56 White  
 NW271-76 Mill

- ▶ Accommodates a 1 5/8" x 2" rail O.D.
- ▶ Aluminum die cast
- ▶ 210 each per case @ 43lbs



## ROUND TOP RAILING END CAP

NW267-36 Bronze  
 NW267-56 White  
 NW267-76 Mill

- ▶ Accommodates a 1 1/4" x 1 3/4" rail I.D.
- ▶ Aluminum die cast
- ▶ 300 each per case @ 40lbs



## FLOOR MOUNT ALUMINUM DIE CAST

NW273-36 (WI-HR-4A-BZ) Bronze  
 NW273-56 (WI-HR-4A-WH) White  
 NW273-76 Mill

- ▶ Accommodates a 1 7/8" x 1 1/2" post
- ▶ Profile height: 1 3/4"
- ▶ Flange: 4 3/8" x 4 3/8"
- ▶ 45 each per case @ 41lbs




## FLOOR MOUNTS

All Floor Mount Brackets are Aluminum Die Cast

- NW302-MI (WI-2X2B) Mill  
 NW302H-MI Mill with hole for set screw  
 NW302-26 (WI-2X2B-BK) Black  
 NW302-36 (WI-2X2B-BZ) Bronze  
 NW302-56 (WI-2X2B-WH) White
- Accommodates a 2" x 2" post
  - Profile height: 1 3/4"
  - Flange: 4 3/8" x 4 3/8"
  - 50 each per case @ 44lbs




- NW6187H-MI Mill with hole for set screw  
 NW6187H-BK Black with hole for set screw  
 NW6187H-BZ Bronze with hole for set screw\*  
 NW6187H-WH White with hole for set screw\*
- Accommodates a 2 1/2" x 2 1/2" post
  - Profile height: 1 3/4"
  - Flange: 4 7/8" x 4 7/8"
  - 40 each per case @ 44lbs




- NW6173H-MI Mill with hole for set screw  
 NW6173H-BK Black with hole for set screw  
 NW6173H-BZ Bronze with hole for set screw\*  
 NW6173H-WH White with hole for set screw\*
- Accommodates a 3" x 3" post
  - Profile height: 1 3/4"
  - Flange: 5 3/8" x 5 3/8"
  - 20 each per case @ 38lbs

## PREMIUM FLOOR MOUNT BRACKETS

- NW6248-SBL Mill  
 NW6248-BK Black\*  
 NW6248-BZ Bronze\*  
 NW6248-WH White\*
- Accommodates 2" posts
  - Aluminum die cast
  - OD: 5" x 1.72" high
  - 50 each per case @ 60lbs



- NW6249-SBL Mill\*  
 NW6249-BK Black\*  
 NW6249-BZ Bronze\*  
 NW6249-WH White\*
- Accommodates 2 1/2" posts
  - Aluminum die cast
  - OD: 5" x 1.72" high
  - 50 each per case @ 58lbs




- NW6248/49PLUGBK Black
- Bolt Hole Cover for Premium Floor Mounts
  - Each - Order amount needed



## ONE PIECE COVER PLATE

- NW6197-SBL Mill  
 NW6197-BK Black  
 NW6197-BZ Bronze\*  
 NW6197-WH White\*
- Accommodates a 2" x 2" post
- Profile height: 1 7/8"
  - OD: 4 3/4" x 4 3/4"
  - Fits Over NW302
  - 50 each per case @ 25lbs




- NW6198-SBL Mill  
 NW6198-BK Black  
 NW6198-BZ Bronze\*  
 NW6198-WH White\*
- Accommodates a 2 1/2" x 2 1/2" post
- Profile height: 1 7/8"
  - OD: 5 1/4" x 5 1/4"
  - Fits Over NW6187
  - 50 each per case @ 29lbs

- NW6190-MI Mill  
 NW6190-BK Black  
 NW6190-BZ Bronze\*  
 NW6190-WH White\*
- Accommodates a 3" x 3" post
- Profile height: 1 7/8"
  - OD: 5 21/32" x 5 21/32"
  - Fits Over NW6173
  - 50 each per case @ 32lbs

## TWO PIECE COVER PLATE

- NW6243-SBL Mill  
 NW6243-BK (WI-2PCS-PB-2X2B) Black  
 NW6243-BZ Bronze\*  
 NW6243-WH White\*
- Accommodates a 2" x 2" post
- Profile height: 1 7/8"
  - Flange: 4 3/4" x 4 3/4"
  - Fits Over NW302
  - 50 each per case @ 24lbs



- NW6288-SBL Mill  
 NW6288-BK Black  
 NW6288-BZ Bronze\*  
 NW6288-WH White\*
- Accommodates a 3" x 3" post

- NW6269-SBL Mill  
 NW6269-BK Black  
 NW6269-BZ Bronze\*  
 NW6269-WH White\*
- Accommodates a 2 1/2" x 2 1/2" post
- Profile height: 1.9"
  - Flange: 5 1/5" x 5 1/5"
  - Fits Over NW6187
  - 50 each per case @ 29lbs

## TWO PIECE "CORE" COVER PLATE

Hides Concrete Residue

- NW6257-SBL Mill  
 NW6257-BK Black  
 NW6257-BZ Bronze\*  
 NW6257-WH White\*
- Accommodates a 2" x 2" post
- Profile height: 7/8"
  - OD: 4 5/8" x 4 5/8"
  - 100 each per case @ 22lbs



- NW6263-SBL Mill  
 NW6263-BK Black  
 NW6263-BZ Bronze\*  
 NW6263-WH White\*
- Accommodates a 2 1/2" x 2 1/2" post
- Profile height: 7/8"
  - OD: 5 1/8" x 5 1/8"
  - 100 each per case @ 20lbs


\*Special Order




NW233PF, NW234PF  
NW235PF, NW236PF



NW212, NW213,  
NW245, NW246, NW249  
NW250, NW251, NW252



NW233, NW234  
NW235, NW236



**SLIM LINE** NW6200, NW6201,  
NW6202, NW6203, NW6204,  
NW6205, NW6206, NW6207

ITEM NO	STYLE	WITH HOLE	PRESS FIT or SLIP-ON	MATERIAL	OPTIMUM PICKET O.D.	QTY/CASE	WEIGHT /CASE
5/8"							
NW233-MI	Triad	Y	SO	Aluminum	0.635	300	42
NW233PF-SBL	Triad	N	PF	Aluminum	0.600	300	42
NW233PFH-SBL	Triad	Y	PF	Aluminum	0.600	300	42
NW235-SBL	Quad	Y	SO	Aluminum	0.635	300	45
NW235PF-SBL	Quad	N	PF	Aluminum	0.600	300	45
NW235PFH-SBL	Quad	Y	PF	Aluminum	0.600	300	45
NW6202-SBL	Quad	N	SO	Aluminum	0.600	300	23
NW6202H-SBL	Quad	Y	SO	Aluminum	0.600	300	23
NW6202HA-SBL	Quad	Y	SO	Aluminum	0.625	300	23
NW6202PFTS-SBL	Quad	N	PF	Aluminum	0.600	300	23
NW6206-SBL	Triad	N	SO	Aluminum	0.600	300	23
NW6206H-SBL	Triad	Y	SO	Aluminum	0.600	300	23
NW6206PFTS-SBL	Triad	N	PF	Aluminum	0.600	300	23
NW212-MI	Quad	N	PF	Zinc	0.600	250	42
NW213-MI	Triad	N	SO	Zinc	0.600	250	42
NW6231-SBL	Fleur de Lis	N	SO	Aluminum	0.600	300	27
NW6231H-SBL	Fleur de Lis	Y	SO	Aluminum	0.600	300	27
NW6231PFTS-SBL	Fleur de Lis	N	PF	Aluminum	0.600	300	27
NW6253-SBL	Fleur de Lis	N	PF	Aluminum	0.600	300	41
3/4"							
NW234-MI	Triad	Y	SO	Aluminum	0.750	300	51
NW234PF-SBL	Triad	N	PF	Aluminum	0.720	300	51
NW234PFH-SBL	Triad	Y	PF	Aluminum	0.720	300	51
NW234PF75-SBL	Triad	N	PF	Aluminum	0.750	300	51
NW234PFH75-SBL	Triad	Y	PF	Aluminum	0.750	300	51
NW236-SBL	Quad	Y	SO	Aluminum	0.750	300	51
NW236PF-SBL	Quad	N	PF	Aluminum	0.720	300	51
NW236PFH-SBL	Quad	Y	PF	Aluminum	0.720	300	51
NW236PF75-SBL	Quad	N	PF	Aluminum	0.750	300	51
NW236PFH75-SBL	Quad	Y	PF	Aluminum	0.750	300	51
NW6201H-SBL	Quad	Y	SO	Aluminum	0.720	300	26
NW6201PFTS-SBL	Quad	N	PF	Aluminum	0.750	300	26



## Fleur de Lis



NW6231, NW6232



NW6253



NW6277-SBL

**Mill Finish On All Finials.** Some Finials May Be Special Order. Please Contact Customer Service for Availability. When ordering Color, Substitute the MI or SBL in the Item No. with BK (Black), BZ (Bronze), BZ2 (Bronze), or WH (White).

ITEM NO	STYLE	HOLE	PRESS FIT or SLIP-ON	MATERIAL	OPTIMUM PICKET O.D.	QTY/CASE	WEIGHT /CASE
3/4" Continued							
NW6205-SBL	Triad	N	SO	Aluminum	0.720	300	28
NW6205H-SBL	Triad	Y	SO	Aluminum	0.720	300	28
NW6205PFTS-SBL	Triad	N	PF	Aluminum	0.750	300	28
NW249-MI	Quad	N	SO	Zinc	0.750	250	49
NW249IT-MI	Quad	N	PF	Zinc	0.750	250	49
NW250IT-MI	Triad	N	PF	Zinc	0.750	250	46
NW250-MI	Triad	N	SO	Zinc	0.750	250	46
NW6232-SBL	Fleur de Lis	N	SO	Aluminum	0.750	300	26
NW6232H-SBL	Fleur de Lis	Y	SO	Aluminum	0.750	300	26
NW6232PFTS-SBL	Fleur de Lis	N	PF	Aluminum	0.750	300	26
1"							
NW6200-SBL	Quad	N	SO	Aluminum	1.00	300	31
NW6200H-SBL	Quad	Y	SO	Aluminum	1.00	300	31
NW6204-SBL	Triad	N	SO	Aluminum	1.00	300	29
NW6204H-SBL	Triad	Y	SO	Aluminum	1.00	300	29
NW245-MI	Quad	N	SO	Zinc	1.00	200	41
NW245IT-MI	Quad	N	PF	Zinc	1.00	200	41
NW246-MI	Triad	N	SO	Zinc	1.00	200	41
NW246IT-MI	Triad	N	PF	Zinc	1.00	200	41
NW6277-SBL	Fleur de Lis	N	SO	Aluminum	1.00	200	42
NW6277H-SBL	Fleur de Lis	Y	SO	Aluminum	1.00	200	42
5/8" X 1"							
NW6203-SBL	Quad	N	SO	Aluminum	.600 X 1.00	300	29
NW6203H-SBL	Quad	Y	SO	Aluminum	.600 X 1.00	300	29
NW6203PFTS-SBL	Quad	N	PF	Aluminum	.600 X 1.00	300	29
NW6207-SBL	Triad	N	SO	Aluminum	.600 X 1.00	300	26
NW6207H-SBL	Triad	Y	SO	Aluminum	.600 X 1.00	300	26
NW6207PFTS-SBL	Triad	N	PF	Aluminum	.625 X 1.00	300	26
NW251-MI	Quad	N	SO	Zinc	.600 X 1.00	200	38
NW252-MI	Triad	N	SO	Zinc	.600 X 1.00	200	38

## ALUMINUM INDUSTRIAL DOUBLE 'O' RING

NW6334-SBL Mill\*

NW6334-BK Black

NW6334-BZ Bronze\*

- ▶ Used with 1" Picket system
- ▶ 3.96" Outer Diameter
- ▶ 3.34" Inner Diameter
- ▶ 50 each per case @35lbs

\*Special Order



## ALUMINUM DECORATIVE SINGLE 'O' RING


NW237A-MI Mill

- ▶ Used with 3/4" picket system
- ▶ 4" Outer Diameter
- ▶ 3 1/4" Inner Diameter
- ▶ 120 each per case @ 40lbs



## ALUMINUM DECORATIVE SINGLE 'O' RING USE WITH 5/8" PICKET SYSTEM (SPECIAL ORDER)

NW237MC Mill



## ALUMINUM DECORATIVE DOUBLE 'O' RING

NW237DBL-MI Mill

NW237DBL-26 Black

NW237DBL-36 Bronze

- ▶ Used with 3/4" picket system
- ▶ Spacing between two rings is .770"
- ▶ 3 7/16" Outer Diameter
- ▶ 2 7/8" Inner Diameter
- ▶ 50 each per case @ 24lbs



## 3" ALUMINUM RING

WI-RING-3

- ▶ 100 per case



## 3-7/8" ALUMINUM RING

WI-RING-WD

- ▶ 100 per case



## 5/8" ALUMINUM QUAD RING

WI-4RING

- ▶ 45 per case @40lbs



## ALUMINUM DECORATIVE SCROLL

NW241-SBL Mill (USS1)\*

- ▶ Used with 5/8" picket system
- ▶ Fits .600 Profile
- ▶ 3 5/8"(H) x 3 3/4"(W) x 5/8"(D)
- ▶ 160 each per case @ 42lb



NW6326-SBL Mill

- ▶ Used with 3/4" picket system
- ▶ Fits .75 Profile
- ▶ 200 each per case @ 48lbs

NW241J-SBL Mill

- ▶ Fits .625 Profile


\*Special Order

## KNUCKLES

NW6262-SBL Mill - Accommodates 3/4" Picket

NW6261-SBL Mill - Accommodates 1" Picket

- ▶ Aluminum die cast
- ▶ Standard part for welding
- ▶ Add hole for screw mount



NW6262: 50 each per case @ 13lbs

NW6261: 50 each per case @ 12lbs

## KEYLESS LOCKS

### TWO SIDED KEYPAD

2835-ABDC - Antique Brass

2835-BBDC - Bright Brass

2835-BCDC - Bright Chrome

2835-JBMGDC - Jet Black Marine Grade

2835-OILDC - Oil Rubbed Bronze

2835-SCMGDC - Satin Chrome Marine Grade

2835-SNDC - Satin Nickel

2835-WHDC - White



### 1 SIDE KEYPAD & 1 SIDE BLANK

2835-AB - Antique Brass

2835-BB - Bright Brass

2835-BC - Bright Chrome

2835-JBMG - Jet Black Marine Grade

2835-OIL - Oil Rubbed Bronze

2835-SCMG - Satin Chrome Marine Grade

2835-SN - Satin Nickel

2835-WH - White



### LOCKBOXES FOR 2835

GB2500 Steel

GB2500-AL Aluminum

- ▶ Screws included



### ONE SIDED

285-P-SC Satin Chrome


- ▶ For use with PB1100-SC Panic Bar



## MORTISE LOCKSET BOX

NW214-MI Mill (WI-LB-S)

- ▶ Box is 3 3/8"(H) x 4 7/16"(W) x 2"(D)
- ▶ Welded into gate profile to accommodate traditional mortise lockset
- ▶ 50 each per case @ 29lbs



## DOUBLE HOLE LOCK BOX

WI-LB-D

- ▶ 35 each per case



## NYLON GATE BUMPER

NW6186-SD-BK Black

NW6186-SD-WH White

- ▶ Made with durable glass-filled nylon with UV inhibitors
- ▶ Flanges are each 2"(W) x 1.75"(D) for durable attachment
- ▶ Overall height is 4.5"
- ▶ Stainless steel screws included
- ▶ 50 each per case @ 22lbs
- ▶ Also available in quantities of 10



Handle Bumper  
Also Available

## NYLON GATE HANDLES

NW314S-BK w/S.S. screws Black

NW314S-WH w/S.S. screws White

NW314-BK (WI-NGH) w/o screws Black

NW314-WH (WI-NGH-W) w/o screws White

- ▶ Made with durable glass-filled nylon with UV inhibitors
- ▶ Flanges are each 1.5"(W) x 1.25"(D) for durable attachment
- ▶ Overall height is 5" and handle is .75" deep
- ▶ Very comfortable and easy to grasp
- ▶ 50 each per case @ 8lbs



## STAINLESS STEEL GATE HANDLE

NW6184-BK Black

NW6184-WH White

- ▶ 2-Sided Attachment
- ▶ Modern Design
- ▶ Stainless steel screws included
- ▶ 100 each per case @ 35 lbs



## STAINLESS STEEL GATE BUMPER

NW6237-BK

- ▶ Slim line Design
- ▶ 2-Sided Attachment
- ▶ Stainless Steel Screws included
- ▶ 50 each per case @ 7lbs



## HEAVY-DUTY STAINLESS STEEL DROP RODS

- 24"** NW38305-24SS Mill  
NW38305-24SSB Black  
NW38305-24SSW White  
▶ 20 each per case @ 39lbs

- 36"** NW38305-36SSB Black  
NW38305-36SSW White\*  
▶ 10 each per case @ 23lbs

- 48"** NW38305-48SSB Black  
NW38305-48SSW White\*  
▶ 10 each per case @ 40lbs  
▶ 5/8" diameter  
▶ Screws included  
▶ Dual guides  
▶ Pad-lockable  
▶ Retention-ears for theft prevention



\*Special Order

## STAINLESS STEEL KEY LOCKING DROP RODS


- 18"** NW38305KL-18SSB Black  
NW38305KL-18SSW White  
▶ 10 each per case @ 21lbs

- 24"** NW38305KL-24SSB Black  
NW38305KL-24SSW White  
▶ 10 each per case @ 23lbs

- 36"** NW38305KL-36SSB Black  
NW38305KL-36SSW White  
▶ 10 each per case @ 36lbs

- 48"** NW38305KL-48SSB Black  
NW38305KL-48SSW White  
▶ 10 each per case @ 45lbs  
▶ Add the appeal of a key lock to your drop rod  
▶ Anti-theft protection  
▶ The handle & brackets are made of low-maintenance, glass filled nylon  
▶ The rods are 300 series stainless steel  
▶ Available with Black or White brackets  
▶ 2-sided bracket attachment  
▶ Stainless steel screws included

Designed with multiple "set" points for desired height when in the "up" position




All Lockable Drop Rods  
Can Be Keyed Alike

## ARBOR COLLAR

NW6275-SBL

- ▶ 1.5"-2.5" Arbor Collar
- ▶ 50 each per case @ 42lbs



VINYL

ORNAMENTAL

WOOD

CHAIN LINK

## ALUMINUM DROP RODS

NW38305A1-24BK

- ▶ Colors are special order
- ▶ Fits gates frames 1" or larger
- ▶ 24" height
- ▶ Rust resistant and cost effective
- ▶ Light to handle, easy to install
- ▶ Stainless steel screws included
- ▶ 20 each per case @ 23 lbs



Comes with  
a holder for  
"up position"



## COMMERCIAL DROP RODS

**24"** NW6270-24BK Black  
NW6270-24HDG Hot Dip Galvanized  
▶ 10 each per case @ 46lbs

**36"** NW6270-36BK Black  
NW6270-36HDG Hot Dip Galvanized  
▶ 10 each per case @ 55lbs

**48"** NW6270-48BK Black  
NW6270-48HDG Hot Dip Galvanized  
▶ 5 each per case @ 36lbs  
▶ Heavy-duty 1" O.D. drop rod  
▶ Zinc plated, powder coated steel  
▶ Through bolt design  
▶ Can be used on vinyl, wood, aluminum or steel gates



## COMMERCIAL PAD LOCKABLE DROP RODS

**24"** NW6270L-24BK Black  
NW6270L-24HDG Hot Dip Galvanized  
▶ 10 each per case @ 46lbs

**36"** NW6270L-36BK Black  
NW6270L-36HDG Hot Dip Galvanized  
▶ 10 each per case @ 55lbs

**48"** NW6270L-48BK Black  
NW6270L-48HDG Hot Dip Galvanized  
▶ 5 each per case @ 36lbs



## GUIDE ROLLERS

NW6271-BK Black  
NW6271-WH White  
▶ Plastic roller  
▶ Used for Vinyl and Ornamental gates  
▶ Zinc plated bracket for welding  
▶ Bracket is 6.2" in height  
▶ 15 each per case @ 38lbs



WI-RGR-C  
▶ Cover for WI-RGR  
▶ 200/Case



WI-RGR  
▶ 3" Nylon Guide Roller  
▶ No cover  
▶ 40/Case



## GUIDE ROLLERS

WI-RGR-BKT  
▶ 3" Rubber Guide roller  
with bracket  
▶ 8/Case




## "V" GROOVE TRACK WHEELS

ROLL2BV - 2"  
ROLL3BV - 3"  
▶ 25 each per case @ 44lbs  
ROLL4BV - 4"  
▶ "V" Groove, Zinc plated steel  
▶ 16 each per case @ 50lbs  
▶ Attached bracket included



## V-TRACK

WI-EGT-016-10H  
▶ Aluminum Extrusion  
▶ 10' V-track with alternating holes every 18"  
▶ Please contact customer service for bundle quantities



## HYDRAULIC GATE CLOSERS

TB100- Black  
▶ Gently closes gates up to 125 lbs. and 54" wide  
▶ Pushes gate closed with adjustable closing speed  
▶ Can be used on lightweight, non-fire rated doors  
▶ Hinge Arrangements: In-Line/Flush Hinges  
▶ Gap between hinges and gate post should be 1" or less  
▶ 8 each per case @ 43 lbs



TB175-B Black  
TB175-WH White  
▶ Gently closes gates up to 110 lbs. and 54" wide  
▶ Pushes gate closed with adjustable closing and latching speed  
▶ Hold-open feature allows gate to be temporarily held open  
▶ Flush mount closer  
▶ Hinge Arrangements: In-Line/Flush Hinges  
▶ 12 each per case @ 30 lbs





**PATENTED SHOTGUN® GATE CLOSER****Controlled Closing Power to Avoid Gate Slamming**

SHOTGUN-BK Black

SHOTGUN-SC Satin Chrome

- ▶ One SKU closes any gate up to 250 lbs\*
- ▶ Anti-slam technology
- ▶ Adjustable closing speed
- ▶ No oil therefore no leaks
- ▶ 10 per case @67lbs



\*Tested on a 6' high, 6' wide. Needs a gate stop at 90 degrees

**TROLLEY FOR CANTILEVER GATES**

NW-TROLLEY4WA

- ▶ 4W: 6/Case @ 29lbs



NW-TROLLEY8WA

- ▶ 8W: 4Case @ 31lbs

**4 WHEEL TROLLEY**

WI-TROLLEY-M4S

- ▶ Cast Steel body
- ▶ Horizontal Wheels O.D. 2.125"
- ▶ Vertical Wheels O.D. 2.045"
- ▶ 12/Case

**8 WHEEL TROLLEY**

WI-WTS10-1

- ▶ Machined Steel body
- ▶ Horizontal Wheels O.D. 2.125"
- ▶ Vertical Wheels O.D. 2.045"
- ▶ 8/Case



WI-TROLLEY-8P

- ▶ Cast Aluminum
- ▶ 8/Case

**TROLLEY BRACKETS**

NW-TRLLBKT-R-HD

- ▶ 4" Round, Heavy-duty Gage
- ▶ 6/Case @ 45lbs



NW-TRLLBKT-S-HD

- ▶ 4" Square, Heavy-duty Gage
- ▶ 6/Case @ 45lbs

**TROLLEY BRACKETS**

NW-TRLLBKT-RD300-STL - 3"

NW-TRLLBKT-RD-STL - 4"

NW-TRLLBKT-RD658-STL - 6-5/8"

- ▶ Round, Heavy-duty Gage
- ▶ 4/Case @ 40lbs



NW-TRLLBKT-SQ300-STL - 3"

NW-TRLLBKT-SQ-STL - 4"

NW-TRLLBKT-SQ600-STL - 6"

- ▶ Square, Heavy-duty Gage
- ▶ 4/Case @ 40lbs



WI-HANG-4R- 4"

- ▶ Round
- ▶ 8/Case

WI-HANG-4S- 4"

- ▶ Square
- ▶ 8/Case

WI-HANG-6S- 6"

- ▶ Square
- ▶ 4/Case

**GOOSE NECK PEDESTALS**

WI-ACA-1 42"

WI-ACA-2 48"

- ▶ Access Control Arm w/base
- ▶ Pad Mountable
- ▶ 1 piece per case @ 17lbs



WI-ACA-1-B 54"

WI-ACA-72-B 72"

- ▶ Direct Burial
- ▶ 1 piece per case @ 20lbs



WI-GNC-DUAL-72

- ▶ Dual Arm Pedestal
- ▶ 42" and 72" Pedestal
- ▶ 1 piece per case 42lbs.



WI-ACA-HD

- ▶ Heavy-duty Pedestal
- ▶ 1 piece per case



# WOOD

## FENCE & GATE HARDWARE

### TABLE OF CONTENTS

Innovative Products	62
Hinges	64
Screw Hooks and Rustic Series	67
Latches	68
Gate Kits	70
Drop Rods	71
Caps	72
Gates Braces, Bumpers and Closers	73
Handles and Brackets	74
Accessories and Tools	75







VINYL

ORNAMENTAL

WOOD


CHAIN LINK



## CORNERSTONE® SERIES

**PATENTED**

### CORNERSTONE® FULLY ADJUSTABLE HINGE




CH300F-BK Black w/stainless steel screws  
CH300F-WH White w/stainless steel screws  
CH300F-SD-BK Black w/stainless steel self-drilling screws  
CH300F-SD-WH White w/stainless steel self-drilling screws

- ▶ Both flanges: 4.25"(H) x 2.88"(W) x 1.50"(D)
- ▶ Back plates allow horizontal and vertical adjustability
- ▶ Produced with durable glass-filled nylon
- ▶ 1/4" Allen wrench included for tension adjustment
- ▶ 20 pair per case @ 42lbs


**PATENTED**

### CORNERSTONE® HORIZONTALLY ADJUSTABLE HINGES




Slotted, serrated holes for horizontal holding power

CH300H-BK Black w/stainless steel screws  
CH300H-WH White w/stainless steel screws  
CH300H-SD-BK Black w/stainless steel self-drilling screws  
CH300H-SD-WH White w/stainless steel self-drilling screws

- ▶ Both flanges: 4.25"(H) x 2.88"(W) x 1.25"(D)
- ▶ Produced with durable glass-filled nylon
- ▶ 1/4" Allen wrench included for tension adjustment
- ▶ 20 pair per case @ 26lbs


**PATENTED**

### CORNERSTONE® FIXED POSITION HINGES



CH300N-BK Black

CH300N-WH White


- ▶ Both flanges: 4.25"(H) x 2.88"(D) x 1.25"(D)
- ▶ Stainless steel screws included
- ▶ 20 pair per case @ 31 lbs


**PATENTED**

### CORNERSTONE® 2 FULLY ADJUSTABLE HINGE



- ▶ Horizontally adjustable up to 1.0"
- ▶ Vertically adjustable up to 1.0"
- ▶ Fits both right and left-hand applications
- ▶ 1/4" Allen wrench included for easy Turn-N-Go™ tension adjustment
- ▶ Safe, anti-climb design
- ▶ 10 pair per case @ 30lbs



C2H300F-BK Black w/stainless steel screws  
C2H300F-WH\* White w/stainless steel screws  
C2H300F-SD-BK Black w/stainless steel self-drilling screws  
C2H300F-SD-WH\* White w/ stainless steel self-drilling screws  
\*Special Order

**PATENTED**

### NEW! CORNERSTONE® 2 FULLY ADJUSTABLE HINGE



- ▶ Fully adjustable self-closing hinge
- ▶ Safe, anti-climb design
- ▶ Horizontally and vertically adjustable up to 0.96"
- ▶ 10 per case @ 29lbs




C2H350F-SD-BK Black w/stainless steel screws  
C2H350F-SD-WH\* White w/stainless steel screws  
\*Special Order



## KEYSTONE® SERIES

**PATENTED**

### KEYSTONE® SERIES



### TWO-SIDED LOCKABLE LATCH

KLADV2-P2-BK Black (Nylon)

KLADV2-P2-WH White (Nylon)

- ▶ **NEW & IMPROVED with 6-pin cylinder**
- ▶ Locking feature accessible from both sides
- ▶ Same specifications as KLADV-P2 below

KLADV-P2-BK Black (Nylon)

- ▶ Reversible for right-hand or left-hand use
- ▶ Glass-filled nylon housing
- ▶ Thumb release button on one side, gravity latch lever on opposite side
- ▶ Stainless steel screws included
- ▶ 20 each per case @ 23 lbs

KLADV-M2-BK Black (Zinc diecast)

- ▶ Same as KLADV-P2 but with zinc die cast housing
- ▶ 20 each per case @ 48 lbs

### ONE-SIDED LOCKABLE LATCH

KLADV2-P1-BK Black

KLADV2-P1-WH White

- ▶ **NEW & IMPROVED with 6-pin cylinder**

KLADV-P1-BK Black

- ▶ Same as KLADV-P2 above but with locking (gravity latch lever) on one side
- ▶ 20 each per case @ 17 lbs

KLADV-M1-BK Black (Zinc diecast)

- ▶ 20 each per case @ 31 lbs

### SPINDLE ADAPTOR

KLADV-SpinAdapt

Extension Kit allows Two-Sided Keystone® to be used on posts over 5" wide



**PATENTED**

### KEYSTONE® PANICLATCH™

KPL-P2-BK Black

- ▶ Self-Locking anti-tamper design
- ▶ Easy exit with large button
- ▶ Secure Entry with 6-pin key
- ▶ 6 each per case @ 20lbs



Functions like a panic bar  
but made for gates

**PATENTED**

### KEYSTONE® X-EXTERNAL MOUNT LATCH



### TWO-SIDED

KLX-P2-BK Black (Nylon)

- ▶ Marked in 1/2" increments for quick, easy and accurate fitting to post sizes 2" - 5"
- ▶ Flat design safely encloses spindle ends
- ▶ 20 each per case @ 22 lbs

### ONE-SIDED

KLX-P1-BK Black (Nylon)

- ▶ Features Latch only
- ▶ 20 each per case @ 15 lbs



### KLX-SPINDLE-10

- ▶ Longer spindle for gate frames over 5" thick



### SAME KLX LATCH, WITH SLIMLINE DESIGN

KLX2-P2-BK Black

- ▶ Slimline design
- ▶ 20 each per case @ 20 lbs

KLX2-P1-BK Black

- ▶ Features Latch only
- ▶ 20 each per case @ 13 lbs



Button Side

**PATENTED**

### MANTA® MAGNETIC LATCH



MANTA-L-BK Black

MANTA-L-WH White



- ▶ Self-latching and key-lockable
- ▶ Glass-filled nylon material for low maintenance, strength and durability
- ▶ Locks & unlocks from either side
- ▶ Reversible for left or right hand use without changing components

## 8" ORNAMENTAL 'T' HINGE

NW38937Q (WI-OTH-8)

- ▶ Zinc plated steel with black finish
- ▶ 1 3/4" lag screws with black finish
- ▶ 20 pair per case @ 43 lbs

NW38937FQ with Fixed Pin

- ▶ Zinc plated steel with black finish
- ▶ 1 3/4" lag screws with black finish
- ▶ 20 pair per case @ 43 lbs

NW38937AQ (WI-OTH-8-UA) Un-Assembled

- ▶ Zinc plated steel with black finish
- ▶ 1 3/4" lag screws with black finish
- ▶ 20 pair per case @ 43 lbs

NW38937MDQ

- ▶ Zinc plated steel with black finish
- ▶ 3" thru-bolts for gate side
- ▶ 3" lag screws for fence side
- ▶ 20 pair per case @ 44 lbs




Also Available  
in Hammered  
Bronze

## 8" ADJUSTABLE SELF-CLOSING CONTEMPORARY 'T' HINGE

NW6332

- ▶ Zinc plated steel with black finish
- ▶ Easy tension adjustment
- ▶ Easy to hold adjustment pin
- ▶ 1-3/4" lag screws with black finish
- ▶ 20 pair per case @ 42 lbs




## 10" ORNAMENTAL 'T' HINGE

NW38933MDQ (WI-OTH-10-CP) with Cotter-Pin

- ▶ Zinc plated steel with black finish
- ▶ 3" thru-bolts for gate side
- ▶ 3" lag screws for fence side
- ▶ 10 pair per case @ 44 lbs

NW38933FMDQ (WI-OTH-10-FP) with Fixed Pin

- ▶ Zinc plated steel with black finish
- ▶ 3" thru-bolts for gate side
- ▶ 3" lag screws for fence side
- ▶ 10 pair per case @ 44 lbs



## 12" ORNAMENTAL 'T' HINGE

NW38935Q

- ▶ Zinc plated steel with black finish
- ▶ 1 3/4" lag screws with black finish
- ▶ 10 pair per case @ 52 lbs


NW38935MDQ (WI-OTH-12-FP)

- ▶ Zinc plated steel with black finish
- ▶ 3" thru-bolts for gate side
- ▶ 3" lag screws for fence side
- ▶ 10 pair per case @ 52 lbs

## 8" ORNAMENTAL HEAVY-DUTY SELF-CLOSING 'T' HINGE

NW38937HDQ


- ▶ Easy tension adjustment
- ▶ Easy to hold adjustment pin
- ▶ 20 pair per case @ 52 lbs



Massive  
Spring  
and Barrel



More  
Closing  
Power



## 8" CONTEMPORARY 'T' HINGE

NW38945Q (WI-CTH-8)

- ▶ Zinc plated steel with black finish
- ▶ 1 3/4" lag screws with black finish
- ▶ 20 pair per case @ 54 lbs

NW38945MDQ

- ▶ Zinc plated steel with black finish
- ▶ 3" thru-bolts for gate side
- ▶ 3" lag screws for fence side
- ▶ 20 pair per case @ 54 lbs

NW38945SS (WI-CTH-8-M-SS)

- ▶ Same as NW38945Q but in stainless steel with mill finish



Also Available  
in Hammered  
Bronze

## 10" CONTEMPORARY 'T' HINGE

NW38947Q (WI-CTH-10)

- ▶ Zinc plated steel with black finish
- ▶ 1 3/4" lag screws with black finish
- ▶ 10 pair per case @ 32 lbs

NW38947MDQ

- ▶ Zinc plated steel with black finish
- ▶ 3" thru-bolts for gate side
- ▶ 3" lag screws for fence side
- ▶ 10 pair per case @ 32 lbs



## 8" TRADITIONAL 'T' HINGE

NW38941Q (WI-TTH-8)

- ▶ Zinc plated steel with black finish
- ▶ 1 3/4" lag screws with black finish
- ▶ 20 pair per case @ 56 lbs

## 10" TRADITIONAL 'T' HINGE

WI-TTH-10

- ▶ Zinc plated steel with black finish
- ▶ 1 3/4" lag screws with black finish
- ▶ 10 pair per case @ 41 lbs



## BLUNT 'T' HINGE

NW6172-BK

- ▶ Zinc plated steel with black finish
- ▶ 1 3/4" lag screws for fence
- ▶ 1 3/4" lag screws for gate
- ▶ 20 pair per case @ 40 lbs



## 6" UNIVERSAL 'T' HINGE

NW36576/6-BQ (WI-THT-6BK)

- ▶ Zinc plated steel with black finish
- ▶ 2 1/2" lag screws for fence
- ▶ 1 3/4" lag screws for gate
- ▶ 20 pair per case @ 34 lbs

NW36576/6-M


- ▶ Zinc plated steel finish
- ▶ 2 1/2" lag screws for fence
- ▶ 1 3/4" lag screws for gate
- ▶ 20 pair per case @ 34 lbs

NW36576/6-71

- ▶ Zinc plated steel finish
- ▶ Bulk-packed without screws
- ▶ 50 each per case @ 43 lbs

NW36576/6-ZPBB (WI-THT-6BK-BB) with Brass Bushing

- ▶ Zinc plated steel with black finish
- ▶ 2 1/2" lag screws for fence
- ▶ 1 3/4" lag screws for gate
- ▶ 20 pair per case @ 30 lbs



## 8" UNIVERSAL 'T' HINGE

NW199 (WI-THT-8BK)


- ▶ Zinc plated steel with black finish
- ▶ 2 1/2" lag screws for fence
- ▶ 1 3/4" lag screws for gate
- ▶ 20 pair per case @ 42 lbs

NW199-76\*

- ▶ Zinc plated steel finish
- ▶ 2 1/2" lag screws for fence
- ▶ 1 3/4" lag screws for gate
- ▶ 20 pair per case @ 42 lbs

NW199-ZPBB\*with Brass Bushing

- ▶ Zinc plated steel with black finish
- ▶ 2 1/2" lag screws for fence
- ▶ 1 3/4" lag screws for gate
- ▶ 20 pair per case @ 43 lbs



\*Special Order

## 8" ORNAMENTAL SCREW HOOK & STRAP HINGE



NW38934Q

- ▶ Zinc plated steel with black finish
- ▶ 1 3/4" lag screws with black finish
- ▶ 20 pair per case @ 40 lbs

## 8" ORNAMENTAL DOUBLE STRAP HINGE



NW38936Q (WI-ODSH-8)

- ▶ Zinc plated steel with black finish
- ▶ 1 3/4" lag screws with black finish
- ▶ 20 pair per case @ 52 lbs

## 8" ORNAMENTAL HALF STRAP HINGE



NW38938Q (WI-O-1/2SH-8)

- ▶ Zinc plated steel with black finish
- ▶ 1 3/4" lag screws with black finish
- ▶ 20 pair per case @ 41 lbs

NW38938FQ with Fixed Pin

- ▶ Zinc plated steel with black finish
- ▶ 1 3/4" lag screws with black finish
- ▶ 20 pair per case @ 41 lbs

NW38938A Un-Assembled

- ▶ Zinc plated steel with black finish
- ▶ 1 3/4" lag screws with black finish
- ▶ 20 pair per case @ 40 lbs

## 6" UNIVERSAL DOUBLE STRAP HINGE



NW36579/6-M

- ▶ Zinc plated steel finish
- ▶ 2 1/2" lag screws for fence
- ▶ 1 3/4" lag screws for gate
- ▶ 20 pair per case @ 35 lbs

## 8" CONTEMPORARY DOUBLE STRAP HINGE



NW38944Q (WI-CDSH-8)

- ▶ Zinc plated steel with black finish
- ▶ 1 3/4" lag screws with black finish
- ▶ 20 pair per case @ 61 lbs

NW38944SS (WI-CDSH-8-M-SS)

- ▶ Same as NW38944Q but in stainless steel with mill finish



## 10" CONTEMPORARY DOUBLE STRAP HINGE

NW38942Q (WI-CDSH-10)

- ▶ Zinc plated steel with black finish
- ▶ 1 3/4" lag screws with black finish
- ▶ 10 pair per case @ 35 lbs

## 8" TRADITIONAL DOUBLE STRAP HINGE



NW38940Q (WI-TDSH-8)

- ▶ Zinc plated steel with black finish
- ▶ 1 3/4" lag screws with black finish
- ▶ 20 pair per case @ 54 lbs

## 10" TRADITIONAL DOUBLE STRAP HINGE

NW38946Q (WI-TDSH-10)

- ▶ Zinc plated steel with black finish
- ▶ 1 3/4" lag screws with black finish
- ▶ 10 pair per case @ 37 lbs

## 8" CONTEMPORARY BUTTERFLY HINGE



NW38943Q (WI-CBH-8)

- ▶ Zinc plated steel with black finish
- ▶ 1 3/4" lag screws with black finish
- ▶ 20 pair per case @ 54 lbs

## 8" TRADITIONAL BUTTERFLY HINGE



NW38943T

- ▶ Zinc plated steel with black finish
- ▶ 1 3/4" lag screws with black finish
- ▶ 20 pair per case @ 54 lbs

## HEAVY-DUTY SEALED BEARING HINGES

### GREAT OPTIONS FOR COMMERCIAL GATES

- ▶ Assembled in the USA
- ▶ Never needs lubrication
- ▶ Horizontal adjustability

### Options Per Each Hinge Side

- ▶ Steel or Aluminum
- ▶ Bolt-on or Weld-on application
- ▶ Black or Mill finish



Black Aluminum  
Bolt-on shown above



Mill Steel  
Weld-on  
shown right

See page 40 for full  
product offering

## "T" HINGE



NWSS-HDT-SC-BK Black w/stainless steel screws

NWSS-HDT-SC-BKD Black w/stainless steel self-drilling screws

- ▶ Stainless steel, powder coated
- ▶ Easy tension adjustment
- ▶ Allen wrench included
- ▶ Larger easy to hold pin
- ▶ 12 pairs per case @ 40 lbs



## 6" HEAVY-DUTY STRAP WITH 1/2" SCREW HOOK



NW284-76

- ▶ Zinc plated steel finish
- ▶ 12 pair per case @ 21 lbs

## 8" HEAVY-DUTY STRAP WITH 5/8" SCREW HOOK



WI-HDSH-5/8

- ▶ Zinc plated steel with black finish
- ▶ 1 3/4" lag screws with black finish
- ▶ 20 pair per case @ 30 lbs

## 12" HEAVY-DUTY STRAP WITH 5/8" SCREW HOOK

NW255/38931-26 (WI-HD-STRAP-12)

- ▶ Zinc plated steel with black finish
- ▶ 1 3/4" lag screws with black finish
- ▶ 12 pair per case @ 42 lbs

NW255/38931-GV

- ▶ HDG finish
- ▶ 1 3/4" lag screws with HDG finish
- ▶ 12 pair per case @ 42 lbs

NW255-71

- ▶ Zinc plated steel finish
- ▶ Without screws – bulk packed
- ▶ 50 each per case @ 42 lbs

## 1/2" X 4" SCREW HOOK & EYE HINGE



NW38603 (WI-SHIH-1/2x4)

- ▶ Zinc plated steel finish
- ▶ 50 pair per case @ 56 lbs

NW38603-GV (WI-SHIH-1/2x4-G)

- ▶ HDG finish
- ▶ 50 pair per case @ 56 lbs

NW38603-BK (WI-SHIH-1/2x4-B)

- ▶ Black finish
- ▶ 50 pair per case @ 56 lbs

## 5/8" X 5" SCREW HOOK & EYE HINGE



NW38931

- ▶ Zinc plated steel finish
- ▶ 20 pair per case @ 56 lbs

## RUSTIC SERIES

### 12", 16", 20" AND 24" HINGES



RUSH112-BK

- ▶ 12" pair of black hinges
- ▶ 1/2" pin
- ▶ Powder coated finish
- ▶ 10 pair per case @ 59 lbs

RUSH220-BK

- ▶ 20" pair of black hinges
- ▶ 5/8" pin
- ▶ Powder coated finish
- ▶ 6 pair per case @ 55 lbs

RUSH116-BK

- ▶ 16" pair of black hinges
- ▶ 1/2" pin
- ▶ Powder coated finish
- ▶ 8 pair per case @ 50 lbs

RUSH224-BK

- ▶ 24" pair of black hinges
- ▶ 5/8" pin
- ▶ Powder coated finish
- ▶ 4 pair per case @ 45 lbs

\* All hinges include stainless steel screws and a carriage bolt with painted head

## TWISTED RING LATCH

RUSL1-BK

- ▶ Operates from either side
- ▶ Fits gates up to 5" thick
- ▶ Powder coated finish
- ▶ 10 per case @ 20 lbs



## STANDARD GRAVITY LATCH

NW38204Q (WI-GL-B) Black

NW38204BZ (WI-GL-BZ) Bronze

NW38204W (WI-GL-W) White

- ▶ Zinc plated steel
- ▶ Screws included
- ▶ .38" Strike bar with ball tip
- ▶ Pad-lockable
- ▶ 50 each per case @ 27 lbs



NW38204-76Q (WI-GL-Z/P)

- ▶ Zinc plated steel finish
- ▶ Screws with zinc plate finish
- ▶ .38" Strike bar with ball tip
- ▶ Pad-lockable
- ▶ 50 each per case @ 27 lbs

NW38204SSM

- ▶ Same as NW38204Q but in stainless steel with mill finish

- ▶ NW38204NC-76 with Cable
- ▶ Zinc plated steel finish
- ▶ Screws with zinc plate finish
- ▶ With 13" cable, clip and o-ring for access on opposite side of fence
- ▶ .38" Strike bar with ball tip
- ▶ Pad-lockable
- ▶ 50 each per case @ 27 lbs

## STANDARD GRAVITY LATCH WITH FLOATING BAR

### NW38203Q (WI-GLFB)


- ▶ Zinc plated steel with black finish
- ▶ Screws with black finish
- ▶ .38" Strike Bar with ball tip
- ▶ Pad-lockable
- ▶ 50 each per case @ 27 lbs



## FORK LATCH KIT WITH HANDLE

### NW6185-BK (WI-WGFL)

- ▶ Zinc plated steel with black finish
- ▶ Simple to use latch
- ▶ Avoids most sagging problems
- ▶ Built-in handles and gate stop
- ▶ 20 each per case @ 44 lbs



## HEAVY-DUTY GRAVITY LATCH

### NW38338/R (WI-GL-HD)

- ▶ Zinc plated steel with black finish
- ▶ Screws with black finish
- ▶ .48" Strike bar with 90° bend
- ▶ Pad-lockable
- ▶ 20 each per case @ 28 lbs



### NW38338A/R-26 (WI-GL-HDC) Black

### NW38338/R-ZP (WI-GL-HDLZ) Mill with Cable

- ▶ Zinc plated steel
- ▶ Screws included
- ▶ With 13" cable, clip and o-ring for access on opposite side of fence
- ▶ .48" Strike bar with 90° bend
- ▶ Pad-lockable
- ▶ 20 each per case @ 30 lbs

## HEAVY-DUTY GRAVITY LATCH WITH FLOATING BAR

### NW38340Q

- ▶ Zinc plated steel black finish
- ▶ Screws with black finish
- ▶ .48" Strike bar
- ▶ Pad-lockable
- ▶ 25 each per case @ 42 lbs



### NW38340-M

- ▶ Same as NW38340Q but with zinc plated steel finish

### NW38340-CABLE with Stainless Pull Cable

- ▶ Zinc plated steel black finish
- ▶ Screws with zinc plate finish
- ▶ .48" Strike bar
- ▶ Pad-lockable
- ▶ 25 each per case @ 42 lbs

## 90° STRIKE GRAVITY LATCH



### NW38204AQ (WI-GLO)

- ▶ Zinc plated steel with black finish
- ▶ Screws with black finish
- ▶ .38" Strike bar with 90° bend and ball tip
- ▶ Pad-lockable
- ▶ 50 each per case @ 28 lbs

## STANDARD POST LATCH

### NW38308Q (WI-SPL)

- ▶ Zinc plated steel with black finish
- ▶ Screws with black finish
- ▶ Spring activated release lever
- ▶ Two-sided entry
- ▶ Reversible (right or left handed)
- ▶ Pad-lockable on one side only
- ▶ 20 each per case @ 33 lbs

### NW38308Q/38398Q (WI-SPLK)

- ▶ NW38308Q with a 9" standard gate handle

- ▶ 20 each per case @ 40 lbs

### NW38308SS (WI-SPL-M-SS)

- ▶ Same as NW38308Q but in stainless steel with mill finish

### NW38308NUA-Q

- ▶ Zinc plated steel with black finish
- ▶ Screws with black finish
- ▶ Spring activated release lever
- ▶ Two-sided entry
- ▶ Reversible (right or left handed)
- ▶ Pad-lockable on two sides
- ▶ Bent handle design
- ▶ 20 each per case @ 33 lbs



Also Available in  
Hammered Bronze

## STEEL CONTEMPORARY GATE LATCH

### NW38310QS

- ▶ Zinc plated steel with black finish
- ▶ Screws with black finish
- ▶ Strike flange: 3.12"(W) x 3.5"(H) x 1.38"(D)
- ▶ Latch flange: 1.88"(W) x 5.5"(H) x 1.5"(D)
- ▶ Mounts around corner of post and gate frame
- ▶ Pad-lockable on both sides – Locking slide switch on latch arm
- ▶ Allows entry from both sides
- ▶ Reversible mounting (right or left handed)
- ▶ Easy Opening STOP Design
- ▶ 20 each per case @ 44 lbs




New Stop  
added for  
easier use



## CONTEMPORARY POST LATCH

### NW38310WQ

- Larger opening allows for more play of strike bar



### NW38310Q (WI-CPL)

- Zinc plated steel with black finish
- Screws with black finish
- 9" Gate handle
- Slide-switch lock on opposite side
- Pad-lockable on both sides
- 20 each per case @ 43 lbs

 Also Available in Hammered Bronze

## ROUND BAR THUMB LATCH

### NW283-26

- Zinc plated steel with black finish
- Screws with black finish
- 9" Gate handle
- Round locking lever bar
- Pad-lockable
- 25 each per case @ 38 lbs



 Improved and designed to avoid falling out

## ORNAMENTAL THUMB LATCH KIT

### NW38307 - 6" Lever

### NW38306A - 7" Lever

- Zinc plated steel with black finish
- Screws with black finish
- 9" Gate handle
- Locking lever bar is 'flat'
- 25 each per case @ 37 lbs

 Improved and designed to avoid falling out

 Also Available in Hammered Bronze



## FLIP LATCH

### NW6169-BK

- Commercial grade
- Great for dumpster use
- Pad-lockable
- Zinc plated steel with black powder coated finish
- Stainless steel through-bolt hardware included
- 10 each per case @ 37 lbs



### WI-DGFL

- Teflon Coated
- Pad-lockable
- 12 each per case @ 56 lbs

## SLIDE-BAR LATCH

### NW38339Q (WI-SBL)

- Zinc plated steel with black finish
- Screws with black finish
- 3" Throughbolts for latch
- 1" Screws for keeper
- Pad-lockable
- 60 each per case @ 42 lbs



## ROUND RAIL LOOP LATCH

### NW38301Q (WI-LLRR-1)

- Zinc plated steel finish
- Screws with HDG finish
- 60 each case @ 43 lbs



## SPLIT RAIL LOOP LATCH

### NW38302Q (WI-LLSR-2)

- Zinc plated steel finish
- Screws with HDG finish
- 60 each per case @ 43 lbs



## ALL-PURPOSE LATCH KIT


### NW38341-26 (WI-APLK-BK)

- Zinc plated steel with black finish
- Screws with black finish
- 20 each per case @ 36 lbs

### NW38341-GV (WI-APLK-HDG)

- HDG finish
- Screws with HDG finish
- 20 each per case @ 36 lbs

\* All kits contain gravity latch with cable



### NW-S-Latch-ZP

- Zinc plated steel finish
- Screws with zinc plate finish
- 20 each per case @ 36 lbs

Contains same "U" shape striker bar, "U" shape staple and handle as the All Purpose Latch above. Does not include the gravity latch with cable but instead includes a flat stake keeper.


VINYL

ORNAMENTAL

WOOD

CHAIN LINK


## LOCK THRU™ LATCH



### LT1-BK

- ▶ Open the padlock from either side of the gate
- ▶ Simple to lock or unlock as the latch rotates to you
- ▶ Zinc-plated steel & powder coated
- ▶ Mounting hardware included (padlock not included)
- ▶ Compatible with left or right hand gates
- ▶ 20 each per case @ 24 lbs
- ▶ Patent pending

## CONTEMPORARY WALK GATE KIT



### WI-CWGK (NW38948CQ)

- ▶ Zinc plated steel with black finish
- ▶ Screws with black finish
- ▶ Includes: pair of 8" double strap hinges, post latch and 9" handle
- ▶ 10 kits per case @ 53 lbs

### WI-CWGK-T (NW38948CTQ)

- ▶ Zinc plated steel with black finish
- ▶ Screws with black finish
- ▶ Includes: pair of 8" T-hinge, post latch and 9" handle
- ▶ 10 kits per case @ 50 lbs

## CONTEMPORARY DRIVE GATE KIT

### WI-MBDDK (NW38949CQ)

- ▶ Same as NW38948CQ kit with an additional 24" drop rod and pair of hinges (includes 2 pair of hinges)
- ▶ 6 kits per case @ 63 lbs




Also Available  
in Hammered  
Bronze



Also Available  
in Hammered  
Bronze

## TRADITIONAL WALK GATE KIT



### WI-TWGK (NW38948Q)

- ▶ Zinc plated steel with black finish
- ▶ Screws with black finish
- ▶ Includes: pair of 8" double strap hinges, post latch with return spring and 9" handle
- ▶ 10 kits per case @ 47 lbs

### NW38948TQ


- ▶ Zinc plated steel with black finish
- ▶ Screws with black finish
- ▶ Includes: pair of 8" T-hinge, post latch with return spring and 9" handle
- ▶ 10 kits per case @ 48 lbs

## TRADITIONAL DRIVE GATE KIT

### NW38949Q

- ▶ Same as NW38948TQ kit with an additional 24" drop rod and pair of hinges (includes 2 pair of hinges)
- ▶ 6 kits per case @ 58 lbs

## WESTERN WALK GATE KIT



### WI-WWGK (NW38948WQ)

- ▶ Zinc plated steel with black finish
- ▶ Screws with black finish
- ▶ Includes: pair of 8" double strap hinges, post latch with return spring and 9" handle
- ▶ 10 kits per case @ 51 lbs

### WI-BTWGK (NW38948WTQ)

- ▶ Zinc plated steel with black finish
- ▶ Screws with black finish
- ▶ Includes: pair of 8" T-hinge, post latch with return spring and 9" handle
- ▶ 10 kits per case @ 44 lbs

### WI-WWGK-3H (NW38948WQ-3H)

- ▶ Same as above but with 3 hinges.



Also Available  
in Hammered  
Bronze



Also Available  
in Hammered  
Bronze

## WESTERN DRIVE GATE KIT

### NW38949W24

- ▶ Same as NW38948WQ kit with an additional 24" drop rod and pair of hinges (includes 2 pair of hinges)
- ▶ 6 kits per case @ 62 lbs



## HEAVY-DUTY DROP RODS

- 18"** NW38305-18Q (WI-DR-18) - Zinc plated steel Black finish  
 ▶ 20 each per case @ 36 lbs  
 NW38305-18ZP - Zinc plated steel- unpainted  
 ▶ 20 each per case @ 36 lbs
- 24"** NW38305-24Q (WI-DR-24) - Zinc plated steel Black finish  
 ▶ 20 each per case @ 44 lbs  
 NW38305-24-76Q (WI-DR-24Z) - Zinc plated steel unpainted  
 ▶ 20 each per case @ 44 lbs  
 NW38305-24SS - Stainless steel - unpainted  
 ▶ 20 each per case @ 44 lbs  
 NW38305-24SSB - Stainless steel with Black finish  
 ▶ 20 each per case @ 44 lbs  
 NW38305-24SSW - Stainless steel with White finish  
 ▶ 20 each per case @ 44 lbs
- 36"** NW38305-36Q (WI-DR-36) - Zinc plated steel Black finish  
 ▶ 20 each per case @ 64 lbs
- 48"** NW38305-48Q (WI-DR-48) - Zinc plated steel Black finish  
 ▶ 10 each per case @ 41 lbs

- ▶ 5/8" diameter
- ▶ Screws included
- ▶ Dual guides
- ▶ Pad-lockable
- ▶ Retention-ears for theft prevention



holder

### DROP RODS WITH HOLDER

- NW38305H-24Q  
 NW38305H-36Q  
 NW38305H-48Q  
 ▶ No locking nibs  
 ▶ Includes holder for "up" position

### COMMERCIAL DROP RODS

- 24"** NW6270-24BK Black  
 NW6270-24HDG Hot Dip Galvanized  
 ▶ 10 each per case @ 46 lbs
- 36"** NW6270-36BK Black  
 NW6270-36HDG Hot Dip Galvanized  
 ▶ 10 each per case @ 55 lbs
- 48"** NW6270-48BK Black  
 NW6270-48HDG Hot Dip Galvanized  
 ▶ 5 each per case @ 36 lbs
- ▶ Heavy-duty 1" O.D. drop rod
  - ▶ Zinc plated, powder coated steel
  - ▶ Through bolt design
  - ▶ Can be used on vinyl, wood, aluminum or steel gates



## GATE WHEELS


- GW2-BK Black (For Wood Gates)  
 ▶ Zinc plated steel with powder-coated finish  
 ▶ Composite wheel designed for rougher uneven surfaces and large temperature ranges  
 ▶ Swivel design for ease of use  
 ▶ Easily reversible for use on left or right-handed gates  
 ▶ Nationwide's V-notch™ styling  
 ▶ May be installed on any flat surface  
 ▶ Lag screws included  
 ▶ 10 each per case @ 38 lbs



## PLASTIC CAPS

### 4" WOOD POST PLASTIC CAP

- NW287-21 (WI-WPC-4)  
 ▶ Fits a 4 x 4 post measuring 3 5/8" square  
 ▶ 500 each per case @ 37 lbs



### 6" WOOD POST PLASTIC CAP

- NW298-21 (WI-WPC-6)  
 ▶ Fits a 6 x 6 post measuring 5 3/4" square  
 ▶ 200 each per case @ 35 lbs  
 ▶ Logo option available (minimum quantity required)  
 ▶ Also available without top hole (minimum quantity required)

## COMMERCIAL PAD LOCKABLE DROP RODS

- 24"** NW6270L-24BK Black  
 NW6270L-24HDG Hot Dip Galvanized  
 ▶ 10 each per case @ 46 lbs
- 36"** NW6270L-36BK Black  
 NW6270L-36HDG Hot Dip Galvanized  
 ▶ 10 each per case @ 55 lbs
- 48"** NW6270L-48BK Black  
 NW6270L-48HDG Hot Dip Galvanized  
 ▶ 5 each per case @ 36 lbs



## MITER-LESS WOOD CAPS

These slip-over, Miter-less wood caps are made from a single solid block of mahogany wood. Eliminating the miter joints has solved the age old problem of post caps splitting at the corners. By making the cap out of one solid piece of wood, it has eliminated the need for any glue or staples to hold the cap together.



### TRADITIONAL

#### WPC-312-TRD

- › Fits a standard 4 x 4 post measuring 3 1/2" square
- › 54 per case @ 35 lbs

#### WPC-334-TRD

- › Fits a 4 x 4 post measuring 3 3/4" square
- › 45 per case @ 35 lbs



### PYRAMID

#### WPC-312-PYR

- › Fits a standard 4 x 4 post measuring 3 1/2" square
- › 45 per case @ 35 lbs

#### WPC-334-PYR

- › Fits a 4 x 4 post measuring 3 3/4" square
- › 54 per case @ 35 lbs



### NEW ENGLAND

#### WPC-312-NWENG

- › Fits a standard 4 x 4 post measuring 3 1/2" square
- › 45 per case @ 35 lbs

#### WPC-334-NWENG

- › Fits a 4 x 4 post measuring 3 3/4" square
- › 45 per case @ 35 lbs

#### WPC-534-NWENG

- › Fits a 6 x 6 post measuring 5 1/2 to 5 3/4" square
- › 20 per case @ 45 lbs



theirs



ours

## COPPER AND STAINLESS STEEL CAPS

The 20 gauge copper post caps are made of 100% copper and have a natural look that will patina to a green color over time. The stainless steel caps are 20 gauge stainless steel. The caps will fit 4 X 4 and 6 X 6 posts and include 2 screws for mounting.

### COPPER

#### WPC-312-COPP

- › Fits a standard 4 x 4 post measuring 3 1/2" square
- › 25 per case @ 6 lbs

#### WPC-534-COPP

- › Fits a 6 x 6 post measuring 5 1/2 to 5 3/4" square
- › 25 per case @ 11 lbs



### STAINLESS STEEL

#### WPC-312-SS

- › Fits a standard 4 x 4 post measuring 3 1/2" square
- › 25 per case @ 6 lbs

#### WPC-534-SS

- › Fits a 6 x 6 post measuring 5 1/2 to 5 3/4" square
- › 25 per case @ 11 lbs



## METAL-WOOD COMBINATION

### 4 X 4 POST SIZE ONLY

- › Order a copper or stainless steel cap and a Traditional 4 X 4 Miter-less wood cap for a metal-wood combination



WPC-312-COPP  
WPC-312-TRD



WPC-312-SS  
WPC-312-TRD

## TRUE SIZE CAPS

### FOR 4", 5" AND 6" TRUE POST SIZES, SPECIAL ORDER

WPC-400-NWENG - for 4"

WPC-500-PYR - for 5"

WPC-600-NWENG - for 6"

- › Contact Customer Service for minimum quantities and lead time

## GATE BRACES



**Sturdy Attachment Brackets**

**Adjustable**

**Guards Against Sagging and Warping**

**NW6132 Black or White**

- ▶ 43" x 3" x 3"

**WI-AGF**

- ▶ Zinc plate polyester coated
- ▶ Fits 3' X 3' to 6' X 6' gates
- ▶ Cross brace included to set final destination
- ▶ 1/Case

## GATE SAVER PRO

**NW-GSP-BK**

- ▶ Quick and Easy Installation
- ▶ Fits 36" to 72" Wood Gates
- ▶ 6 per case @ 20lbs

**NEW & IMPROVED**

**WHITE & BLACK VERSIONS COMING SOON!**

**NW-GSP2-BK AND NW-GSP2-WH**

## WOOD GATE FRAME

**NW6260-SB-BK Black, Short with attached hinges for 3' or 4' gates**

**NW6260-TB-BK Black, Tall with attached hinges for 5' or 6' gates**

**NW6260NH-SB-BK Black, Short without hinges for 3' or 4' gates**

**NW6260NH-TB-BK Black, Tall without hinges for 5' or 6' gates**

- ▶ Powder coated steel
- ▶ 1/Case

### TO ASSEMBLE:

1. Cut (2) 2 x 4's 2" shorter than the gate opening
2. Attach 2 X 4's to frame with enclosed screws
3. Nail gate boards to 2 x 4's
4. Mount gate to fence post using the lag screws enclosed

**Avoid sagging & warping with easy-to-make gates.**

## NYLON GATE HANDLE WITH BUMPER

**WI-NGH-SB (NW6143S-BK) Black**

**WI-NGH-SB-WH (NW6143S-WH) White**

- ▶ Made with durable glass-filled nylon with UV inhibitors
- ▶ Flanges are each 2"(W) x 1.75"(D) for durable attachment
- ▶ Overall height is 4.5" and handle is 1" deep
- ▶ Very comfortable and easy to grasp
- ▶ Stainless steel screws included
- ▶ 50 each per case @ 25 lbs



**Avoids Damage**

**Rubber pad backing absorbs gate slamming shock, reducing latch wear**

## NYLON GATE BUMPER

**NW6186-SD-BK**

**NW6186-SD-WH**

- ▶ Made with durable glass-filled nylon with UV inhibitors
- ▶ Flanges are each 2"(W) x 1.75"(D) for durable attachment
- ▶ Overall height is 4.5"
- ▶ Stainless steel screws included
- ▶ 50 each per case @ 22 lbs



**Avoids Damage**

## HYDRAULIC GATE CLOSERS

**TB100- Black**

- ▶ Gently closes gates up to 125 lbs. and 54" wide
- ▶ Pushes gate closed with adjustable closing speed
- ▶ Can be used on lightweight, non-fire rated doors
- ▶ Hinge Arrangements: In-Line/Flush Hinges
- ▶ Gap between hinges and gate post should be 1" or less
- ▶ 8 each per case @ 43 lbs



**TB175-B Black**

**TB175-WH White**

- ▶ Gently closes gates up to 110 lbs. and 54" wide
- ▶ Pushes gate closed with adjustable closing and latching speed
- ▶ Hold-open feature allows gate to be temporarily held open
- ▶ Flush mount closer
- ▶ Hinge Arrangements: In-Line/Flush Hinges
- ▶ 12 each per case @ 30 lbs



### PATENTED

## SHOTGUN® GATE CLOSER

**CONTROLLED CLOSING POWER TO AVOID GATE SLAMMING**

**SHOTGUN-BK Black**

**SHOTGUN-SC Satin Chrome**

- ▶ One SKU closes any gate up to 250lbs\*
- ▶ Anti-slam technology
- ▶ Adjustable closing speed
- ▶ No oil therefore no leaks
- ▶ 10 per case @67lbs



\*Tested on a 6' high, 6' wide. Needs a gate stop at 90 degrees

**6" STANDARD GATE HANDLE**

NW257-26Q (WI-SGH-6) Black  
 NW257-56 (WI-SGH-6W) White

- ▶ Zinc plated steel
- ▶ Screws included
- ▶ 100 each per case @ 19 lbs
- ▶ Also available in quantities of 50

**9" STANDARD GATE HANDLE**

NW38398Q (WI-SGH-9)

- ▶ Zinc plated steel with black finish
- ▶ Screws with black finish
- ▶ 100 each per case @ 31 lbs
- ▶ Also available in quantities of 50



Also Available in Hammered Bronze

**9" ORNAMENTAL GATE HANDLE**

NW38396Q (WI-OGH-9)

- ▶ Zinc plated steel with black finish
- ▶ Screws with black finish
- ▶ Does not match or fit handle from the NW38307 Thumb Latch Kit
- ▶ 100 each per case @ 43 lbs
- ▶ Also available in quantities of 50

**11" ORNAMENTAL GATE HANDLE**

NW38307HANDLE

- ▶ Zinc plated steel with black finish
- ▶ Screws with black finish
- ▶ Matches and fits the handle from the NW38307 Thumb Latch Kit
- ▶ 100 each per case @ 43 lbs
- ▶ Also available in quantities of 50

**NYLON GATE HANDLE**

NW314S-BK Black (WI-NGH)

NW314S-WH White (WI-NGH-W)

- ▶ Made with durable glass-filled nylon with UV inhibitors
- ▶ Flanges are each 1.5"(W) x 1.25"(D) for durable attachment
- ▶ Overall height is 5" and handle is .75" deep
- ▶ Very comfortable and easy to grasp
- ▶ Stainless steel screws included
- ▶ 50 each per case @ 8 lbs

**2" X 4" RAIL MOUNTING BRACKET - STEEL**

NW288-MI (WI-RMB-2x4)

- ▶ Zinc plated steel finish
- ▶ 400 each per case @ 45 lbs

NW288-GV (WI-RMB-2x4-HDG)

- ▶ HDG finish
- ▶ 400 each per case @ 45 lbs

**CHAIN LINK TO WOOD PANEL BRACKET**

NW6287-PG (WI-WSA-A) 2-3/8"

- ▶ Pre-Galvanized
- ▶ No screws included
- ▶ Chain Link Post to Wood Panels
- ▶ 50 each per case @ 23 lbs



CL-8000 1-5/8"

CL-8001 (WI-SWAMB-2) 2"

CL-8002 (WI-SWAMB-2.5) 2.5"

CL-8010 (WI-SWAMB-3) 3"

- ▶ Adjustable Chain Link to Wood bracket
- ▶ 25 each per case
- ▶ Available in black



CL-8009 (WI-SWMB)

- ▶ 2-3/8" Chain Link to Wood Adaptor
- ▶ 50 each per case

**CHAIN LINK TO WOOD PANEL BRACKET**

CL-8003 1-5/8"

CL-8004 1-7/8"

CL-8005 2-3/8"

CL-8008 2-7/8"

CL-8011 (WI-WSA-BASE2) 2-3/8"

- ▶ Chain Link to Wood Adaptor
- ▶ One-piece top clamp with one-piece base
- ▶ Carriage bolts included
- ▶ 100 per case





## DIE CAST PLUG

### WI-DCP

- ▶ 2-1/2" diameter Die cast Plug
- ▶ Aluminum A360 Alloy
- ▶ 200 each per case @ 30 lbs



## 10" GATE SPRING

### NW38304-PQ (WI-GS-13)

- ▶ Zinc plated steel with black finish
- ▶ Screws with black finish
- ▶ Adjustable tension
- ▶ 40 each per case @ 53 lbs



## LAG SCREWS

### NW5162

- ▶ Zinc plated steel with black finish
- ▶ 5/16" X 2"
- ▶ 850 per case @ 33 lbs

### NW5162Q

- ▶ HDG steel with black finish
- ▶ 5/16" X 2"
- ▶ 850 each per case @ 33 lbs



### WI-LAGSCREW-2

- ▶ Zinc plated steel with black finish
- ▶ 5/16" X 2"
- ▶ 1200 per case @ 45 lbs



### WI-LAGSCREW-3

- ▶ Zinc plated steel with black finish
- ▶ 5/16" X 3"
- ▶ 750 per case @ 40 lbs

## GATE ANTI-SAG KIT - STEEL

### NW38309Q (WI-ASGK)

- ▶ Zinc plated steel finish
- ▶ Screws with zinc plate finish
- ▶ Cable length is 9'
- ▶ 50 kits per case @ 31 lbs



### NW38309-SSM

- ▶ Same as NW38309Q but in stainless steel with mill finish

## STEEL ANTI-SAG KITS

### NW6296-BK (WI-STBK-D-BK)

Steel Cable with Black Plastic Coating

### NW6296-CL (WI-STBK-D-CL)

Steel Cable with Clear Plastic Coating

### NW6296-WH (WI-STBK-D-WH)

Steel Cable with White Plastic Coating

- ▶ Cable Length is 9'

- ▶ 50 each per case



## POST HOLE DIGGERS & TOOLS

### WI-006

- ▶ Wood Handle
- ▶ 1/Case



### WI-CB06

- ▶ Torque Bar
- ▶ 1/Case
- ▶ CB06





# CHAIN LINK

## FENCE & GATE HARDWARE

### TABLE OF CONTENTS

Innovative Products	78
Hinges	81
Latches	84
Collars and Forks	86
Cantilever Rollers and Covers	87
Receivers and Trolleys	89
Rollers and Drop Rods	90
Gate Wheels	92
Brackets and Post Caps	94
Rail Ends	95
Clamps and Sleeves	96
Bands and Barb Arms	98
Bolts, Plugs and Accessories	100
Tools and Kits	102



VINYL

ORNAMENTAL

WOOD

CHAIN LINK






## CORNERSTONE® SELF-CLOSING ROUND POST FULLY ADJUSTABLE HINGE

CH200FR-BK Black

- Shims to 1-7/8", 2-3/8", 2-5/8" or 2-7/8" post and 1-3/8" or 1-5/8" frame
- Horizontally adjustable up to 1-1/4"
- Vertically adjustable up to 1/2"
- Fits both right and left hand applications
- Includes steel self-drilling screws
- 20/Case @ 40lbs



Point-Load Tested  
over 1000 lbs per pair



Tested to 1 Million Cycles on a  
75lb gate 6' High X 4' Wide

Double dimensions indicate  
range of adjustability



## PATENTED TRIDENT™ MAGNETIC GATE LATCH

TRIDENT20-BK Black 20"  
TRIDENT20-WH White 20"  
TRIDENT10-BK Black 10"  
TRIDENT10-WH White 10"

- Trident™ strong magnetic closing power, easy installation and guaranteed to last!
- Sophisticated, modern design
- Rust-resistant components
- Meets international pool codes, please check local pool codes prior to use.

Adapter available for use with round posts.  
Part No. NW6149-BK



10"

20"



## PATENTED AQUALATCH® MAGNETIC GATE LATCH

AQUA10-BK AquaLatch® w/Std Keeper  
AQUA10-WH AquaLatch® w/Std Keeper  
AQUA10H-BK AquaLatch® w/Handle/Keeper  
AQUA10H-WH AquaLatch® w/Handle/Keeper  
AQUA20-BK AquaLatch® w/Std Keeper  
AQUA20-WH AquaLatch® w/Std Keeper  
AQUA20H-BK AquaLatch® w/Handle/Keeper  
AQUA20H-WH AquaLatch® w/Handle/Keeper

- Heavy-duty construction
- Beautiful, modern design
- Multi-directional leveling for misaligned gates
- Excellent horizontal and vertical adjustability
- Fits right or left handed gates
- Industry-best Warranty



10"

20"

Adapter available for use with round posts.  
Part No. NW6149-BK

## ROUND POST ADAPTER FOR POOL LATCH

NW6149-BK


- Shims included in adapter kit
- 20/Case @ 9lbs



Easy to Install Kit

## Tubing Size Chart

Gate Frame Size	Fence Post Size
1-3/8"	1-7/8" / 2"
1-5/8"	2-3/8"
	2-5/8"
	2-7/8"



Adapter Kit for use with both  
AquaLatch® and Trident™  
latches (See Page 10)



**PATENTED****ZIP-LATCH® 20" GRAVITY LATCH**


CL-7240-BK

CL-7240-L-BK (pad-lockable)

- Fits gate frames 1-3/8" to 2"
- Fits fence posts sizes 2" to 3"
- Used for Chain Link Pool Gates
- Positive stop one-way swing function that meets pool code\*\*
- Heavy-duty Design
- Anti-tamper design for round post gates
- 20/Case



\*\*Please check local pool codes prior to use if used on a pool gate

**PATENTED****THE KEYSTONE® X-EXTERNAL MOUNT LATCH****Best Stainless Steel External Spindle Design in the Industry**

Stainless steel external spindle  
Thumb latch on bottom protects internal mechanism from rain and dirt



Locking the button side does not lock the gravity latch side

**No need to drill spindle holes!**

KLX-P2-BK Black (Nylon)

- Marked in 1/2" increments for quick, easy and accurate fitting to square post sizes 2" - 5"
- Flat design safely encloses spindle ends
- 20/Case @ 22lbs

For chain link use. Order with KLX-RPA-BK adapter below.

**ROUND POST ADAPTER FOR CHAIN LINK GATES****FRONT****BACK**

KLX-RPA-BK Black

- Includes mounting screws
- 17/Case @ 23lbs

Adapter does not include latch.  
Order KLX-P2-BK above.

**PATENTED****KEYSTONE® PANICLATCH™**

KPL-P2-BK

► 6/Case @ 9lbs

**FRONT****BACK**

An easy way to have a key locking latch on a chain link!

**KEYSTONE® PANICLATCH™ ROUND POST ADAPTOR ONLY**

KPL-RPA-BK

- Keystone® Self-Locking Paniclatch™ sold separately (adapter only).
- Designed to work on 2" to 6-5/8" on the latch side (post) and 1-3/8" to 2" on the keeper side (gate).
- 6/Case @ 9lbs

**FRONT****BACK**


Color difference applied to show round post adaptor - part is black.

**PATENTED**
**GATESHARE™ LATCH - MULTI-LOCK LATCH - SINGLE GATE**

- ▶ Remove any padlock and the gate can be opened
- ▶ All padlocks must be used to have the latch locked
- ▶ Total Lock-out Feature – Owner can lock everyone out
- ▶ Individual Lock-out Feature – Owner can lock out anyone
- ▶ Black or hot dipped galvanized finishes
- ▶ Padlocks not included

Available for 5, 7 or 10 Padlocks.

For single gates, fitting a 1 5/8" or 2" gate frame and latching on a 2 1/2", 3" or 4" post.



Ideal for construction sites, utility sites, drilling sites and storage areas!

Number	Color	Post Size	Padlocks	Quantity / Weight
GSL-5-25POST-BK	Black	2.5"	5	5/Case @ 46lbs
GSL-5-25POST	Galvanized	2.5"	5	5/Case @ 46lbs
GSL-5-30POST-BK	Black	3"	5	5/Case @ 46lbs
GSL-5-30POST	Galvanized	3"	5	5/Case @ 46lbs
GSL-5-40POST-BK	Black	4"	5	5/Case @ 46lbs
GSL-5-40POST	Galvanized	4"	5	5/Case @ 46lbs
GSL-7-25POST-BK	Black	2.5"	7	6/Case @ 53lbs
GSL-7-25POST	Galvanized	2.5"	7	6/Case @ 53lbs
GSL-7-30POST-BK	Black	3"	7	6/Case @ 53lbs
GSL-7-30POST	Galvanized	3"	7	6/Case @ 53lbs
GSL-7-40POST-BK	Black	4"	7	6/Case @ 53lbs
GSL-7-40POST	Galvanized	4"	7	6/Case @ 53lbs
GSL-10-25POST-BK	Black	2.5"	10	5/Case @ 48lbs
GSL-10-25POST	Galvanized	2.5"	10	5/Case @ 48lbs
GSL-10-30POST-BK	Black	3"	10	5/Case @ 48lbs
GSL-10-30POST	Galvanized	3"	10	5/Case @ 48lbs
GSL-10-40POST-BK	Black	4"	10	5/Case @ 48lbs
GSL-10-40POST	Galvanized	4"	10	5/Case @ 48lbs

**PATENTED**
**GATESHARE™ LATCH - MULTI-LOCK DOUBLE DRIVE LATCH**

- ▶ Remove any padlock and the gate can be opened
- ▶ All padlocks must be used to have the latch locked
- ▶ Total Lock-out Feature – Owner can lock everyone out
- ▶ Individual Lock-out Feature – Owner can lock out anyone
- ▶ Black or hot dipped galvanized finishes



\* Padlocks not included

Number	Color	Post Size	Padlocks	Quantity / Weight
GSL-5-DD-BK	Black	2.5"	5	5/Case @ 46lbs
GSL-5-DD	Galvanized	2.5"	5	5/Case @ 46lbs
GSL-7-DD-BK	Black	2.5"	7	6/Case @ 53lbs
GSL-7-DD	Galvanized	2.5"	7	6/Case @ 53lbs
GSL-10-DD-BK	Black	2.5"	10	5/Case @ 48lbs
GSL-10-DD	Galvanized	2.5"	10	5/Case @ 48lbs

Available for 5, 7 or 10 Padlocks. For Double Drive gates, fitting a 1 5/8" or 2" gate frame and latching on a 2 1/2" post

## HEAVY-DUTY SELF-CLOSING HINGE

CL-7210-GY Gray

CL-7210-BK Black

- Fits 1-3/8" or 1-5/8" gate frames
- Fits 2-3/8" to 2-7/8" posts
- 10/Case @ 32lbs

CL-7211-GY Gray


CL-7211-BK Black

- Fits 1-3/8" to 1-7/8" gate frames
- Fits 2-3/8" to 2-7/8" posts
- 10/Case @ 32lbs

CL-7212-GY Gray

CL-7212-BK Black

- Fits 1-3/8" to 1-7/8" gate frames
- Fits 4" posts
- 10/Case @ 35lbs



## BULLDOG HINGE

Pressed Steel

- All fit: 1-5/8" or 1-7/8" gate frame
- Available in black



Number	Size	Quantity / Weight
CL-5175 (WI-DH-SC-2-1/2)	2-3/8"	10/Case @ 30lbs
CL-5176 (WI-DH-SC-3)	2-7/8"	10/Case @ 30bs
CL-5177 (WI-DH-SC-4)	4"	10/Case @ 28lbs
CL-5178 (WI-DH-SC-6-5/8)	6-5/8"	10/Case @ 28lbs

## MALLEABLE BOX HINGE

Malleable-ball and socket type

- All fit: 1-5/8" or 1-7/8" gate frame
- Available in black




Number	Size	Quantity / Weight
CL-BXH-A238 (WI-BHM-2-1/2)	2-3/8"	4/Case @ 17lbs
CL-BXH-A3 (WI-BHM-3)	2-7/8"	10/Case @ 45bs
CL-BXH-A312	3-1/2"	4/Case @ 19lbs
CL-BXH-A4 (WI-BHM4X2)	4"	4/Case @ 47lbs
CL-BXH-A658 (WI-BHM-6-5/8)	6-5/8"	2/Case @ 23lbs

## INDUSTRIAL BOX HINGE

Pressed Steel

- All fit: 1-5/8" or 1-7/8" gate frame
- Available in black



Number	Size	Quantity / Weight
CL-5170 (WI-BHP-2-1/2)	2-3/8"	10/Case @ 36lbs
CL-5171 (WI-BHP-3)	2-7/8"	10/Case @ 38bs
CL-5172 (WI-BHP-4)	4"	5/Case @ 20lbs
CL-5174 (WI-BHP-6-5/8)	6-5/8"	5/Case @ 25lbs

## INDUSTRIAL 180 DEGREE HINGES

Pressed Steel - complete

- Fits gate frames 1-5/8" or 1-7/8"
- 4mm thickness (5mm available check with customer service)
- Available in Black



Number	Size	Quantity
CL-5179	2-3/8"	10/Case
CL-5180	2-7/8"	10/Case
CL-5182	4"	5/Case
CL-5184	6-5/8"	4/Case

## INDUSTRIAL OFFSET HINGES

Malleable, Complete

- Fits gate frames 1-5/8" or 1-7/8"
- Available in Black



Number	Size	Quantity
CL-5190 (WI-IOH-2 3/8M)	2-3/8"	4/Case
CL-5191 (WI-IOH-2 7/8M)	2-7/8"	4/Case
CL-5192	3-1/2"	4/Case
CL-5193 (WI-IOH-4M)	4"	4/Case
CL-5195 (WI-IOH-6 5/8M)	6-5/8"	2/Case

VINYL

ORNAMENTAL

WOOD

CHAIN LINK

## FEMALE GATE HINGES

### Pressed Steel without bolts

- ▶ 1" Width, 3/16" ga
- ▶ 1-1/4" Width available (please check with customer service)
- ▶ Available in Black



Number	Size	Quantity
CL-5141 (WI-FH-1-3/8X5/8)	1-3/8" x 5/8"	100/Case
CL-5142 (WI-FH-1-5/8X5/8)	1-5/8" x 5/8"	100/Case
CL-5143	1-7/8" x 5/8"	100/Case
CL-5144	1-3/8" x 1/2"	100/Case
CL-5145	1-5/8" x 1/2"	100/Case
CL-5146 (special order)	1-7/8" x 1/2"	100/Case

## MALE POST HINGES

### Pressed Steel without bolts

- ▶ 1" Width, 3/16" ga
- ▶ 1-1/4" Width available (please check with customer service)
- ▶ Available in Black



Number	Size	Quantity
CL-5153 (WI-MH-1-3/8X5/8)	1-3/8" x 5/8"	50/Case
CL-5154 (WI-MH-1-5/8X5/8)	1-5/8" x 5/8"	50/Case
CL-5155 (WI-MH-2X5/8)	1-7/8" x 5/8"	50/Case
CL-5156 (WI-MH-2-1/2X5/8)	2-3/8" x 5/8"	50/Case
CL-5157 (WI-MH-3X5/8)	2-7/8" x 5/8"	50/Case
CL-5158	1-7/8" x 1/2"	50/Case
CL-5159	2-3/8" x 1/2"	50/Case
CL-5160 (special order)	2-7/8" x 1/2"	50/Case

## 180 DEGREE SQUARE TO SQUARE HINGES

- ▶ Fits 2" Gate frames
- ▶ Available in Black in most sizes (Please check with customer service)




Number	Size	Quantity
WI-77 (NW6341-2025)	2-1/2"	6/Case
WI-76 (NW6341-2030)	3"	6/Case
WI-75 (NW6341-2040)	4"	6/Case
WI-78 (NW6341-2060)	6-5/8"	5/Case

## GRAVITY HINGES

### Pressed Steel

- ▶ 2-slot, 2-Way Swing
- ▶ Available in Black



- ▶ 1-Slot/1-Hole, 1-Way Swing
- ▶ Available in Black

Number	Size	Quantity
CL-5270	1-3/8" x 1-7/8"	10/Case
CL-5271	1-3/8" x 2-3/8"	10/Case
CL-5272	1-5/8" x 2-3/8"	10/Case
CL-5273	1-5/8" x 2-7/8"	10/Case

## 180 DEGREE ROUND POST TO SQUARE FRAME HINGES

### HDG Steel

- ▶ Fits 2" Gate frames



Number	Size	Quantity
WI-79	4" Round Post	6/Case
WI-80	3" Round Post	6/Case
WI-81	6-5/8" Round Post	4/Case



## RESIDENTIAL HINGES

Malleable, Complete Female Hinges - Available in Black

Number	Size	Quantity
CL-5196	1-3/8"	50/Case
CL-5197	1-5/8"	50/Case



Malleable, Complete Male Hinges - Available in Black

Number	Size	Quantity
CL-5198	1-7/8"	50/Case
CL-5199	2-3/8"	50/Case
CL-5200	2-7/8"	50/Case



### HDG

#### WI-ISPH

- ▶ 2-1/2" x 1-3/8" 30/Case
- ▶ Self-Closing



## WALL MOUNT HINGE

Pressed Steel

#### CL-5201

- ▶ Plate is 3" x 4-1/2"
- ▶ Available in Black
- ▶ 5/8" 50/Case



## SQUARE GATE HINGES - FEMALE

Pressed Steel w/fasteners

- ▶ HDG
- ▶ 4mm

Number	Size	Color	Quantity
CL-5501-BK	1-1/4" x 1"	Black	50(EA)/Case
CL-5502-BK	1-1/2" x 1"	Black	50(EA)/Case
CL-5503-BK	2" x 1"	Black	50(EA)/Case



## SQUARE POST HINGES - MALE

Pressed Steel w/fasteners

- ▶ HDG
- ▶ 4mm

Number	Size	Color	Quantity
CL-5506-BK	2" x 1"	Black	50(EA)/Case
CL-5507-BK	2-1/2" x 1"	Black	50(EA)/Case
CL-5508-BK (WI-OMH-3B)	3" x 1"	Black	50(EA)/Case



## SQUARE COLLARS

Pressed Steel w/fasteners

- ▶ HDG
- ▶ 4mm

Number	Size	Color	Quantity
CL-7379-BK	1-1/4" x 1"	Black	50(Sets)/Case
CL-7382-BK	2" x 1"	Black	50(Sets)/Case



## SQUARE FORKS

Pressed Steel w/fasteners

- ▶ HDG
- ▶ 4mm

Number	Size	Color	Quantity
CL-7389-BK	1-1/4" x 1"	Black	50(EA)/Case
CL-7391-BK	2" x 1"	Black	50(EA)/Case
CL-7392-BK	2-1/2" x 1"	Black	50(EA)/Case



VINYL

ORNAMENTAL

WOOD

CHAIN LINK

## PUSH LATCH

- ▶ Black and finish available
- ▶ Powder coated steel tube
- ▶ Tapered bushing for locking hole
- ▶ Threaded U-Bolt mounting


Number	Color	Size	Quantity
CL-7219-BK* (WI-PL-1-3/8A-BK)	Black	1-3/8" x 1-3/8"	25/Case
CL-7220-BK	Black	1-3/8" x 1-5/8"	25/Case
CL-7221-BK* (WI-PL-2A-BK)	Black	1-3/8" x 1-7/8"	25/Case
CL-7222-BK* (WI-PL-2-1/2A-BK)	Black	1-3/8" x 2-3/8"	25/Case
CL-7223-BK	Black	1-5/8" x 1-5/8"	25/Case
CL-7224-BK*	Black	1-5/8" x 1-7/8"	25/Case
CL-7225-BK* (WI-PL-2-1/2B)	Black	1-5/8" x 2-3/8"	25/Case
CL-7227-GY	Gray	1-5/8" x 2-7/8"	25/Case

\* Available in Gray (-GY)



## COMMERCIAL DOUBLE DRIVE GATE LATCH

- ▶ Heavy-duty steel construction
- ▶ 2 pad lock locations
- ▶ Fits 1-5/8" or 1-7/8" gate frames
- ▶ If used without keeper for single gate, it may still be pad locked




Easy to use alternative pad lock location

Number	Description	Quantity / Weight
CL-CDL (WI-DDL-2)	Hot Dip Galvanized	6/Case @ 50lbs
CL-CDL-BK (WI-DDL-2-BK)	Black Zinc Plated Steel	6/Case @ 50lbs
CL-CDL-HD(WI-DDL-2HD)	Heavy-duty Powder Coated	6/Case @ 50lbs

## COMMERCIAL SINGLE GATE LATCH

- ▶ Fits 1-5/8" or 1-7/8" gate frames
- ▶ 6/Case @ 34lbs



Easy to reach pad lock location from either side


Number	Description of Gate Latch
CL-CSL212 (WI-WGL-2-1/2)	Hot Dip Galvanized for 2-1/2" Post
CL-CSL212-BK BK (WI-WGL-2-1/2-BK)	Black Zinc Plated Steel & Powder Coated for 2-1/2" Post
CL-CSL3 (WI-WGL-3)	Hot Dip Galvanized for 3" Post
CL-CSL3-BK (WI-WGL3-BK)	Black Zinc Plated Steel & Powder Coated for 3" Post
CL-CSL4 (WI-WGL-4)	Hot Dip Galvanized for 4" Post
CL-CSL4-BK (WI-WGL-4-BK)	Black Zinc Plated Steel & Powder Coated for 4" Post

## RESIDENTIAL DOUBLE GATE LATCH

CL-RDL (WI-DDL-1) Hot Dip Galvanized

CL-RDL-BK (WI-DDL-1-BK) Black Zinc Plated Steel and Powder Coated

- ▶ Heavy-duty steel construction
- ▶ 2 pad lock locations
- ▶ If used without keeper for single gate, it may still be pad locked
- ▶ Fits 1-3/8" gate frames
- ▶ 2/Case @ 6lbs



Easy to use alternative pad lock location

## FULCRUM LATCH

HDG

WI-FL-2-1/2 (NW7060) 2-1/2"

WI-FL-2-1/2-BK (NW7060-BK) 2-1/2"

▶ 6/Case @ 22lbs

WI-FL-3 (NW7061) 3"

WI-FL-3-BK (NW7061-BK) 3"

▶ 6/Case @ 24lbs

WI-FL-4 (NW7062) 4"

WI-FL-4-BK (NW7062-BK) 4"

▶ Heavy-duty Latch for Large Single Swing Gates

▶ Fits 2" Gate Frames

▶ 6/Case @ 24lbs

WI-FL-6-5/8

WI-FL-6-5/8-BK

▶ 6/Case



## SELF-CLOSING AND LOCKING LATCH

Malleable HDG

### WI-LF-LATCH

- ▶ 3" x 1-5/8"
- ▶ 12/Case



### WI-AF-LATCH

- ▶ 3" Post weld on keeper
- ▶ 10/Case



## GATE FORK LATCH

Pressed Steel Complete

- ▶ Available in Black



Number	Size	Quantity
CL-5202	1-3/8" x 1-3/8"	25/Case
CL-5203	1-3/8" x 1-5/8"	25/Case
CL-5204	1-3/8" x 1-7/8"	25/Case
CL-5205	1-3/8" x 2-3/8"	25/Case
CL-5206	1-3/8" x 2-7/8"	25/Case
CL-5207	1-5/8" x 1-7/8"	25/Case
CL-5208	1-5/8" x 2-3/8"	25/Case
CL-5209	1-5/8" x 2-7/8"	25/Case
CL-5210	1-5/8" x 4"	25/Case
CL-5211	1-7/8" x 1-7/8"	25/Case
CL-5212	1-7/8" x 2-3/8"	25/Case
CL-5213	1-7/8" x 2-7/8"	25/Case
CL-5214	1-7/8" x 4"	25/Case

## GATE FORK LATCH

Malleable, Complete

- ▶ Available in Black



Number	Size	Quantity
CL-5217	1-3/8" x 1-7/8"	25/Case
CL-5218	1-3/8" x 2-3/8"	25/Case
CL-5219	1-3/8" x 2-7/8"	25/Case
CL-5220	1-5/8" x 1-7/8"	25/Case
CL-5221	1-5/8" x 2-3/8"	25/Case
CL-5222 (WI-GLM1 5/8x3)	1-5/8" x 2-7/8"	25/Case
CL-5223	1-5/8" x 3-1/2"	25/Case
CL-5224 (WI-GLM1 5/8x4)	1-5/8" x 4"	25/Case
CL-5225	1-7/8" x 2-3/8"	20/Case
CL-5226 (WI-GLM2x3)	1-7/8" x 2-7/8"	20/Case
CL-5227	1-7/8" x 3-1/2"	20/Case
CL-5228 (WI-GLM2x4)	1-7/8" x 4"	20/Case

## BUTTERFLY LATCH

AL/ Pressed Steel

- ▶ Available in Black



Number	Size	Quantity
CL-5229	1-3/8" x 1-7/8"	25/Case
CL-5230	1-3/8" x 2-3/8"	25/Case

**LOCK N' LATCHES****Pressed Steel**

► Available in Black



Number	Size	Quantity
CL-5231	Offset	25/Case
CL-5232	Straight	25/Case

**PRESSED STEEL COLLARS****Pressed Steel**

► Available in Black



Number	Size	Quantity
CL-7080	1-3/8"	100/Case
CL-7081	1-5/8"	100/Case
CL-7082	1-7/8"	100/Case

**FORKS****Pressed Steel**

► Available in Black



Number	Size	Quantity
CL-7090	1-3/8"	100/Case
CL-7095	1-5/8"	100/Case
CL-7091	2"	100/Case
CL-7092	2-1/2"	100/Case
CL-7093	3"	100/Case
CL-7094	4"	50/Case

**INDUSTRIAL LATCH ASSEMBLY****Malleable**

► Available in Black



Number	Size	Quantity
CL-5233 (WI-ILA)	1-5/8" x 1-7/8"	8/Case

**ROLLING GATE LATCHES****Pressed Steel**

► Available in Black



Number	Size	Quantity
CL-6011	1-5/8"	20/Case
CL-6012	1-7/8"	20/Case
CL-6013 (WI-CGLD)	Universal	20/Case

**FLAT BACK FORK LATCH****Pressed Steel**

Number	Size	Quantity
CL-7200	1-3/8"	50/Case

**CANTILEVER GATE LATCHES****Malleable**

► Available in Black  
► Latches up to a 1-7/8" Post



Number	Size	Quantity
CL-7231	2-7/8"	10/Case
CL-7232	4"	10/Case



## NYLON CANTILEVER ROLLERS

### Cast Steel Housing / Double Sealed Bearings

WI-CR3-N (CL-CRNYL4NC-S)

- ▶ 4" x 2-3/8"
- ▶ 4/Case @ 52lbs



WI-CR3-N-TBC (CL-CRNYL4C-S)

- ▶ 4" x 2-3/8"
- ▶ 2/Case @ 35lbs



### Stamped Steel Housing / Double Sealed Bearings

WI-CR7-N (CL-SCRNYL4NC-S)

- ▶ 4" x 2-3/8"
- ▶ 4/Case @ 52lbs



WI-CR7-N-TBC (CL-SCRNYL4C-S)

- ▶ 4" x 2-3/8"
- ▶ 4/Case @ 56lbs



### Cast Aluminum Housing / Double Sealed Bearings

WI-CR8-N (CL-CRNYL278NC-S)

- ▶ 3" x 2-3/8"
- ▶ 4/Case @ 45lbs



### Ductile Iron Housing / Double Sealed Bearings

WI-CR4-N (CL-CRNYL658NC-S)

- ▶ 6-5/8" x 2-3/8"
- ▶ 4/Case @ 72lbs



### Cast Aluminum Housing / Round Nylon Roller w/square post

WI-CR6-N-3R

- ▶ 4" x 2-3/8"
- ▶ 4/Case @ 45lbs



### Cast Aluminum Housing / Square Nylon Roller

WI-CR6-N

- ▶ 4" x 2"
- ▶ 4/Case @ 45lbs



WI-CR3-N-6S

- ▶ 4" x 2-3/8"
- ▶ 4/Case @ 45lbs



CL-SCRNYL4C-S-SQ

- ▶ 4" x 2"
- ▶ 2/Case @ 35lbs

## CAST IRON CANTILEVER ROLLERS

### Ductile Iron Housing / Double Sealed Bearings

WI-CR3-C

- ▶ 4" x 2-3/8"
- ▶ 4/Case @ 75lbs



WI-CR3-C-TBC

- ▶ 4" x 2-3/8"
- ▶ 2/Case @ 45lbs



### Ductile Iron Housing / Double Sealed Bearings

WI-CR8-C

- ▶ 3" x 2-3/8"
- ▶ 4/Case @ 45lbs



### Stamped Iron Housing / Double Sealed Bearings

WI-CR7-C

- ▶ 4" x 2-3/8"
- ▶ 4/Case @ 45lbs



WI-CR7-C-TBC

- ▶ 4" x 2-3/8"
- ▶ 4/Case @ 50lbs



VINYL

ORNAMENTAL

WOOD

CHAIN LINK

## RESIDENTIAL CANTILEVER ROLLERS

### Nylon Wheel with cover / Double Sealed Bearings

WI-CR9-N-TBC

- ▶ 2-3/8" x 1-5/8"
- ▶ 4/Case @ 75lbs



## MINI CANTILEVER ROLLERS

### Malleable Casting / Sealed Ball Bearing

CL-CRMS238

- ▶ 2-3/8" x 1-5/8"
- ▶ 8/Case @ 44lbs



## CANTILEVER ROLLERS

### Malleable Casting / Double Sealed Ball Bearing

- ▶ Castle nut
- ▶ Dust Cap and Oil Seal



Number	Size	Quantity / Weight
CL-CRMS278	2-7/8" x 2-3/8"	4/Case @ 56lbs
CL-CRMS278C (w/cover)	2-7/8" x 2-3/8"	2/Case @ 33lbs
CL-CRMS312	3-1/2" x 2-3/8"	4/Case @ 60lbs
CL-CRMS412	4-1/2" x 2-3/8" (special order)	4/Case @ 68lbs
CL-CRMS658	6-5/8" x 2-3/8"	4/Case @ 84lbs
CL-CRMS4	4" x 2-3/8"	4 per case @ 64lbs
CL-CRMS4C (w/cover)	4" x 2-3/8"	4 per case @ 64lbs

## CANTILEVER ROLLERS SOLID NYLON WHEEL

### Malleable Casting / Double Sealed Ball Bearing

- ▶ Universal top & bottom cover all in one
- ▶ Can be ordered with & without cover



Number	Size	Quantity / Weight
CL-CRNYL278C-S	2-7/8" x 2-3/8" w/slotted cover	2/Case @ 29lbs
CL-CRNYL658C-S	6-5/8" x 2-3/8" w/slotted cover	2/Case @ 40lbs
CL-CRNYL658NC-S	6-5/8" x 2-3/8" no cover	4/Case @ 80lbs

## CANTILEVER ROLLERS RIBBED NYLON WHEEL

Wheel Cover



Number	Size	Quantity / Weight
CL-CRNYL278C-R	2-7/8" x 2-3/8" w/slotted cover	2/Case @ 29lbs
CL-CRNYL278NC-R	2-7/8" x 2-3/8" no cover	2/Case @ 21lbs
CL-CRNYL4C-R	4" x 2-3/8" w/slotted cover	2/Case @ 31lbs
CL-CRNYL4NC-R	4" x 2-3/8" no cover	2/Case @ 48lbs
CL-CRNYL658C-R	6-5/8" x 2-3/8" w/slotted cover	2/Case @ 40lbs
CL-CRNYL658NC-R	6-5/8" x 2-3/8" no cover	2/Case @ 37lbs

## CANTILEVER COVERS

### Universal Top & Bottom Cover / For All CR3 & CR7 Series Rollers

WI-TBCOVER-BWN

- ▶ 24/Case @ 45lbs



### Cantilever Top Cover / For All CR3 & CR4 Series Rollers

WI-CR1-COVER

- ▶ 16/Case @ 40lbs




### Cantilever Top Cover for 3" or 4"

CL-CRG4022


- ▶ 4/Case



## CANTILEVER GATE RECEIVERS



Round



Square

Number	Size	Quantity / Weight
CL-7233	2-7/8" round w/locking bar	4/Case @ 10lbs
CL-7234 (WI-GR4-RLB)	4" round w/locking bar	4/Case @ 10lbs
CL-7233SQ	2-7/8" square w/locking bar	4/Case @ 10lbs
CL-7234SQ	4" square w/locking bar	4/Case @ 10lbs

### WI-GR-4S

- ▶ 4" Square Post x 2-3/8" Frame
- ▶ 16/Case @ 55lbs

### WI-GR-4R

- ▶ 4" Round Post x 2-3/8" Frame
- ▶ 16/Case @ 55lbs

### WI-GR-6 5/8R

- ▶ 6-5/8" Round Post x 2-3/8" Frame
- ▶ 12/Case @ 50lbs



## MULTI-ADJUSTABLE GATE RECEIVER

### WI-GR-4R-A

- ▶ 4" Round Post x 2-3/8" Frame
- ▶ 7/Case @ 40lbs



## GATE RECEIVER WITH INSERT

### WI-GR-4SIS

- ▶ 4" Square Post x 2-3/8" Frame
- ▶ 8/Case @ 48lbs



### WI-GR-4RIS

- ▶ 4" Round Post x 2-3/8" Frame
- ▶ 8/Case @ 48lbs



### WI-SPLI-S

- ▶ 4" Square Post x 2-3/8" Frame
- ▶ 9/Case @ 55lbs



### WI-SPLI

- ▶ 4" Round Post x 2-3/8" Frame
- ▶ 9/Case @ 55lbs

## TROLLEY FOR CANTILEVER GATES

### NW-TROLLEY4WA

- ▶ 4W: 6/Case @ 29lbs



### NW-TROLLEY8WA

- ▶ 8W: 4Case @ 31lbs



## 4 WHEEL TROLLEY

### WI-TROLLEY-M4S

- ▶ Cast Steel body
- ▶ Horizontal Wheels O.D. 2.125"
- ▶ Vertical Wheels O.D. 2.045"
- ▶ 12/Case



## 8 WHEEL TROLLEY

### WI-WTS10-1

- ▶ Machined Steel body
- ▶ Horizontal Wheels O.D. 2.125"
- ▶ Vertical Wheels O.D. 2.045"
- ▶ 8/Case



### WI-TROLLEY-8P

- ▶ Cast Aluminum
- ▶ 8/Case



VINYL

ORNAMENTAL

WOOD

CHAIN LINK

## TROLLEY BRACKETS

### NW-TRLLBKT-R-HD

- ▶ 4" Round, Heavy-duty Gage
- ▶ 6/Case @ 45lbs



### NW-TRLLBKT-S-HD

- ▶ 4" Square, Heavy-duty Gage
- ▶ 6/Case @ 45lbs



### NW-TRLLBKT-RD300-STL - 3"

### NW-TRLLBKT-RD-STL - 4"

### NW-TRLLBKT-RD658-STL - 6-5/8"

- ▶ Round, Heavy-duty Gage
- ▶ 4/Case @ 40lbs



### NW-TRLLBKT-SQ300-STL - 3"

### NW-TRLLBKT-SQ-STL - 4"

### NW-TRLLBKT-SQ600-STL - 6"

- ▶ Square, Heavy-duty Gage
- ▶ 4/Case @ 40lbs



### WI-HANG-4R - 4"

- ▶ Round
- ▶ 8/Case

### WI-HANG-4S - 4"

- ▶ Square
- ▶ 8/Case

### WI-HANG-6S - 6"

- ▶ Square
- ▶ 4/Case



## BOTTOM GUIDE ASSEMBLY



Number	Size	Quantity
CL-7237 (WI-SRBG-4)	Round 4"	Round 4"
CL-7238	Round 6-5/8"	6/Case
WI-SRBG-6-5/8 (Side Mount)	Round 6-5/8"	6/Case



Number	Size	Quantity
CL-7237-SQ (WI-SSBG-4)	Square 4"	6/Case
CL-7238-SQ (WI-SSBG-6)	Square 6"	6/Case

## BOTTOM GUIDE ASSEMBLY



Number	Size	Quantity
WI-BGAR	Round 4"	4/Case

## OFFSET BOTTOM GUIDE ASSEMBLY



Number	Size	Quantity
WI-SSBG0-4	Square 4"	10/Case

## MULTI-ADJUSTABLE BOTTOM GUIDE ASSEMBLY



Number	Size	Quantity
CL-7239	Round 4"	4/Case

## GUIDE BRACKET



Number	Size	Quantity
CL-6005 (WI-GB-4)	4"	8/Case
CL-6006 (WI-GB-6-5/8) (special order)	6-5/8"	4/Case



## GUIDE ROLLERS

NW6271-BK Black

NW6271-WH White

- ▶ Plastic roller
- ▶ Zinc plated bracket for welding
- ▶ Bracket is 6.2" in height
- ▶ 15/Case @ 38lbs



WI-RGR

- ▶ 3" Nylon Guide Roller
- ▶ No cover
- ▶ 40/Case



WI-RGR-C

- ▶ Cover for WI-RGR
- ▶ 200/Case



WI-RGR-BKT

- ▶ 3" Rubber Guide roller with bracket
- ▶ 24/Case



## BEAM HANGER

HDG



Number	Size	Quantity
CL-6000	2-7/8"	4/Case
CL-6001 (WI-BH-4)	4"	4/Case
CL-6002 (WI-BH-6-5/8)	6-5/8"	2/Case

## DOUBLE HANGER

Pressed Steel



Number	Size	Quantity
CL-6003	4" & 8" Spacing	4/Case

## TROLLEY ASSEMBLIES

Pressed Steel - HD Trolley Roller



- ▶ Fits 6" I-Beam

Number	Size	Quantity
CL-6035	4 Rollers	2/Case



Number	Size	Quantity
CL-6036 (WI-CBTROLLEY-6)	Single	4/Case
CL-6037 (WI-DTCW)	Double	2/Case

## DROP ROD & GUIDE

Pressed Steel

- ▶ Available in Black



Number	Size	Quantity
CL-7030 (guide only)	3/4" x 9"	20/Case
CL-7031 (drop rod only)	3/4" x 36"	5/Case

## INDUSTRIAL DROP FORK & GUIDES

- ▶ Available in Black



Number	Size	Quantity
CL-6100 (drop guide)	1-5/8"	50/Case
CL-6101 (drop guide)	2"	50/Case
CL-6102 (drop fork)	1-5/8"	50/Case
CL-6103 (drop fork)	2"	50/Case

## COMMERCIAL DROP RODS

- ▶ Heavy-duty 1" O.D. drop rod
- ▶ Zinc plated, powder coated steel
- ▶ Through bolt design
- ▶ Can be used on vinyl, wood, aluminum or steel gates

**24"** NW6270-24BK Black  
NW6270-24HDG Hot Dip Galvanized  
▶ 10 each per case @ 46 lbs

**36"** NW6270-36BK Black  
NW6270-36HDG Hot Dip Galvanized  
▶ 10 each per case @ 55 lbs

**48"** NW6270-48BK Black  
NW6270-48HDG Hot Dip Galvanized  
▶ 5 each per case @ 36 lbs



## COMMERCIAL PAD LOCKABLE DROP RODS

**24"** NW6270L-24BK Black  
NW6270L-24HDG Hot Dip Galvanized  
10 each per case @ 46 lbs

**36"** NW6270L-36BK Black  
NW6270L-36HDG Hot Dip Galvanized  
▶ 10 each per case @ 55 lbs

**48"** NW6270L-48BK Black  
NW6270L-48HDG Hot Dip Galvanized  
▶ 5 each per case @ 36 lbs



**25"** WI-GLDR-A Galvanized 1" O.D. x 25" long  
▶ 12 each per case

CL-7033 (Drop rod only)  
▶ 1/2" x 36"  
▶ 25/Case



## NEW! MUSHROOM GATE STOP

Number	Quantity
CL-CS	10/Case



## GATE WHEELS

### GW3-BK Black

- ▶ Zinc plated steel with powder-coated finish
- ▶ Composite wheel designed for rougher uneven surfaces and large temperature ranges
- ▶ Swivel design for ease of use
- ▶ Attached easily
- ▶ Nationwide's V-notch™ styling
- ▶ May be used on any flat surface
- ▶ Fit's 1-3/8", 1-5/8" and 2" size gate frames



### WI-SPW-6

- ▶ Steel stamped, zinc plated housing
- ▶ Ball bearing swivel wheel
- ▶ Nylon wheel with sealed bearing
- ▶ Adjustable spring tension
- ▶ 10/Case



## SWING GATE HELPER WHEELS

### Pressed Steel

Number	Size	Quantity
CL-6025	1-7/8"	4/Case



Number	Size	Quantity
CL-6026	1-7/8"	5/Case



## SWIVEL WHEELS

### Pressed Steel

Number	Size	Quantity
CL-6027	1-3/8"	4/Case
CL-6028	1-5/8"	4/Case
CL-6029	1-7/8"	4/Case



## SINGLE WHEEL CARRIERS-2PC

### Pressed Steel

Number	Size	Quantity
CL-6030	1-5/8 x 6"	10/Case
CL-6031	1-5/8 x 8"	10/Case
CL-6032	1-7/8 x 6"	5/Case
CL-6033	1-7/8 x 8"	5/Case



## DOUBLE WHEEL ASSEMBLY FOR SLIDE GATE

### CL-DBLWA-6


- ▶ 6" Adjustable Wheel
- ▶ Heavy-duty rubber ball bearing wheels
- ▶ Fits 1-3/8", 1-5/8" or 1-7/8" gate frames
- ▶ 4/Case @ 34 lbs

### CL-7000

- ▶ 6" Wheel
- ▶ Fits 2-7/8" gate frames
- ▶ 4/Case

### CL-7001

- ▶ 8" Wheel - 12" wide
- ▶ Fits 2-7/8" gate frames
- ▶ 4/Case



## DOUBLE WHEEL ASSEMBLY FOR SLIDE GATE

### WI-DUALTIRE-9

- ▶ 2" U-Bolts
- ▶ 5/Case

### WI-DUALTIRE-9-8

- ▶ 8" wheel - 2" U-Blots
- ▶ 5/Case



## DOUBLE WHEEL ASSEMBLY (PNEUMATIC TIRES)

Number	Size	Quantity
CL-7002	10" D x 3" W	2/Case



Number	Size	Quantity
WI-DUALTIRE-16	2" U-Bolts	2/Case
WI-DUAL-PT8	(8" Wheel) 2" U-Bolts	4/Case
WI-DUAL-PT10	(10" Wheel) 2" U-Bolts	2/Case
WI-DUALPT10-2.5	(10" Wheel) 2.5" U-Bolts	2/Case

## PATENTED

## ROLL GATE TRACK GUARD

### CL-RGTG

- ▶ The Anti-Hole Ripper
- ▶ Avoid holes in mesh when sliding a chain link roll gate
- ▶ Small, easy to install
- ▶ Fits 1-3/8" pipe
- ▶ 20/Case @ 37lbs



## UNIVERSAL SAFETY TYPE TRACK BRACKETS

### Pressed Steel

- ▶ Available in Black

Number	Size	Quantity
CL-6017 (band type)	1-5/8"	20/Case
CL-6018 (wall mount)	1-5/8"	20/Case



Number	U-Bolt Size	Quantity
CL-6014 (WI-ULTB)	1-5/8" x 1-7/8"	20/Case
CL-6015 (WI-PIVOTBRACKET)	2-3/8" x 2-7/8"	20/Case

## PIPE TRACK WHEELS ASSEMBLIES

### Malleable

Number	Size	Quantity
CL-6019	5"	10/Case
CL-6020	5" x 1-5/8"	4/Case



### Pressed Steel



Number	Size	Quantity
CL-6021 Pipe track roller only	5" x 1-5/8"	10/Case
CL-6023 (WI-SW-HA) Pipe track wheel with 2" U-bolt	5" x 1-5/8"	10/Case

### Cast Steel Wheel



Number	U-Bolts Size	Quantity
WI-CW-HA	1-5/8" W/ 1-7/8"	6/Case

## PIPE TRACK WHEELS

### Nylon Wheel



Number	Size	Quantity
WI-NW-HA	1-5/8"	12/Case

## GATE STOP BRACKET

### Pressed Steel



Number	Size	Quantity
CL-6007 (has two plates)	2-3/8"	25/Case
WI-GSB	2-3/8"	40/Case

## REAR PIPE BRACKET

### Pressed Steel



Number	Size	Quantity
CL-6008	1-5/8"	50/Case

## ADJUSTABLE REAR ROLLER BRACKET

### Pressed Steel - Clamp On



Number	Size	Quantity
CL-6010	1-5/8" - 2"	25/Case

## CHAIN LINK TO WOOD PANEL BRACKETS

### NW6287-PG (WI-WSA-A) 2-3/8"

- ▶ Pre-Galvanized
- ▶ No screws included
- ▶ Chain Link Post to Wood Panels
- ▶ 50 each per case @ 23 lbs



## CHAIN LINK TO WOOD PANEL BRACKETS

- ▶ Adjustable Chain Link to Wood brackets
- ▶ Available in black



Number	Size	Quantity
CL-8000	1-5/8"	25/Case
CL-8001 (WI-SWAMB-2)	2"	25/Case
CL-8002 (WI-SWAMB-2.5)	2.5"	25/Case
CL-8001 (WI-SWAMB-3)	3"	25/Case

Number	Size	Quantity
CL-8009 (WI-SWMB)	2-3/8"	50/Case



- ▶ One-piece top clamp with one-piece base
- ▶ Carriage bolts included

Number	Size	Quantity
CL-8003	1-5/8"	100/Case
CL-8004	1-7/8"	100/Case
CL-8005	2-3/8"	100/Case
CL-8008	2-7/8"	100/Case
CL-80011 (WI-WSA-BASE2)	2-3/8"	100/Case



## ALUMINUM POST CAPS

- ▶ Available in Black



Number	Size	Quantity
CL-4010	1-3/8"	350/Case
CL-4011	1-5/8"	350/Case
CL-4012	1-7/8"	250/Case
CL-4013	2-3/8"	150/Case
CL-4014	2-7/8"	150/Case
CL-4015	3-1/2"	100/Case
CL-4016	4"	50/Case



## MALLEABLE POST CAPS

► Available in Black



Number	Size	Quantity
CL-4025	1-5/8"	100/Case
CL-4026 (WI-MDC-1-7/8)	1-7/8"	100/Case
CL-4027 (WI-MDC-2-3/8)	2-3/8"	50/Case
CL-4028 (WI-MDC-2-7/8)	2-7/8"	50/Case
CL-4029	3-1/2"	25/Case
CL-4030	4"	25/Case
CL-4032	6-5/8"	8/Case
CL-4033	8-5/8"	4/Case

## PRESSED STEEL POST CAPS

► Available in Black



Number	Size	Quantity
CL-5001 (WI-PSPC-1-3/8)	1-3/8"	250/Case
CL-5002 (WI-PSPC-1-5/8)	1-5/8"	250/Case
CL-5003 (WI-PSPC-2)	1-7/8"	250/Case
CL-5004 (WI-PSPC-2-1/2)	2-3/8"	100/Case
CL-5006 (WI-PSPC-3)	2-7/8"	100/Case
CL-5008	3-1/2"	50/Case
CL-5009 (WI-PSPC-4)	4"	25/Case
CL-5011 (WI-PSPC-6-5/8)	6-5/8"	10/Case

## NEW! BULLET CAPS

► Fits 1-3/8" rails



CL3913



CL3914



CL3915



CL3916

Number	Size	Quantity
CL-3913	2-3/8"	100/Case
CL-3914	2-3/8"	100/Case
CL-3915	2-3/8"	100/Case
CL-3916	1-3/8 rail adaptor	200/Case

## ALUMINUM-OFFSET RAIL ENDS

► Available in Black



Number	Size	Quantity
CL-4017	1-3/8"	350/Case
CL-4018	1-5/8"	250/Case

## MALLEABLE HALF MOON RAIL ENDS

► Available in Black



Number	Size	Quantity
CL-4050	1-5/8"	100/Case

## PRESSED STEEL PLAIN OFFSET RAIL ENDS

► Available in Black



Number	Size	Quantity
CL-5012 (WI-REPO-1-3/8)	1-3/8"	100/Case
CL-5013 (WI-REPO-1-5/8)	1-5/8"	100/Case
CL-5014	1-7/8"	50/Case
CL-5015	2-3/8"	50/Case

## PRESSED STEEL 2 HOLES RAIL ENDS

► Available in Black



Number	Size	Quantity
CL-5016	1-5/8"	50/Case
CL-5017	1-7/8"	50/Case

## MALLEABLE OFFSET RAIL ENDS

► Available in Black



Number	Size	Quantity
CL-5038	1-3/8"	100/Case
CL-5039	1-5/8"	100/Case
CL-5040	1-7/8"	50/Case

## PRESSED STEEL HALF MOON RAIL ENDS

► Available in Black



Number	Size	Quantity
CL-5041 (WI-REHM)	1-5/8"	100/Case

## PRESSED STEEL 3-HOLE RAIL ENDS

► Available in Black



Number	Size	Quantity
CL-5341	1-5/8"	100/Case
CL-5342	1-7/8"	50/Case
CL-5343	2-3/8"	50/Case

## RAIL END COMBO

► Available in Black



Number	Size	Quantity
WI-REC-1-5/8	1-5/8"	100/Case

## ALUMINUM BALL TOP LOOP CAPS

► Available in Black



Number	Size	Quantity
CL-4002	1-5/8" x 1-3/8"	200/Case
CL-4003	1-7/8" x 1-3/8"	200/Case
CL-4004	1-7/8" x 1-5/8"	100/Case
CL-4005	2-3/8" x 1-5/8"	100/Case

## ALUMINUM LOOP CAPS

► Available in Black



Number	Size	Quantity
CL-4006	1-5/8" x 1-3/8"	200/Case
CL-4007	1-7/8" x 1-3/8"	200/Case
CL-4008	1-7/8" x 1-5/8"	100/Case
CL-4009	2-3/8" x 1-5/8"	100/Case

## PRESSED STEEL LOOP CAPS

► Available in Black



Number	Size	Quantity
CL-5018 (WI-LC-1-5/8A)	1-5/8" x 1-3/8"	50/Case
CL-5019 (WI-LC-1-5/8B)	1-5/8" x 1-5/8"	50/Case
CL-5020 (WI-LC-2A)	1-7/8" x 1-3/8"	50/Case
CL-5021 (WI-LC-2B)	1-7/8" x 1-5/8"	50/Case
CL-5022 (WI-LC-2-1/2B)	2-3/8" x 1-5/8"	50/Case
CL-5023 (WI-LC-3B)	2-7/8" x 1-5/8"	50/Case
CL-5024	4" x 1-5/8"	50/Case
CL-5025 (heavy)	1-5/8" x 1-3/8"	50/Case
CL-5026 (heavy)	1-5/8" x 1-5/8"	50/Case
CL-5027 (heavy)	1-7/8" x 1-3/8"	50/Case
CL-5028 (heavy)	1-7/8" x 1-5/8"	50/Case
CL-5029 (heavy)	2-3/8" x 1-5/8"	50/Case
CL-5030 (heavy)	2-7/8" x 1-5/8"	50/Case

## ALUMINUM CORNER CLAMPS

► Available in Black



Number	Size	Quantity
CL-4000 (closed)	1-3/8"	100/Case
CL-4001 (split)	1-3/8"	100/Case

## PRESSED STEEL RESIDENTIAL GATE CORNER CLAMPS WITHOUT RIVET

► Available in Black



Number	Size	Quantity
CL-5242 (top)	1-3/8"	50/Case
CL-5243 (bottom)	1-3/8"	50/Case

## PRESSED STEEL HEAVY GATE CORNER CLAMPS WITHOUT RIVET

► Available in Black



Number	Size	Quantity
CL-5246 (top)	1-5/8"	20/Case
CL-5247 (bottom)	1-5/8"	20/Case

## PRESSED STEEL PANEL CLAMPS

► Available in Black



Number	Size	Quantity
CL-5255	1-3/8"	100/Case
CL-5256	1-5/8"	100/Case
CL-5257	1-7/8"	50/Case

## PRESSED STEEL SADDLE CLAMPS 4MM

► Available in Black



Number	Size	Quantity
CL-5258 (WI-SP-CC-1-3/8)	1-3/8" x 1-3/8"	100/Case
CL-5259	1-5/8" x 1-5/8"	100/Case
CL-5260	1-7/8" x 1-7/8"	100/Case

## PRESSED STEEL BOULEVARD CLAMPS- 2PCS PER SET

► Available in Black



Number	Size	Quantity
CL-5070 (WI-BC-1-3/8)	1-3/8" x 1-3/8"	100/Case
CL-5071 (WI-BC-1-5/8A)	1-5/8" x 1-3/8"	100/Case
CL-5072 (WI-BC-1-5/8)	1-5/8" x 1-5/8"	100/Case
CL-5073	1-7/8" x 1-3/8"	100/Case
CL-5074 (WI-BC-2)	1-7/8" x 1-5/8"	100/Case
CL-5075	2-3/8" x 1-3/8"	100/Case
CL-5076 (WI-BC-2-1/2)	2-3/8" x 1-5/8"	50/Case
CL-5077	2-3/8" x 1-7/8"	50/Case
CL-5078 (WI-BC-3)	2-7/8" x 1-5/8"	50/Case
CL-5080	3-1/2" x 1-5/8"	50/Case
CL-5081	4" x 1-5/8"	50/Case

## PRESSED STEEL END CLAMPS 2PCS PER SET

► Available in Black



Number	Size	Quantity
CL-5082 (WI-ERC-1-3/8A)	1-3/8" x 1-3/8"	100/Case
CL-5083	1-5/8" x 1-3/8"	100/Case
CL-5084 (WI-ERC-1-5/8B)	1-5/8" x 1-5/8"	100/Case
CL-5085	1-7/8" x 1-3/8"	100/Case
CL-5086 (WI-ERC-2B)	1-7/8" x 1-5/8"	100/Case
CL-5087	1-7/8" x 1-7/8"	100/Case
CL-5088	2-3/8" x 1-5/8"	100/Case
CL-5089	2-3/8" x 1-7/8"	50/Case
CL-5090 (WI-ERC-3B)	2-7/8" x 1-5/8"	50/Case
CL-5091	2-7/8" x 1-7/8"	50/Case
CL-5092 (WI-ERC-4B)	4" x 1-5/8"	50/Case
CL-5093	4" x 1-7/8"	50/Case

## PRESSED STEEL SLEEVES

► Available in Black



Number	Size	Quantity
CL-5134 (WI-SLEEVE-1-3/8)	1-3/8" x 6"	100/Case
CL-5136 (WI-SLEEVE-1-5/8)	1-5/8" x 6"	50/Case
CL-5138	1-5/8" x 7"	50/Case

## PRESSED STEEL TENSION BANDS 14GA

► Available in Black



Number	Size	Quantity
CL-5114 (WI-TEB-1-3/8)	1-3/8"	250/Case
CL-5115 (WI-TEB-1-5/8)	1-5/8"	250/Case
CL-5116 (WI-TEB-2)	1-7/8"	250/Case
CL-5117 (WI-TEB-2-1/2)	2-3/8"	250/Case
CL-5118 (WI-TEB-3)	2-7/8"	100/Case
CL-5120	3-1/2"	100/Case
CL-5121 (WI-TEB-4)	4"	100/Case
CL-5123 (WI-TEB-6-5/8)	6-5/8"	50/Case

VINYL

ORNAMENTAL

WOOD

CHAIN LINK

## PRESSED STEEL TENSION BANDS (HEAVY 3MM) 11GA

► Available in Black



Number	Size	Quantity
CL-5124	1-3/8"	250/Case
CL-5125	1-5/8"	100/Case
CL-5126	1-7/8"	100/Case
CL-5127	2-3/8"	100/Case
CL-5128	2-7/8"	100/Case
CL-5130	3-1/2"	100/Case
CL-5131	4"	100/Case
CL-5133	6-5/8"	50/Case

## PRESSED STEEL BEVELED TENSION BANDS

► Available in Black



Number	Size	Quantity
CL-5114BV	1-3/8"	250/Case
CL-5115BV (WI-TBB-1-5/8)	1-5/8"	250/Case
CL-5116BV (WI-TBB-2)	1-7/8"	250/Case
CL-5117BV (WI-TBB-2-1/2)	2-3/8"	250/Case
CL-5118BV (WI-TBB-3)	2-7/8"	100/Case
CL-5121BV (WI-TBB-4)	4"	100/Case
CL-5123BV (WI-TBB-6-5/8)	6-5/8"	50/Case

## PRESSED STEEL SQUARE TENSION BANDS

► Available in Black



Number	Size	Quantity
CL-5115-SQ	1-1/2" x 1-1/2"	100/Case
CL-5116-SQ	2" x 2"	100/Case
CL-5117-SQ	2-1/2" x 2-1/2"	50/Case
CL-5118-SQ	3" x 3"	50/Case
CL-5121-SQ	4" x 4"	50/Case

## ALUMINUM SQUARE TENSION BAND

Number	Size	Quantity
WI-SPB-2	2"	300/Case



## PRESSED STEEL BRACE BANDS 12GA

► Available in Black



Number	Size	Quantity
CL-5094 (WI-BB-1-3/8)	1-3/8"	250/Case
CL-5095 (WI-BB-1-5/8)	1-5/8"	250/Case
CL-5096 (WI-BB-2)	1-7/8"	250/Case
CL-5097 (WI-BB-2-1/2)	2-3/8"	250/Case
CL-5098 (WI-BB-3)	2-7/8"	100/Case
CL-5100	3-1/2"	100/Case
CL-5101 (WI-BB4)	4"	100/Case
CL-5103 (WI-BB-6-5/8)	6-5/8"	50/Case

## PRESSED STEEL BRACE BANDS (HEAVY 3MM) 11GA

► Available in Black



Number	Size	Quantity
CL-5104	1-3/8"	250/Case
CL-5105	1-5/8"	250/Case
CL-5106	1-7/8"	250/Case
CL-5107	2-3/8"	250/Case
CL-5108	2-7/8"	100/Case
CL-5110	3-1/2"	100/Case
CL-5111	4"	100/Case
CL-5113	6-5/8"	50/Case



## PRESSED STEEL BEVELED BRACE BANDS

► Available in Black



Number	Size	Quantity
CL-5095BV	1-5/8"	250/Case
CL-5096BV (WI-BBB-2)	1-7/8"	250/Case
CL-5097BV (WI-BBB-2-1/2)	2-3/8"	250/Case
CL-5098BV (WI-BBB-3)	2-7/8"	100/Case
CL-5101BV (WI-BBB-4)	4"	100/Case
CL-5103BV	6-5/8"	50/Case

## PRESSED STEEL SQUARE BRACE BANDS

► Available in Black



Number	Size	Quantity
CL-5095-SQ	1-1/2" x 1-1/2"	100/Case
CL-5096-SQ	2" x 2"	100/Case
CL-5097-SQ	2-1/2" x 2-1/2"	50/Case
CL-5098-SQ	3" x 3"	50/Case
CL-5101-SQ	4" x 4"	50/Case

## ALUMINUM SQUARE BRACE BAND



Number	Size	Quantity
WI-SBB-2	2"	300/Case

## PRESSED STEEL SINGLE CORNER ARMS

► Available in Black

Number	Size	Quantity
CL-5042	2-3/8"	10/Case
CL-5043	2-7/8"	10/Case
CL-5044	3-1/2"	10/Case
CL-5045	4"	5/Case



## PRESSED STEEL "V" CORNER ARMS

► Available in Black on Special Order Request



Number	Size	Quantity
CL-5047 (special order)	2-3/8"	5/Case
CL-5048	2-7/8"	5/Case
CL-5049 (special order)	3-1/2"	5/Case
CL-5050	4"	5/Case

## MALLEABLE SINGLE CORNER ARMS

► Available in Black on Special Order Request

Number	Size	Quantity
CL-5051	2-3/8"	5/Case
CL-5052	2-7/8"	5/Case
CL-5053	3-1/2"	5/Case
CL-5054	4"	5/Case



## MALLEABLE "V" BARB ARMS

► Available in Black on Special Order Request



Number	Size	Quantity
CL-5055 (special order)	2-3/8"	5/Case
CL-5056	2-7/8"	5/Case
CL-5057 (special order)	3-1/2"	5/Case
CL-5058 (special order)	4"	5/Case

## PRESSED STEEL VERTICAL BARB ARMS

► Available in Black on Special Order Request

Number	Size	Quantity
CL-5059	1-5/8" x 1-5/8"	25/Case
CL-5060	1-7/8" x 1-5/8"	25/Case
CL-5061	2-3/8" x 1-5/8"	25/Case



VINYL

ORNAMENTAL

WOOD

CHAIN LINK

## PRESSED STEEL 45 DEGREE BARB ARMS

► Available in Black



Number	Size	Quantity
CL-5062 (WI-BA-1-5/8)	1-5/8" x 1-5/8"	25/Case
CL-5063 (WI-BA2)	1-7/8" x 1-5/8"	25/Case
CL-5064 (WI-BA-2-1/2)	2-3/8" x 1-5/8"	25/Case

## PRESSED STEEL "V" BARB ARMS

► Available in Black




Number	Size	Quantity
CL-5065	1-5/8" x 1-5/8"	5/Case
CL-5066	1-7/8" x 1-5/8"	5/Case
CL-5067	2-3/8" x 1-5/8"	5/Case

## CARRIAGE BOLTS

Galvanized (Nut included with bolts)

► Available in Black




Number	Size	Quantity
CL-7017	5/16" x 6"	250/Case
CL-7018	5/16" x 1-1/4"	1000/Case
CL-7019	5/16" x 2"	1000/Case
CL-7020	5/16" x 2-1/2"	1000/Case
CL-7021	3/8" x 2"	500/Case
CL-7022	3/8" x 3"	500/Case
CL-7023	3/8" x 2-1/2"	500/Case
CL-7024	3/8" x 3-1/2"	500/Case
CL-7029	3/8" x 1-1/2"	500/Case



Number	Size	Quantity
WI-BOLT-1-1/4	5/16" x 1-1/4"	100/Bag

## FLOOR BASE PLATES

Pressed Steel - Galvanized



Number	Size	Quantity
NW6174-4 (WI-FP-44-1/4)	4"	50/Case
NW6174-6 (WI-FP-66-1/4)	6"	10/Case
NW6174-8	8"	10/Case

## FLOOR FLANGES

Malleable



Number	Size	Quantity
CL-7110	1-7/8"	10/Case
CL-7111	2-3/8"	5/Case
CL-7112	2-7/8"	12/Case
CL-7113	4"	4/Case

## J-BOLTS

► 2 Nuts Attached



Number	Size	Quantity
CL-7010	1/2" x 4-1/2"	100/Case
CL-7011	1/2" x 6"	100/Case
CL-7012 (Available in Black)	5/8" x 4-1/2"	50/Case
CL-7013	5/8" x 6"	50/Case
CL-7014	5/8" x 8"	50/Case
CL-7015	5/8" x 10"	50/Case
CL-7016	5/8" x 12"	50/Case

## LAG SCREWS



Number	Size	Quantity
CL-7028	1/2" x 4-1/2"	100/Case
CL-7026 (special order)	1/2" x 6"	100/Case
CL-7027	5/8" x 4-1/2"	100/Case
CL-7028	5/8" x 6"	100/Case

## C-TYPE GATE CLIPS 1-3/8"

Pressed Steel

- ▶ Available in Black



Number	Size	Quantity
CL-5234 (WI-SP-AGC)	C,3.319"	250/Case
CL-5235	C,3.070"	250/Case
CL-5236	C,3.800"	250/Case
CL-5237	(1-3/8" L)	250/Case

## DIE CAST PLUG

WI-DCP

- ▶ 2-1/2" diameter Die cast Plug
- ▶ Aluminum A360 Alloy
- ▶ 200 each per case @ 30 lbs



## HINGE PLUG

Cast



Number	Size	Quantity
CL-4060	1-5/8"	10/Case
CL-4061	1-7/8"	10/Case

## HOG RINGS

Aluminum - 9GA

- ▶ Solid in 5LB. Bags

Number	Color	Weight
CL-7050	Mill	30lbs/Case
CL-7052	Black	30lbs/Case



## GATE HOLDBACK

Malleable



Number	Size	Quantity
CL-5241	1-5/8"-1-7/8"	20/Case

## HOOK TIES

Aluminum



Number	Color	Size	Quantity
CL-7060 (WI-WT9A-650U)	Mill	6-1/2" x 9ga	1000/Case
CL-7061 (WI-WT9A-825U)	Mill	8-1/4" x 9ga	1000/Case
CL-7062 (WI-WT9A-650U-BK)	Black	6-1/2" x 9ga	1000/Case
CL-7063 (WI-WT9A-825U-BK)	Black	8-1/4" x 9ga	1000/Case
CL-7064	Mill	6-1/2" x 11ga	1000/Case
CL-7065	Black	6-1/2" x 11ga	1000/Case

## POST ANCHORS

Pressed Steel - HDG



Number	Size	Quantity
CL-PA158	1-5/8"	25/Case
CL-PA178	1-7/8"	25/Case
CL-PA238	2-3/8"	25/Case

## TRUSS ROD TIGHTENER

Number	Quantity
CL-7047 (WI-TRT) (Available in Black)	100/Case
WI-TRT-SP (sharp point) (special order)	50/Case



## TRUSS RODS

HDG



Number	Size	Quantity
CL-TR132	3/8" x 132"	250/Bundle

VINYL

ORNAMENTAL

WOOD

CHAIN LINK

## GATE SCROLLS

Pressed Steel



Number	Size	Quantity
CL-5239 (Available in Black)	18"	10/Case
CL-5240	24"	10/Case

## WIRE WINDERS

Pressed Steel



Number	Size	Quantity
CL-5069	4"	50/Case



Number	Quantity
WI-BRT	48/Case

## TENSION BARS

Pressed Steel

► Available in Black



Number	Size	Quantity
CL-7500(WI-TB-46x625)*	3/16" x 5/8"x46"	500/Bundle
CL-7501(WI-TB-58x625)*	3/16" x 5/8"x58"	500/Bundle
CL-7502(WI-TB-70x625)*	3/16" x 5/8"x70"	500/Bundle
CL-7503	3/16" x 5/8"x82"	250/Bundle
CL-7510	3/16" x 3/4"x58"	250/Bundle
CL-7511(WI-TB-70x75)	3/16" x 3/4"x70"	250/Bundle
CL-7512(WI-TB-82x75)	3/16" x 3/4"x82"	250/Bundle

## GATE CLIP TOOL



Number	Quantity
WI-GCT	1/Case

## WIRE GRIP TOOL



Number	Quantity
WI-WGT	1/Box

## POST HOLE DIGGERS & TOOLS

Wood Handle

Number	Quantity
WI-006	1/Case



Torque Bar

Number	Quantity
WI-CB06	1/Case





## PANIC BAR KITS

PS51S

PS51B

- Includes: 1 NW-PB1100-SC Panic Bar, 1 Adjustable Shield, 1 Striker Bracket Extender, 1 Keyed Cylinder and 1 Cylinder Block Mount
- 1/Case @ 37lbs



PS61S

PS61B

- Includes: 1 NW-PB1100-SC Panic Bar, 1 Adjustable Shield, 1 Striker Bracket Extender, 1 NW-285-P-SC One-Sided Keyless Lock, 1 Gate Box, and 1 Cover Plate
- 1/Case @ 39lbs

## ROLL GATE KIT



### WI-ROLLGATE 1/Case

Quantity	Number	Size
1	1 WI-DUAL-PT8	Dual Tire Runner
2	CL-6023(WI-SW-HA)	5" x 1-5/8" Pipe Track Roller
6	CL-6015(WI-PIVOTBRACKET)	2-3/8" & 2-7/8" PS Safety Track Bracket
1	CL-6013(WI-CGLD)	PS Rolling Gate Latch

## GATE KIT SINGLE



### CL-GATEKITSGL 5/Case

Quantity	Number	Size
1 Set	CL-7080	1-3/8" PS Collar
2	CL-5141	1-3/8" x 5/8" PS Gate Hinge
2	CL-5156	2-3/8" x 5/8" PS Post Hinge
1	CL-7092	2-1/2" PS Fork
2	CL-7018	5/16" x 1-1/4" Carriage bolt
2	CL-7021	3/8" x 2" Carriage bolt
2	CL-7022	3/8" x 3" Carriage Bolt

## GATE KIT DOUBLE

- Available in Black

### CL-GATEKITDBL 5/Case

Quantity	Number	Size
1 Set	CL-7080	1-3/8" PS Collar
4	CL-5141	1-3/8" x 5/8" PS Gate Hinge
2	CL-5144	1-3/8" x 1/2" PS Gate Hinge
4	CL-5156	2-3/8" x 5/8" PS Post Hinge
1	CL-7090	1-3/8" PS Fork
2	CL-7018	5/16" x 1-1/4" Carriage Bolt
2	CL-7019	5/16" x 2" Carriage Bolt
4	CL-7021	3/8" x 2" Carriage Bolt
4	CL-7022	3/8" x 3" Carriage Bolt

VINYL

ORNAMENTAL

WOOD

CHAIN LINK

# ***NATIONWIDE*** ***INDUSTRIES***<sup>™</sup>

Phone: (813) 988-2628 • Fax (866) 988-3465  
[www.nationwideindustries.com](http://www.nationwideindustries.com) • [info@nationwideindustries.com](mailto:info@nationwideindustries.com)

