

LOCKEY


GATE & DOOR SECURITY HARDWARE

Grip-Rite

Grip

FENCE & GATE HARDWARE

PNUEMATICS & FASTENERS





Phone: (813) 988-2628 • orders@nationwideindustries.com nationwideindustries.com • info@nationwideindustries.com

NATIONWIDE INDUSTRIES

SCAN FOR MORE INFO



Phone: (888) 395-0163 lockeyusa.com • info@lockeyusa.com




SCAN FOR MORE INFO



Phone: (813) 988-2628 • Fax (866) 988-3465 nationwideindustries.com • info@nationwideindustries.com



SCAN FOR MORE INFO





NATIONWIDE INDUSTRIES

TABLE OF CONTENTS

Find the Right Latch	10	WOOD	
Find the Right Hinge	12	Hinges	84
Innovative Products	14	Screw Hooks	87
		Rustic Series	88
VINYL		Latches and Kits	90
Hinges	28	Drop Rods	93
Latches	35	Caps and Gate Braces	94
Drop Rods and Handles	40	Bumpers, Closers, Handles and Brackets	96
Bumpers, Handles, Braces and Wheels	42	Accessories and Tools	98
Stiffeners, Mounts, Collars and Railing Support	44		70
Closers and Post Caps	46	CHAIN LINK	
Accessories	48	Hinges	102
Accessories	ΤΟ	Latches	104
METAL		Collars, Forks and Rollers	106
Hinges	54	Covers, Receivers and Trolleys	108
Brackets and Latches	64	Trolley Brackets, Guides and Assemblies	110
Post Caps	66	Drop Rods and Wheels	112
Brackets	68	Brackets, Post Caps and Rail Ends	114
End Caps and Floor Mounts	72	Clamps and Sleeves	116
Finials	76	Bands and Barb Arms	118
'O' Rings, Keyless Locks, Handles		Bolts, Plugs and Accessories	120
and Drop Rods	78	Tools and Kits	122
Wheels, Closers and Trolleys	80		



LOCKEY



Quick Guide	126	
MECHANICAL LOCKS		
C Series	130	
M Series	131	
1000 Series	132	
2000 Series	134	
2900 Narrow Stile Series	138	
3000 Series	140	
SUMO™ GL2	143	
Specialty Locks	144	
Accessories	145	
GATE & PANIC HARDWARE		
Gate Boxes	148	
Gate Closers	150	
Gate and Panic Hardware	152	
Panic Shields	153	
Panic Bars & Trims	154	
Trim Boxes	156	
Panic Shield Kits	157	
Panic Shield Comparison Chart	164	
Electronic Locks	165	

Exterior Screws and	
Building Accessories	168
Pneumatics	170



NATIONWIDE INDUSTRIES

FENCE AND GATE HARDWARE

Vinyl | Metal | Wood | Chain Link





FENCE PRO'S #1 CHOICE

ABOUT NATIONWIDE INDUSTRIES

For more than 35 years, Nationwide Industries has designed and manufactured innovative hardware products and solutions that make our product easy to choose and install. With the largest in-stock selection of fence and gate hardware, Nationwide Industries offers more than 2,000 SKUs and has earned 35 patents on products designed for strength, performance, and proper operation. Our range of products include latches, hinges, locks, and other essential fence and gate components for every kind of fencing, such as aluminum, steel, metal, vinyl, wood, chain link, and pool and patio enclosures.

We are committed to delivering customers the highest quality materials available – from the simplest solutions to the most complex components. Nationwide Industries has a dedicated team of customer service professionals committed to selecting products and solutions to ensure ease of installation and fewer call backs. Products and solutions are easy to come by with industry experts just a phone call or email away.



Made from the highest quality materials available, including aluminum, steel, stainless steel, glass-filled nylon, and die-castings, Nationwide Industries brands are engineered and manufactured to outlast, outperform, and outshine any other brand of fence and gate hardware available on the market. Our products are guaranteed to last, easy to install, and select products come with our Million Cycle Warranty. Our rigorous testing ensures that our products can withstand repetitive use without costly repairs or replacements. More than 30 products and counting have met the testing requirements to feature our Million Cycle Warranty. They are guaranteed to work for one million cycles, or you will receive a complete product replacement for any loss of functionality.

Cornerstone® | Cornerstone® 2 | Keystone® | Keystone® 2 | Keystone® X | Keystone® X2 | Keystone® X-External Keystone® Traverse | Ornamag® | AquaLatch® | Trident™ | Armorlatch™ | Heavy Duty Ball Bearing Hinge

FIND THE RIGHT LATCH

COMPARE FEATURES & BENEFITS















KEYSTONE® 2

KEYSTONE® X2

KEYSTONE® PANIC LATCH™

KEYSTONE® TRAVERSE 200

KEYSTONE* TRAVERSE 250

KEYSTONE* TRAVERSE 400

KEYSTONE® TRAVERSE 500

Product	Rekeyable	Post Thickness	Adjustability	Fits Right and Left Handed Gates	Locks/Unlocks from Both Sides
Keystone* One-Sided	Х		Vertical	Х	
Keystone [®] Two-Sided	Х	2"-5"	Vertical	X	Х
Keystone® 2 One-Sided	Х		Vertical	X	
Keystone® 2 Two-Sided	Х	1"-5"	Vertical	X	X
Keystone® X2 One-Sided			Vertical	X	
Keystone® X2 Two-Sided		2"-5"	Vertical	X	X
Trident™			Horizontal & Vertical	X	X
Trident™ Safe Signal			Horizontal & Vertical	X	X
AquaLatch*			Horizontal & Vertical	X	X
ZipLatch™			Horizontal & Vertical	X	X
ArmorLatch™	X	1-1/2" - 5"	Horizontal & Vertical	X	X
Pac-Latch™		over 1-1/2"	Horizontal & Vertical	X	X
OrnaMag*		up to 2"	Vertical	X	
Keystone® Panic Latch™	X	2" to 5"	Horizontal	X	
Keystone® Traverse 500	X	5"	Vertical	X	X
Keystone® Traverse 400	Х	4"	Vertical	X	X
Keystone® Traverse 250	Х	2.5"	Vertical	X	X
Keystone® Traverse 200	Х	2"	Vertical	X	X

^{*}Chain Link Adapter Kit Required

^{**}Recommended for Commercial Use Only



TRIDENT™	TRIDENT™ SAFE SIGNAL™	AQUALATCH*	ZIPLATCH™	ORNAMAG*

Product	Wood	Vinyl	Chain Link	Metal	Pool Safety Latch	Privacy Gates
Keystone® One-Sided	Х	Х		Х		
Keystone® Two-Sided	Χ	Х		X		Χ
Keystone® 2 One-Sided	X	Х		X		
Keystone® 2 Two-Sided	Χ	Χ		X		Χ
Keystone® X2 One-Sided	X	Х		X		
Keystone® X2 Two-Sided	Χ	Х		X		Χ
Trident™	X	Х	Χ*	X	X	
Trident™ Safe Signal™	Χ	Χ	Χ*	X	X	
AquaLatch*	X	X	Χ*	X	X	
ZipLatch™			Χ		Χ	
ArmorLatch™	X	X		X		Χ
Pac-Latch™	X	Х		X		Χ
OrnaMag*				X		
Keystone® Panic Latch™	X	Χ	Χ*	X	Χ**	Χ
Keystone® Traverse 500		Х				Х
Keystone® Traverse 400		Х				Х
Keystone® Traverse 250				X		Х
Keystone® Traverse 200				Х		Х

FIND THE RIGHT HINGE

COMPARE FEATURES & BENEFITS













C2H2O0F	C2H300F	C2H350F	C2H100N	CH120NB	C2H350N
---------	---------	---------	---------	---------	---------

Product	Part#	Horizontal & Vertical Adjustment	Gate Gap Min (in)	Gate Gap Max (in)	Total Adj (in)	Post Thickness Min (in)	Post Width Min (in)	Frame Thickness Min (in)	Frame Width Min* (in)
Cornerstone® 2	C2H200F	Х	0.55	1.5	0.95	1.5	1.5	1.5	1.8
Cornerstone® 2	C2H300F	Х	0.75	1.75	1	1.5	3.1	1.5	2.61
Cornerstone® 2	C2H350F	Х	0.75	1.71	0.96	1.5	3	1.5	2.5
Cornerstone® 2	C2H100N		0.75	0.75		1	1	1	1
Cornerstone® 2	C2H120NB		0.75	0.75		1	1.25	1	1.25
Cornerstone® 2	C2H350N		0.75	0.75		1.5	3	1.5	2.5
Cornerstone® 2	C2H095F	Х	0.5	1.46	0.96	1.5	1.75	1.5	1.5
Cornerstone®	CH200FR	Х	0.46	1.66	1.2	Ø 1.375		Ø 1.875	
Cornerstone®	CH090		0.75	0.75		0.88	0.88	0.88	0.88
Cornerstone®	CH100N		0.5	0.5		1	1	1	1
Cornerstone®	CH300N		0.5	0.5		1	1	1	1
Cornerstone®	CH101V	VERT		1.25			1		1
Cornerstone®	CH102V	VERT	0.23	0.23			1		1
Nautilus®	NTLS-L-AA; NTLS-R-AA	X	1.05	1.55	0.5		1.4		1.4
Heavy-Duty Self-Closing Ball Bearing Hinge	HDBYSC-SWM- SWM	HORZ	2.56	3.04	0.48	1.5		1.5	

^{*}Per pair **Based on a 6' H X 4' W gate

















C2H	1095F
LZI	ロフフト

CH200FR

CH090

CH100N/CH300N

CH101V

CH102V

NAUTILUS

HDBYSC

Product	Part#	Rating** (lbs)	Point Load* (lbs)	Self- Closing	Chain Link	Metal	Vinyl	Wood	Turn-N-Go Tensioning	Safe, Anti-Climb Design	Adjustable Closing Speeds
Cornerstone® 2	C2H200F	75	1500	Yes		Χ	Х	Χ	X	X	X
Cornerstone® 2	C2H300F	75	2000	Yes			Х	Χ	Х	X	X
Cornerstone® 2	C2H350F	135		Yes			Х	Х	Х		X
Cornerstone® 2	C2H100N	75	1500	Yes		Χ			X	Х	X
Cornerstone® 2	C2H120NB	135	1700	Yes		Χ			X		X
Cornerstone® 2	C2H350N	135		Yes			Х	Χ	Х		X
Cornerstone® 2	C2H095F	60		Yes		Χ			Х		X
Cornerstone®	CH200FR	75		Yes	Х						X
Cornerstone®	CH090	60	900	Yes		Χ					X
Cornerstone®	CH100N	75	1000	Yes		Χ					Х
Cornerstone®	CH300N	75	1000	Yes			Х	Х			Х
Cornerstone®	CH101V	75		Yes		Χ					X
Cornerstone®	CH102V	75		Yes		Χ					Х
Nautilus®	NTLS-L-AA; NTLS-R-AA	125		Yes		X					Х
Heavy-Duty Self-Closing Ball Bearing Hinge	HDBYSC-SWM- SWM			Yes	Х	X					Х

KEYSTONE® SERIES

PATENTED

KEYSTONE® TRAVERSE 200

- ▶ Fits 2" Fence Post
- ▶ Reversible for mounting/install
- ▶ No drilling holes through post
- ▶ Locks & unlocks from both sides
- ▶ Uses a 6-pin key cylinder



CASE QTY	WEIGHT
20	14 lbs

KLTRV-200-4D-BK TRAVERSE LATCH, Black, 2" Reversible 6-pin W/SD SCREWS



(i) Available in Keyed Alike (-KA)

PATENTED

KEYSTONE® TRAVERSE 250

- ▶ Fits 2.5" Fence Post
- ▶ Reversible for mounting/install
- ▶ No drilling holes through post
- ▶ Locks & unlocks from both sides
- ▶ Uses a 6-pin key cylinder



CASE QTY	WEIGHT
20	14 lbs

KLTRV-250-4D-BK Reversible 6-pin w/SD Screws, Black



PATENTED

KEYSTONE® TRAVERSE 400

- ▶ Fits 4" Fence Posts
- ▶ Reversible for mounting/install
- ▶ No drilling holes through post
- ▶ Lock & unlocks from both sides
- ▶ Uses a 6-pin key cylinder

1	
MILL	ION.
CYCLE W	ARRANTY

CASE QTY	WEIGHT
20	30 lbs

KLTRV-400-4D-BK Reversible 6-pin w/SD Screws, Black



(i) Available in Keyed Alike (-KA)

INSTALLATION VIDEO



PATENTED

KEYSTONE® TRAVERSE 500

- ▶ Fits 5" Fence Posts
- ▶ Reversible for mounting/install
- ▶ No drilling holes through post
- Lock & unlocks from both sides
- ▶ Uses a 6-pin key cylinder

1
MILLION
CYCLE WARRANTY

CASE QTY	WEIGHT
20	30 lbs

KLTRV-500-4D-BK Reversible 6-pin w/ SD Screws, Black



(i) Available in Keyed Alike (-KA)

KEYSTONE® TRAVERSE SPACER KIT

KLTRV-SPACER

The spacer kit allows traverse to be used on 1" to 4.5" posts in 1/2" increments using various KLTRV's and spacers.











KEYSTONE® 2 SERIES

KLADV2-P2-4D-BK Black (Nylon) KLADV2-P2-4D-WH White (Nylon)

- ▶ NEW & IMPROVED with 6-pin cylinder
- ▶ Locking feature accessible from both sides
- ▶ Same specifications as KLADV-P2 below



CASE QTY	WEIGHT
20	27 lbs

KLADV2-P1-4D-BKBlack (Nylon)

▶ NEW & IMPROVED with 6-pin cylinder



CASE QTY	WEIGHT
20	16 lbs


- ▶ Reversible for right-hand or left-hand use
- ► Glass-filled nylon housing
- > Thumb release button on one side, gravity latch lever on opposite side
- ▶ Stainless steel screws included



All Keystone® 2-Sided Latches are packed with a durable Plastic Marking Template for installation.



Available in Keyed Alike (-KA)



KEYSTONE® SERIES

KLADV-M2-4D-BK Black (Zinc diecast) KLADV-M2-4D-WH White (Zinc diecast)

- ▶ Reversible for right-hand or left-hand use
- ▶ Zinc diecast housing
- ▶ Thumb release button on one side, gravity latch lever on opposite side
- ▶ Stainless steel screws included



CASE QTY	WEIGHT
20	48 lbs



KLADV-M1-4D-BK Black (Zinc diecast)



CASE QTY	WEIGHT
20	31 lbs

SPINDLE ADAPTOR

KLADV-SpinAdapt

Extension Kit allows Two-Sided Keystone® to be used on posts over 5" wide



NEW! KEYSTONE® PAC-LATCH™

- ▶ Suitable for metal, vinyl, and wood fences
- ▶ Rust-resistant
- ▶ Pad-Lockable
- ▶ Quick and easy installation
- Stylish Design

,	
/1\	
MILLION	
CYCLE WARRANTY	

CASE QTY	WEIGHT
20	15.9 lbs

KLPAC-4D-BK Black w/ stainless steel self-drilling screws included



PATENTED

KEYSTONE® X2 SAME KLX LATCH, WITH SLIMLINE DESIGN

- ▶ One-sided
- ▶ Features Latch only
- ▶ Quick, easy installation

,		,	٦
	1		
IV	IILL	ION	
CY	CLE WA	RRANTY	
	~		

CASE QTY	WEIGHT
20	13 lbs

KLX2-P1-4D-BK Black KLX2-P1-4D-WH White



NEW! KEYSTONE® LOCKLESS LEVER LATCH

- ▶ Turn Handle Without Cylinder or Magnet
- ▶ Corrosion-Resistant
- ▶ Non-Handed Design

MILLION	CASE QTY	WEIGHT
CYCLE WARRANTY	10	20.1 lbs

NW6254NL-BK Black w/ stainless steel self-drilling screws included





MILLION

▶ Two-sided

▶ Slimline design

KLX2-P2-4D-BK Black KLX2-P2-4D-WH White

PATENTED

ARMORLATCH*

- ▶ Locks & unlocks from either side
- > Add aluminum cover plates for metal look and color
- ▶ Re-keyable to home locks
- ▶ Reversible for left or right hand use
- ▶ Easy installation including horizontal & vertical adjustability
- ▶ Works with double drive gates
- ▶ Fits gate frames from 1-1/2" to 5" deep

1
MILLION
CYCLE WARRANTY

CASE QTY	WEIGHT
10	19 lbs

NW6244-SD-FB Flat Black w/self-drilling stainless steel screws NW6244CV-MI Cover Plates Unpainted NW6244CV-WH Cover Plates White NW6244CV-BZ Cover Plates Bronze

*Call customer service to check availability of cover plates.





INTRODUCING GATE HARDWARE KITS

Featuring Keystone®, Cornerstone®, and Trident®

VINYL 4" AND 5" GATE KITS NWKIT-VNYL-4 NWKIT-VNYL-5



POOL
CHAIN LINK AND
ORNAMENTAL
POOL GATE KITS
NWKIT-CL-POOL
NWKIT-ORNL-POOL



ORNAMENTAL

2" AND 2.5" GATE KITS NWKIT-ORNL-2 NWKIT-ORNL-2.5



WOOD CONTEMPORARY AND WESTERN WALK GATE KITS WI-CWGK WI-WWGK WI-WWGK-BULK





- Takes the guesswork out of choosing the right hardware for your gate
- Kits available for vinyl, metal, and wood gates
- Hinges, latches, and mounting hardware in one package
- Fast and easy installation-no need for special tools



CORNERSTONE® SERIES

CORNERSTONE® FULLY ADJUSTABLE HINGES

- ▶ Produced with durable glass-filled nylon
- Nationwide's V-notch™ styling
- ▶ 1/4" Allen wrench included for tension adjustment



CASE QTY	WEIGHT
10 pair	29 lbs

CH350F-SD-BK Black w/stainless steel screws

HINGE RATING: 150 LBS



1.91"

CORNERSTONE® NARROW FIXED POSITION HINGES

- ▶ Post and Gate flanges: 1"(W) x 1"(D)
- ▶ Produced with durable glass-filled nylon
- ▶ 1/4" Allen wrench included for tension adjustment




CASE QTY	WEIGHT
20 pair	19 lbs

CH100N-4D-BK Black with steel self-drilling screws included CH100N-4D-WH White with steel self-drilling screws included

Point-load tested over 1,000 lbs per pair

HINGE RATING: 75 LBS





7.00"

.40"

1.65"

3.30"

1.50"

CORNERSTONE® MINI VERTICALLY ADJUSTABLE HINGE

Designed with smaller look for slightly lighter gates
Tested to 1 million cycles on a 60lb gate

▶ Slotted for vertical adjustability

n wrench included for tension adjustment

CASE QTY

WE

WE

CASE QTY

CASE QTY

WE

CASE QTY

CASE


CASE QTY	WEIGHT
20 pair	18 lbs

CH090-4D-BK Black w/stainless steel self-drilling screws included

(i) Point-load tested over 900 lbs per pair

HINGE RATING: 60 LBS





CORNERSTONE® VERTICALLY ADJUSTABLE HINGE


- ▶ Slotted for vertical adjustability
- ▶ 1/4" Allen wrench included for tension adjustment



CASE QTY	WEIGHT
20 pair	19 lbs

CH101V-4D-BK Black w/stainless steel self-drilling screws included


HINGE RATING: 75 LBS



- Slotted for vertical adjustability
- ► Includes tabs for alignment
- ▶ 1/4" Allen wrench included for tension adjustment



CASE QTY	WEIGHT
20 pair	19 lbs






NAUTILUS® CONTROLLED CLOSING GATE HINGE

- ▶ Anti-slam technology
- ▶ Vertically and Horizontally adjustability
- ▶ Fits both right and left hand applications
- ▶ Easy to adjust closing speed

CASE QTY	WEIGHT
12 pair	27 lbs


NTLS-R-AA-BK Active-Active Hinge, Black, Right Hand NTLS-L-AA-BK Active-Active Hinge, Black, Left Hand

HINGE RATING: 125 LBS









CORNERSTONE® 2 SERIES

PATENTED

CORNERSTONE® 2 NON ADJUSTABLE HINGE

- ▶ Post and Gate flanges: 1"(W) x 1"(D)
- ▶ Produced with durable glass-filled nylon
- ► 1/4" Allen wrench included for easy Turn-N-Go™ tension adjustment
- ▶ Safe, anti-climb design

1 MILLION	CASE QTY	WEIGHT
CYCLE WARRANTY	20 pair	33 lbs

C2H100N-4D-BK Black w/stainless steel self-drilling screws included C2H100N-4D-BK Black w/zinc plated steel self-drilling screws included

Point-load tested over 1,500 lbs per pair

HINGE RATING: 75 LBS



PATENTED

CORNERSTONE® 2 HEAVY-DUTY

- ▶ Fits both right and left-hand applications
- ▶ C2H121 Includes Alignment tab on Gate Post side
- ▶ 1/4" Allen wrench included for easy
- ► Turn-N-Go[™] tension adjustment

_	,	
MILLION	CASE QTY	WEIGHT
CYCLE WARRANTY	20 pair	29 lbs


C2H120NB-4D-BK Black w/stainless steel screws



(i) Point-load tested over 1,700 lbs per pair

HINGE RATING: 135 LBS





PATENTED

CORNERSTONE® 2 SQUARE POST FULLY ADJUSTABLE HINGE

- Horizontally adjustable to 0.98"Vertically adjustable to 0.875"
- ▶ Fits both right and left-hand applications
- ▶ 1/4" Allen wrench included for easy Turn-N-Go™ tension adjustment
- ▶ Safe, anti-climb design


1	Ī
MILLION	ł
CYCLE WARRANTY	L

CASE QTY	WEIGHT
20 pair	46 lbs

C2H200F-4D-BK Black w/stainless steel self-drilling screws included C2H200F-4D-WH White w/stainless steel self-drilling screws included

Point-load tested over 1,500 lbs per pair

HINGE RATING: 75 LBS



PATENTED

CORNERSTONE® 2 FULLY ADJUSTABLE HINGE

- ▶ Horizontally adjustable up to 1.0"
- ▶ Vertically adjustable up to 1.0"
- ▶ Fits both right and left-hand applications
- ▶ ¼" Allen wrench included for easy Turn-N-Go™ tension adjustment
- ▶ Safe, anti-climb design



CASE QTY	WEIGHT
10 pair	30 lbs

C2H300F-4D-BK Black w/stainless steel self-drilling screws



Point-load tested over 2,000 lbs per pair

HINGE RATING: 75 LBS

PATENTED

CORNERSTONE® 2 HEAVY-DUTY FULLY ADJUSTABLE HINGE

- ▶ Fully adjustable self-closing hinge
- ▶ Horizontally and vertically adjustable up to 0.96"



CASE QTY	WEIGHT
10 pair	29 lbs

C2H350F-4D-BK Black w/stainless steel screws

HINGE RATING: 135 LBS

PATENTED

CORNERSTONE® 2 FULLY ADJUSTABLE HINGE

- ▶ Horizontally adjustable up to 1"
- ▶ Vertically adjustable up to 0.75"
- ▶ Fits both right and left-hand applications
- ▶ 1/4" Allen wrench included for easy Turn-N-Go™ tension adjustment



CASE QTY	WEIGHT
20 pair	26 lbs

C2H095F-4D-BK Black with 400 series stainless steel self-drilling screws

HINGE RATING: 60 LBS

PATENTED

CORNERSTONE® 2 HEAVY-DUTY NON-ADJUSTABLE HINGE

- ▶ Self-closing hinge
- Fits both right and left-hand applications
- ▶ 1/4" Allen wrench included for easy Turn-N-Go™ tension adjustment




CASE QTY	WEIGHT
10 pair	29 lbs

C2H350N-SD-BK Black with self-drilling screws


HINGE RATING: 135 LBS











PATENTED



NEW! TRIDENT™ SAFE SIGNAL

- ▶ Safe-Notch™ engages and remains closed upon contact
- Alarms if gate is left unlatched for more than 15 seconds
- ▶ Flashing LED lights provide visual warning of unlatched gate
- Easy Installation without the need of special tools
- ▶ Fits all square post gate applications



CASE QTY	WEIGHT
20	47.4 lbs

TRIDENTSS20BK Black 20"

Adapter available for use with round posts. Part No. NW6149-BK



20"

PATENTED

TRIDENT™ MAGNETIC GATE LATCH

- ▶ Safe-Notch™ engages and remains closed upon contact
- ▶ Trident™ strong magnetic closing power, easy installation and guaranteed to last!
- Sophisticated, modern design
- ▶ Rust-resistant components
- ▶ Meets international pool codes, please check local pool codes prior to use



CASE QTY	WEIGHT
20	26 lbs

TRIDENT20-BK Black 20" TRIDENT20-WH White 20" TRIDENT10-BK Black 10" TRIDENT10-WH White 10"

Adapter available for use with round posts. Part No. NW6149-BK



(i) Available in Keyed Alike (-KA)





PATENTED

AQUALATCH® MAGNETIC GATE LATCH

- ▶ SafeAlert™ red alert area appears when disengaged
- ▶ Heavy-duty construction
- ▶ Beautiful, modern design
- ▶ Multi-directional leveling for misaligned gates
- ▶ Excellent horizontal and vertical adjustability
- ▶ Fits right or left handed gates
- ▶ Industry-BEST Warranty

1
MILLION
CYCLE WARRANTY

CASE QTY	WEIGHT
20	24 lbs

AQUA10-BK Black AquaLatch® w/Std Keeper AQUA10-WH White AquaLatch® w/Std Keeper AQUA10H-BK Black AquaLatch® w/Handle/Keeper AQUA10H-WH White AquaLatch® w/Handle/Keeper AQUA20-BK Black AquaLatch® w/Std Keeper AQUA20-WH White AquaLatch® w/Std Keeper AQUA20H-BK Black AquaLatch® w/Handle/Keeper AQUA20H-WH White AquaLatch® w/Handle/Keeper Adapter available for use with round posts. Part No. NW6149-BK



(i) Available in Keyed Alike (-KA)





ROUND POST ADAPTER FOR POOL LATCH

NW6149-BK

▶ Shims included in adapter kit

CASE QTY	WEIGHT
20	91 lbs



Easy to Install Kit

TUBING SIZE CHART

Gate Frame Size	Fence Post Size
1-3/8"	1-7/8" / 2"
	2-3/8"
1-5/8"	2-5/8"
	2-7/8"



PATENTED

ZIP-LATCH® 20" GRAVITY LATCH

- ▶ Fits gate frames 1-3/8" to 2"
- Fits fence posts sizes 2" to 3"
- ▶ Used for Chain Link Pool Gates
- Positive stop one-way swing function that meets pool code**
- ▶ Heavy-duty Design
- ▶ Anti-tamper design for round post gates

CASE QTY	WEIGHT
20	45 lbs

CL-7240-BK CL-7240-L-BK (pad-lockable)



CI-7240-L-BK shown

ROUND POST ADAPTER FOR CHAIN LINK GATES





FRONT

KLX-RP-KIT-BK Black

- ▶ Includes mounting screws
- ▶ Includes KLX-P2 latch
- Post sizes: 1-7/8", 2-3/8", 2-5/8", 3"
 Gate frame sizes: 1-3/8, 1-5/8"

CASE QTY WEIGHT	

	D	н	ľ	ď

CASE Q11	WEIGHT
10	24 lbs

ORNAMAG® MAGNETIC GATE LATCH

- ▶ Accommodates up to 2" gate post profile
- ▶ Key locking
- ▶ Reversible for right-hand or left-hand use
- ▶ Self-drilling stainless steel screws and self-drilling steel screws included
- Great for double drive gates

CASE QTY	WEIGHT
10	27 lbs

OM-L-BK Black OM-L-BZ Bronze OM-L-WH White

Back Plates Included to Accommodate Gate Gap Variance Back Plate Gap Range:

- ▶ Standard Back Plate 5/16" to 13/16"
- ▶ Offset Back Plate 3/16" to 1-7/16"





PATENTED

KEYSTONE® PANICLATCH™

KPL-P2-BK Black

- ► Self-Locking anti-tamper design
- Easy exit with large button on the interior side
- ► Key entry only on the exterior
- ▶ Secure Entry with 6-pin key

CASE QTY	WEIGHT
6	20 lbs










KEYSTONE® PANICLATCH™ ROUND POST ADAPTOR ONLY

- Keystone® Self-Locking Paniclatch™ sold separately (adapter only).
 Designed to work on 2® to 6-5/8® on the latch side (post) and 1-3/8" to 2" on the keeper side (gate).

CASE QTY	WEIGHT
6	9 lbs

KPL-RPA-BK



Color difference applied to show round post adapter - part is black.

HEAVY-DUTY SELF-CLOSING HINGE

CL-7210-GY Gray CL-7210-BK Black

- Fits 1-3/8" or 1-5/8" gate frames
 Fits 2-3/8" to 2-7/8" posts

CASE QTY	WEIGHT
10	32 lbs

CL-7211-GY Gray CL-7211-BK Black


- ▶ Fits 1-3/8" to 1-7/8" gate frames
- ▶ Fits 2-3/8" to 2-7/8" posts

CASE QTY	WEIGHT
10	32 lbs

CL-7212-GY Gray CL-7212-BK Black

- ▶ Fits 1-3/8" to 1-7/8" gate frames
- ▶ Fits 4" posts

CASE QTY	WEIGHT
10	35 lbs



CORNERSTONE® SELF-CLOSING ROUND POST FULLY ADJUSTABLE HINGE

CH200FR-BK Black

- ▶ Shims to 1-7/8", 2-3/8", 2-5/8" or 2-7/8" post and 1-3/8" or 1-5/8" frame
- ▶ Horizontally adjustable up to 1-1/4"
- ▶ Vertically adjustable up to 1/2"
- Fits both right and left hand applications
 Includes steel self-drilling screws



CASE QTY	WEIGHT
20 pair	40 lbs



Point-load tested over 1,000 lbs per pair

Tested to 1 Million Cycles on a 75 lb gate 6' High x 4' Wide








TABLE OF CONTENTS

Hinges	28
Latches	35
Drop Rods and Handles	40
Bumpers, Handles, Braces and Wheels	42
Stiffeners, Mounts, Collars and	
Railing Support	44
Closers and Post Caps	46
Accessories	48








HORIZONTALLY ADJUSTABLE STAINLESS STEEL SELF-CLOSING HINGES - SCP SERIES

More Durable Design, Stronger Spring and Larger Holding Pins



For reference: A "standard" size flange is generally 3" to 3-1/2" deep (D), while a "narrow" size flange is generally 1-1/4" to 1-1/2" deep (D)



- Closes better
- ▶ Horizontally adjustable
- ▶ Lasts longer
- ▶ Easier to adjust

Easy Tension Adjustment

Just turn with Allen wrench and insert pin. A process that is quick and avoids stripping. Allen wrench included.

NARROW TO NARROW

NW171SCP-SSB Black w/stainless steel screws NW171SCP-SSBD Black w/stainless steel self-drilling screws NW171SCP-SSW White w/stainless steel screws NW171SCP-SSWD White w/stainless steel self-drilling screws

CASE QTY	WEIGHT
12 pair	35 lbs





NARROW TO NARROW "U-NOTCH"

- ▶ Both flanges 3.5"(H) x 3.5"(W) x 1.25"(D)
- ▶ U-Notch Style hinges
- ▶ Horizontally adjustable
- ▶ Enclosed spring with tension adjustment

CASE QTY	WEIGHT
12 pair	33 lbs

WI-6000-MA-SS Black w/stainless steel self-drilling screws WI-6000-MA-SSW White w/stainless steel self-drilling screws




NARROW TO NARROW

- ▶ Both flanges: 3.5"(H) x 3.5"(W) x 1.25"(D)
- ▶ Horizontally adjustable
- ▶ Enclosed spring with tension adjustment

CASE QTY	WEIGHT
12	37 lbs

NW171NASC-SSB Black w/stainless steel screws NW171NASC-SSBD Black w/stainless steel self-drilling screws NW171NASC-SSW White w/stainless steel screws NW171NASC-SSWD White w/stainless steel self-drilling screws NW171NASC-SSRC Copper w/stainless steel screws







STANDARD TO NARROW

- ▶ Post flange: 3.5"(H) x 3.5"(W) x 3.5"(D)
- ▶ Gate flange: 3.5"(H) x 2.75"(W) x 1.25"(D)
- ▶ Horizontally adjustable
- ► Enclosed spring with tension adjustment

CASE QTY	WEIGHT
12 pair	42 lbs

NW171NASCA-SSB Black w/stainless steel screws NW171NASCA-SSBD Black w/stainless steel self-drilling screws NW171NASCA-SSW White w/stainless steel screws NW171NASCA-SSWD White w/stainless steel self-drilling screws








STANDARD TO NARROW

NW171SCP2-SSB Black w/stainless steel screws NW171SCP2-SSBD Black w/stainless steel self-drilling screws NW171SCP2-SSW White w/stainless steel screws NW171SCP2-SSWD White w/stainless steel self-drilling screws

CASE QTY	WEIGHT
12 pair	36 lbs







STANDARD TO NARROW "U-NOTCH"

- ▶ Post flange 3.5"(H) x 3.5"(W) x 3.5"(D)
- ► Gate flange 3.5"(H) x 3.5"(W) x 1.25"(D)
 ► U-Notch Style hinges
- ▶ Horizontally adjustable
- ▶ Enclosed spring with tension adjustment

CASE QTY	WEIGHT
12 pair	37 lbs


WI-6010-MA-PH Black w/stainless steel screws WI-6010-MA-SS Black w/stainless steel self-drilling screws WI-6010-MA-W-PH White w/stainless steel screws WI-6010-MA-SSW White w/stainless steel self-drilling screws



STANDARD TO STANDARD

NW171SCP3-SSB Black w/stainless steel screws NW171SCP3-SSBD Black w/stainless steel self-drilling screws NW171SCP3-SSW White w/stainless steel screws NW171SCP3-SSWD White w/stainless steel self-drilling screws NW171SCP3-SSRC Copper w/stainless steel screws

CASE QTY	WEIGHT
12 pair	42 lbs





STANDARD TO STANDARD "U-NOTCH"

- ▶ Post flange 3.5"(H) x 3.5"(W) x 3.5"(D)
- ▶ Gate flange 3.5"(H) x 3.5"(W) x 3.5"(D)
- ▶ U-Notch Style hinges
- ▶ Horizontally adjustable
- ▶ Enclosed spring with tension adjustment

CASE QTY	WEIGHT
12 pair	37 lbs

WI-6040-MA-PH Black w/stainless steel screws WI-6040-MA-SS Black w/stainless steel self-drilling screws WI-6040-MA-W-PH White w/stainless steel screws WI-6040-MA-SSW White w/stainless steel self-drilling screws




MIXED PROFILE DESIGN

NW171SCP4-SSB Black w/stainless steel screws NW171SCP4-SSBD Black w/stainless steel self-drilling screws NW171SCP4-SSW White w/stainless steel screws NW171SCP4-SSWD White w/stainless steel self-drilling screws

CASE QTY	WEIGHT
12 pair	26 lbs





SMALL PROFILE DESIGN

NW171SCP5-SSB Black w/stainless steel screws NW171SCP5-SSBD Black w/stainless steel self-drilling screws NW171SCP5-SSW White w/stainless steel screws NW171SCP5-SSWD White w/stainless steel self-drilling screws


CASE QTY	WEIGHT
12 pair	29 lbs

WI-62SC-SS Black w/stainless steel self-drilling screws

	•
CASE QTY	WEIGHT
30 pair	17 lbs







ADJUSTABLE ALUMINUM/ZINC SELF-CLOSING HINGES

FULLY ADJUSTABLE HINGE

- ▶ Post flange: 5"(H) x 3.88"(W) x 1.62"(D)
- ▶ Gate flange: 5"(H) x 3"(W) x 1.62"(D)
- ▶ Aluminum leaf with Zinc die cast back plate
- ▶ Enclosed spring with tension adjustment
- ▶ Stainless steel screws included
- Back plates allow horizontal and vertical adjustability

CASE QTY	WEIGHT
10 pair	39 lbs

NW093V-26 Black NW093V-56 White



ADJUSTABLE STAINLESS STEEL/NYLON SELF-CLOSING HINGES

NARROW TO NARROW

- ▶ Both flanges: 3"(H) x 3"(W) x 1.5"(D)
- ▶ Horizontally adjustable
- ▶ Stainless steel screws included

CASE QTY	WEIGHT
20 pair	27 lbs

HBH1SC-SSB Black





HORIZONTALLY ADJUSTABLE STAINLESS STEEL SELF-CLOSING HINGES





STANDARD TO STANDARD

- ▶ Both flanges: 3"(H) x 3"(W) x 3"(D)
- ▶ Horizontally adjustable
- ▶ Stainless steel screws included

CASE QTY	WEIGHT
12 pair	25 lbs

NW38952SCR-BCP Black

STANDARD TO NARROW

- ▶ Post flange: 3"(H) x 3"(W) x 3"(D)
- ▶ Gate flange: 3"(H) x 3"(W) x 1.25"(D)
- ▶ Horizontally adjustable
- ▶ Stainless steel screws included

CASE QTY	WEIGHT
12 pair	23 lbs

NW38953SCR-BCP Black NW38953SCR-WCP White

WRAP AROUND

▶ Enclosed spring with tension adjustment

CASE QTY	WEIGHT
12 pair	34 lbs

NW6082SCP-SSB Black - for 1-3/4" gate frames NW6082ASCP-SSB Black - for 1-1/2" gate frames NW6082BSCP-SSB Black - for 2" gate frames





Post flange: 1.25"(D)

U-shaped for added strength

WRAP AROUND "U-NOTCH"

▶ U-Notch style wrap around hinges

CASE QTY	WEIGHT
12 pair	37 lbs

WI-6022-MA-SS Black - for 2" gate frames WI-6022-MA-SSW White - for 2" gate frames



"T" HINGE

- ▶ Heavy-duty spring
- ▶ Stainless steel, powder coated
- ▶ Easy tension adjustment
- ▶ Allen wrench included
- ▶ Larger easy to hold pin

CASE QTY	WEIGHT
12 pair	40 lbs

NWSS-HDT-SC-BK Black w/stainless steel screws
NWSS-HDT-SC-BKD Black w/stainless steel self-drilling screws







V-Notch

HEAVY-DUTY SELF-CLOSING HINGES

- ▶ Stainless steel, powder coated
- ▶ Easy tension adjustment
- ▶ Allen wrench included
- ▶ Larger easy to hold pin

CASE QTY	WEIGHT
12 pair	40 lbs

NWSS-HD-SC-BK Black w/stainless steel screws NWSS-HD-SC-BKD Black w/stainless steel self-drilling screws

(i) Large and Heavy-duty

ADJUSTABLE STAINLESS STEEL NON SELF-CLOSING HINGES

STANDARD TO NARROW

- ▶ Post flange: 4"(H) x 4"(W) x 4"(D)
- ▶ Gate flange: 4"(H) x 4"(W) x 1.5"(D)
- ▶ Horizontally adjustable
- ▶ Stainless steel screws included

CASE QTY	WEIGHT
12 pair	49 lbs

NW172-SSB Black





STANDARD TO NARROW

- ▶ Post flange: 3.5"(H) x 3.12"(W) x 3.12"(D)
- ▶ -Gate flange: 3.5"(H) x 3.12"(W) x 1.41"(D)
- ▶ -Heavy-Duty 5/8" threaded rod
- ▶ -Horizontally adjustable
- ▶ -Stainless steel screws included

CASE QTY	WEIGHT
10 pair	45 lbs

NW6159-SSB Black w/stainless steel screws NW6159-SSBD Black w/stainless steel self-drilling screws





STANDARD TO STANDARD

- ▶ Both flanges: 3.5"(H) x 3.25"(W) x 3.25"(D)
- ▶ Minimum gate frame or post size is 3.5"(W) x 3.5"(D)
- ▶ Horizontally adjustable

CASE QTY	WEIGHT
12 pair	43 lbs

NW38950NSSB Black with stainless steel screws
NW38950NSSBD Black with stainless steel self-drilling screws
NW38950NSSW White with stainless steel screws
NW38950NSSWD White with stainless steel self-drilling screws

STANDARD TO NARROW

- ▶ Post flange: 3.5"(H) x 3.25"(W) x 3.25"(D)
- ▶ Gate flange: 3.5"(H) x 3.25"(W) x 1.5"(D)
- ▶ Horizontally adjustable

CASE QTY	WEIGHT
12 pair	38 lbs

NW38951NSSB Black w/ stainless steel screws NW38951NSSBD Black w/ stainless steel self-drilling screws NW38951NSSW White w/ stainless steel screws NW38951NSSWD White w/ stainless steel self-drilling screws

SV38965-BK Black SV38965-WH White

Similar to NW38951NSS above but with Zinc plated steel and Narrow to Narrow flanges

WRAP AROUND

- ▶ Post flange: 3.5"(H) x 3.5"(W) x 3.5"(D)
- ▶ For 1-3/4" gate frames only
- ▶ Horizontally adjustable
- ▶ Stainless steel screws included
- ▶ 8 case minimum order

CASE QTY	WEIGHT
12 pair	38 lbs

NW38955-SSB Black NW38955-SSW White

ADJUSTABLE HEAVY-DUTY STAINLESS STEEL HINGE

- ▶ Both flanges: 3.5"(H) x 3.12"(W) x 3.12"(D)
- ▶ Heavy-duty 5/8" threaded rod
- ▶ Horizontally adjustable

CASE QTY	WEIGHT
10 pair	49 lbs

NW38954-SSB Black w/ stainless steel screws NW38954-SSBD Black w/ stainless steel self-drilling screws

SUPER-DUTY 3-SIDED

- ▶ Use for 5" x 5" post and fence gate only
- ▶ Both flanges: 3.5"(H) x 3.5"(W) x 5"(D)
- ▶ Horizontally adjustable
- ▶ Packaged with stainless thru bolts, nuts and washers

CASE QTY	WEIGHT
5 pair	38 lbs

NW6056-BK Black

ideal for Post & Rail or Commercial Applications

Matching latch (NW6057-BK) found on page 39















STAINLESS STEEL GATE LATCHES

LOCKABLE BOTH SIDES

- ▶ Strike flange: 1.75"(W) x 3.5"(H) x 1.25"(D)
- ▶ Latch flange: 2.5"(W) x 5.5"(H) x 1.5"(D)
- ▶ Allows entry from both sides
- ▶ Mounts around corner of post and gate frame
- ▶ Pad-lockable on both sides up to 5" post
- ▶ .63" Strike Bar
- ▶ Return spring for reversible mounting
- ▶ Stainless steel screws included

CASE QTY	WEIGHT
20	36 lbs

NW38308NUA-SSB Black NW38308NUA-SSW White NW38308NUA-SSRC Copper NW38308NUA-SSBD



(i) Special Finish Available

Brushed Copper Finish may be ordered in less than box quantity.

RESIDENTIAL PADDLE LATCH

WI-RPL-SS Black

WI-RPL-SS-W White

- ▶ Allows entry from both sides
- ▶ U style Notch on the front plate
- ▶ Pad-lockable on both sides up to 5" post
- ▶ Return spring for reversible mounting
- ▶ Stainless steel self-drilling screws included

CASE QTY	WEIGHT
25	40 lbs

WI-SPLDL Black

WI-SPLDL-W White

- ▶ Allows entry from both sides
- ▶ U style Notch on the front plate
- ▶ Pad-lockable on both sides up to 5" post
- ▶ Return spring for reversible mounting
- ▶ Stainless steel self-drilling screws included

CASE QTY	WEIGHT
20	49 lbs

WI-SPLDL-PH-SK

- ▶ Same as above but with Slotted keeper
- Stainless steel screws included

CASE QTY	WEIGHT
20	44 lbs

LOCKABLE ONE SIDE

NW38308NU-SSB Black w/stainless steel screws NW38308NU-SSBD Black w/stainless steel self-drilling screws NW38308NU-SSW White w/stainless steel screws NW38308NU-SSWD White w/stainless steel self-drilling screws

▶ Same as NW38308NUA above but Pad-lockable on one side only

CASE QTY	WEIGHT
20	35 lbs

SV38308-BK Black SV38308-WH White

▶ Same as NW38308NU above but with Zinc plated steel with Black finish

CASE QTY	WEIGHT
20	34 lbs









STAINLESS STEEL GATE LATCH LOCKABLE BOTH SIDES

- ▶ Strike flange: 3.12"(W) x 3.5"(H) x 1.38"(D)
- ▶ Latch flange: 1.88"(W) x 5.5"(H) x 1.5"(D)
- ▶ Mounts around corner of post and gate frame
- ▶ Pad-lockable on both sides Locking slide switch on latch arm
- ▶ Allows entry from both sides
- ▶ Reversible mounting (right or left handed)
- ▶ .63" Strike bar
- ▶ Stainless steel screws included

CASE QTY	WEIGHT
20	44 lbs

NW6255-SD-BK Black NW6255-SD-WH White NW6255-ZD-WH White NW6255-ZD-BK Black

▶ Pad-lockable on both sides

CASE QTY	WEIGHT
20	33 lbs

WI-6001-SS Black w/stainless steel screws WI-6001-SSW White w/stainless steel screws





STAINLESS STEEL CONTEMPORARY GATE LATCH

- ▶ Strike flange: 3.12"(W) x 3.5"(H) x 1.38"(D)
- ▶ Latch flange: 1.88"(W) x 5.5"(H) x 1.5"(D)
- ▶ Mounts around corner of post and gate frame
- ▶ Pad-lockable on both sides Locking slide switch on latch arm
- ▶ Allows entry from both sides
- ▶ Reversible mounting (right or left handed)
- ▶ .63" Strike bar

CASE QTY	WEIGHT
20	44 lbs

NW38310N-SSB Black w/stainless steel screws NW38310N-SSBD Black w/stainless steel self-drilling screws NW38310N-SSW White w/stainless steel screws NW38310N-SSWD White w/stainless steel self-drilling screws



STAINLESS STEEL CONTEMPORARY GATE LATCH WITH STOP

- ▶ Strike flange: 3.12"(W) x 3.5"(H) x 1.38"(D)
- ▶ Latch flange: 1.88"(W) x 5.5"(H) x 1.5"(D)
- ▶ Mounts around corner of post and gate frame
- ▶ Pad-lockable on both sides Locking slide switch on latch arm
- ▶ Allows entry from both sides
- ▶ Reversible mounting (right or left handed)
- ▶ .63" Strike bar
- ▶ Stainless steel screws included

CASE QTY	WEIGHT
20	44 lbs

NW38310NS-SSB Black NW38310NS-SSBD Black



STAINLESS STEEL GRAVITY LATCHES

- Strike flange: 3"(H) x 3"(W) x 1.25"(D)
- ▶ Latch flange: 3"(H) x 3"(W) x 1"(D)
- ▶ Reversible mounting (right or left hand)
- ▶ Mounts around corner of post and gate frame
- ▶ Pad-lockable on one side
- ▶ .38" Strike bar
- ▶ Stainless steel screws included

CASE QTY	WEIGHT
25	25 lbs

NW38210SSB Black
NW38210SSW White



2-SIDE ACTIVATED LATCHES

NARROW STRIKE FLANGE

- ▶ Strike flange is 2"(W) x 3.5"(H) x 1.38"(D)
- ▶ Allows entry from both sides
- ▶ Mounts around corner of post and gate frame
- ▶ Pad-lockable on one side
- ▶ .38" ball-tipped striker bar

CASE QTY	WEIGHT
40	30 lbs


NW6068-SSB Black w/stainless steel screws NW6068-SSBD Black w/stainless steel self-drilling screw NW6068-SSW White w/stainless steel screws NW6068-SSWD White w/stainless steel self-drilling screws



► Same as NW6068 above but with a 1-1/2" longer thumb latch and return spring

CASE QTY	WEIGHT
40	37 lbs

NW6068AL-SSB Black NW6068AL-SSW White



DUAL ACTION LATCH

- ▶ Larger keeper assembly base than NW6068
- ▶ Allows entry from both sides
- ▶ Pad-lockable on one side

CASE QTY	WEIGHT
20	40 lbs

WI-SS-DAL Black w/stainless steel screws



HIDDEN SPRING LATCHES

- ▶ Suitable for 1-1/4" 2-1/2" gate frames
- ▶ Can be used for Double Drive Gates
- ▶ Pad-Lockable on both sides

CASE QTY	WEIGHT
20	25 lbs

NW6283-SSBD Black w/stainless steel self-drilling screws included NW6283-SSWD White w/stainless steel self-drilling screws included



NARROW GAP DESIGN

▶ Allows for tighter gate gaps

CASE QTY	WEIGHT
40	29 lbs

NW6268-SSB Black w/stainless steel screws NW6268-SSBD Black w/stainless steel self-drilling screws NW6268-SSW White w/stainless steel screws NW6268-SSWD White w/stainless steel self-drilling screws

MINI STAINLESS STEEL LATCH

- ▶ Allows entry from both sides
- ▶ Pad-lockable on one side

CASE QTY	WEIGHT
50	40 lbs

WI-PLVL-SS Black w/stainless steel screws WI-PLVL-SSW White w/stainless steel screws

WIDE STRIKE FLANGE

- ▶ Strike bar flange: 3.5"(W) x 3.5"(H) x 1.38"(D)
- ▶ Allows entry from both sides
- ▶ Pad-lockable on one side
- ▶ .38" ball tipped strike bar
- ▶ Stainless steel screws included

CASE QTY	WEIGHT
40	36 lbs

NW170SB-SSB Black NW170SB-SSW White

FLIP LATCH

- ▶ Great for dumpster use
- ▶ Pad-lockable
- ▶ Zinc plated steel with black powder coated finish
- ▶ Stainless steel through-bolt hardware included

CASE QTY	WEIGHT
10	37 lbs

NW6169-BK

- ▶ Teflon Coated
- ▶ Pad-lockable

CASE QTY	WEIGHT
12	56 lbs

WI-DGFL









HEAVY-DUTY STAINLESS STEEL GRAVITY LATCHES

1-SIDED NARROW TO NARROW

- ▶ Strike flange: 3"(H) x 3"(W) x 1.25"(D)
- ▶ Latch flange: 3"(H) x 3"(W) x 1"(D)
- ▶ Reversible mounting (right or left hand)
- ▶ Pad-lockable on one side
- ▶ .40" Strike bar
- ▶ Stainless steel screws included

CASE QTY	WEIGHT
10	17 lbs

NW6160-SSB Black



2-SIDED STANDARD TO STANDARD

CASE QTY	WEIGHT
10	24 lbs

NW6100-BK Black

NARROW TO NARROW

CASE QTY	WEIGHT
10	14 lbs

NW6161-SSB Black



POST AND RAIL LATCHES

- ▶ For use on 1 1/2" rail
- ▶ Great for Horse and Cattle gates
- ▶ Stainless steel screws included

CASE QTY	WEIGHT
12	34 lbs

NW175-SSB Black



Heavy-duty Spring Loaded Strike Bar

SUPER-DUTY 3-SIDED STAINLESS STEEL LATCHES

- ▶ For use on 5" x 5" post and fence gate only
- ► Flange: 3.5"(H) x 5"(W) x 3.38"(D)
- ▶ Reversible mounting (right or left hand)
- ▶ Pad-lockable on one side
- ▶ Packaged with stainless thru bolts, nuts and washers

CASE QTY	WEIGHT
10	35 lbs

NW6057-BK Black

Matching hinge (NW6056-BK) found on page 34



HEAVY-DUTY DROP RODS

24" STAINLESS STEEL

CASE QTY	WEIGHT
20	55 lbs

NW38305N-24SSB Black * NW38305N-24SSBD Black ** NW38305N-24SSW White * NW38305N-24SSWD White **

36" STAINLESS STEEL

CASE QTY	WEIGHT
10	39 lbs

NW38305N-36SSB Black * NW38305N-36SSBD Black ** NW38305N-36SSW White * NW38305N-36SSWD White **



36" ZINC PLATED STEEL

CASE QTY	WEIGHT
10	39 lbs

NW38305N-36B Black NW38305N-36W White

48" STAINLESS STEEL

CASE QTY	WEIGHT
10	39 lbs

NW38305N-48SSB Black * NW38305N-48SSBD Black ** NW38305N-48SSW White * NW38305N-48SSWD White **

- ▶ 5/8" diameter
- Screws included
- Dual guides
- ▶ Pad-lockable
- ▶ Retention-ears for theft prevention

^{*}w/stainless steel screws **w/stainless steel self-drilling screws



STAINLESS STEEL KEY LOCKING DROP RODS

NW38305KL-18-4D Black

CASE QTY	WEIGHT
10	23 lbs

NW38305KL-24SSB Black NW38305KL-24-4D

CASE QTY	WEIGHT
10	23 lbs

36"

NW38305KL-36SSB Black NW38305KL-36SSW White NW38305KL-36-4D

CASE QTY	WEIGHT
10	36 lbs

- Add the appeal of a key lock to your drop rod
- ► Anti-theft protection
- ▶ The handle & brackets are made of low-maintenance, glass filled nylon
- ▶ The rods are 300 series stainless steel
- ▶ Available with Black or White brackets
- ▶ 2-sided bracket attachment
- ▶ Stainless steel screws included

All Lockable Drop Rods Can Be Keyed Alike

Comfortable, easy to use handle

STAINLESS DROP RODS WITH HOLDER



NW38305H-24SSB Black * NW38305H-24SSBD Black ** NW38305H-24SSW White * NW38305H-24SSWD White **

CASE QTY	WEIGHT
20	53 lbs

NW38305H-36SSB Black * NW38305H-36SSBD Black ** NW38305H-36SSW White * NW38305H-36SSWD White **

CASE QTY	WEIGHT
10	36 lbs



NW38305H-48SSB Black * NW38305H-48SSBD Black ** NW38305H-48SSW White * NW38305H-48SSWD White **

CASE QTY	WEIGHT
10	44 lbs

- ▶ No locking nibs
- ▶ Includes holder for "up" position



Designed with multiple "set"

points for desired

height when in

the "up" position

*w/stainless steel screws **w/stainless steel self-drilling screws

COMMERCIAL DROP RODS

NW6270-24BK Black
NW6270-24HDG Hot Dip Galvanized

CASE QTY	WEIGHT
10	46 lbs

NW6270-36BK Black
NW6270-36HDG Hot Dip Galvanized

CASE QTY	WEIGHT
10	55 lbs



CASE QTY	WEIGHT
5	36 lbs

- ▶ Heavy-duty 1" O.D. drop rod
- > Zinc plated, powder coated steel
- ▶ Through bolt design
- ▶ Can be used on vinyl, wood, aluminum or steel gates



COMMERCIAL PAD-LOCKABLE DROP RODS

24" NW6270L-24BK Black

NW6270L-24HDG Hot Dip Galvanized

CASE QTY	WEIGHT
10	46 lbs

NW6270L-36BK Black NW6270L-36HDG Hot Dip Galvanized

CASE QTY	WEIGHT
10	55 lbs



CASE QTY	WEIGHT
5	36 lbs



Padlocks not included

9" STAINLESS STEEL GATE HANDLES

- Screws included
- ▶ Also available in quantities of 50

CASE QTY	WEIGHT
100	24 lbs

NW38396-SSB Black NW38396-SSW White





6" STAINLESS STEEL GATE HANDLES

- ▶ Stainless steel screws included
- ▶ Also available in quantities of 50

CASE QTY	WEIGHT
100	19 lbs

NW257-SSB Black NW257-SSW White



NYLON GATE HANDLES WITH BUMPER

- ▶ Made with durable glass-filled nylon with UV inhibitors
- ▶ Flanges are each 2"(W) x 1.75"(D) for durable attachment
- ▶ Overall height is 4.5" and handle is 1" deep
- ▶ Rubber pad backing absorbs gate slamming shock, reducing latch wear
- Very comfortable and easy to grasp
- ▶ Stainless steel screws included

CASE QTY	WEIGHT
50	25 lbs

WI-NGH-SB Black
WI-NGH-SB-WH White



NYLON GATE BUMPERS

- ▶ Made with durable glass-filled nylon with UV inhibitors
- ▶ Flanges are each 2"(W) x 1.75"(D) for durable attachment
- ▶ Overall height is 4.5"
- ▶ Stainless steel screws included

CASE QTY	WEIGHT
50	22 lbs

NW6186-SD-BK Black NW6186-SD-WH White



NYLON GATE HANDLES

- ▶ Made with durable glass-filled nylon with UV inhibitors
- ▶ Flanges are each 1.5"(W) x 1.25"(D) for durable attachment
- ▶ Overall height is 5" and handle is .75" deep
- Very comfortable and easy to grasp

CASE QTY	WEIGHT
50	8 lbs

NW314S-BK w/S.S. screws Black NW314S-WH w/S.S. screws White NW314-BK w/o screws Black NW314-WH w/o screws White

STAINLESS STEEL GATE HANDLES

- ▶ 2-Sided Attachment
- ▶ Modern Design
- ▶ Stainless steel screws included

CASE QTY	WEIGHT
100	35 lbs

NW6184-BK Black NW6184-WH White













NW6132-BK Black NW6132-WH White (i) Guards Against Sagging and Warping

PATENT PENDING

GATE BRACES ▶ Aluminum brace

▶ Fits 4' x 4' to 6' x 6' gates CASE QTY

10

▶ Available in powder-coated black or white

WEIGHT

25 lbs

GATE SAVER PRO

NW-GSP2-BK - Gate Saver Pro - Black NW-GSP2-WH - Gate Saver Pro - White

- ▶ Prevents and Fixes Sagging on Wooden and Vinyl Gates
- ▶ Accommodates wood gates from 36" to 72" wide

CASE QTY	WEIGHT
6	20 lbs

GATE WHEELS

- ▶ Stainless steel bracket and spring
- ▶ Swivel design for ease of use
- > 2-sided attachment for added strength
- Nationwide's custom V-notch™ styling
- ▶ May be used on any square profile
- ▶ Powder-coated finish
- ▶ Stainless steel screws included
- ▶ Easily reversible for use on left or right-handed gates

CASE QTY	WEIGHT
10	38 lbs

GW1-SS-BK Black **GW1-SS-WH** White

STAINLESS STEEL GATE ANTI-SAG KITS



NW38309-SSM

- ▶ Stainless steel attachment screws included
- ▶ Cable length is 9'

CASE QTY	WEIGHT
50	33 lbs

STEEL ANTI-SAG KITS



Steel Cable with Black Plastic Coating NW6296-CL

Steel Cable with Clear Plastic Coating

CASE QTY	WEIGHT
50	31 lbs

NW6296-WH Steel Cable with White Plastic Coating ▶ Cable Length is 9'

GALVANIZED STEEL GATE POST STIFFENERS

- ▶ Cost-effective
- ▶ Packaged in pairs
- ▶ No minimum order requirements

Great Alternative to Aluminum

Number	Size	Oty/Weight
NW6146-096	5" Profile 96" Height	2/Case @ 49 lbs
NW6146-108	5" Profile 108" Height	2/Case @ 55 lbs



Allows for 2-sided attachment of hardware

ALUMINUM GATE POST STIFFENERS

3950-96


5" Profile 96" Height "A" Beam Shape

BUNDLE QTY	WEIGHT
30	492 lbs




5" Profile 108" Height "A" Beam Shape

BUNDLE QTY	WEIGHT
30	554 lbs




ALUMINUM EXTRUSION





Please contact customer service for bundle quantities. Special order.

WI-E-I168-96 - 1.68" H x 1.28" W x 96" insert



3007-93 - 93" Aluminum Extrusion **3007-96** - 96" Aluminum Extrusion



WI-E-GPI5X5-96 - 96" Gate Post Insert WI-E-GPI5X5-108 - 108" Gate Post Insert

ALUMINUM GATE POST STIFFENERS


NW6350-096

5" Profile 96" Height "A" Beam Shape

NW6350-108

5" Profile 108" Height "A" Beam Shape

BUNDLE QTY	
30	




NW6351-096

5" Profile 96" Height "I" Beam Shape

NW6351-108

5" Profile 108" Height "I" Beam Shape

BUNDLE QTY
35



2632-SL-96

5" Profile 96" Height


"I" Beam Shape

2632-SL-108

5" Profile 108" Height

"I" Beam Shape





2633-72*

4" Profile 72" Height "I" Beam Shape


2633-84*

4" Profile 84" Height "I" Beam Shape

2633-96*

4" Profile 96" Height "I" Beam Shape

BUNDLE QTY	
36	



POST MOUNT BRACKET SETS


- ▶ Brackets are made of extruded aluminum
- ► Each kit includes 2 full brackets with four 3" stainless steel shoulder bolts and nuts

CASE QTY	WEIGHT
50 sets	33 lbs


▶ Code compliant within complete railing system

▶ Brackets come attached to post for easy installation

NW6011 - Adapts a 1-5/8" round post for a 4" x 4" vinyl fence post NW6012 - Adapts a 1-7/8" round post for a 5" x 5" vinyl fence post NW6013 - Adapts a 1-7/8" round post for a 4" x 4" vinyl fence post NW6014 - Adapts a 1-5/8" round post for a 5" x 5" vinyl fence post







For 4" or 5" Posts For 4" Posts

CONCRETE1

Concrete screws: 4 per pack

CASE QTY	WEIGHT
50	26 lbs

LEVKIT1

Leveling Kit - SS plate and steel nuts & bolts: 1 each

CASE QTY	WEIGHT
100	39 lbs

WOOD1

Wood Mounting Kit - 2 steel plates and 4 carriage bolts & nuts: 1 each

CASE QTY
10

NEW! POST-TO-PIPE & POST COLLARS

VINYL RAILING POST MOUNTS

▶ Saves installation time

▶ Available in 36" and 42" heights

All Components Available Individually

RPM SERIES

NW-PLC

- ▶ For a 5" PVC post
- ▶ Fits a 2-3/8" pipe

CASE QTY	WEIGHT
48	20 lbs



NW-TRT

▶ Fits 5" Vinyl Posts

CASE QTY	WEIGHT
100	13 lbs



VINYL RAILING SUPPORT TOWERS

- ▶ All towers have a wall thickness of .110"
- ▶ Will accommodate line, corner and 'T' post applications
- ▶ Includes snug-fit wedge for post thickness variations

CASE QTY	WEIGHT
8	48 lbs

NW40001-4 - 3-5/8" x 20" Zinc plated steel NW40001-5 - 4-5/8" x 20" Zinc plated steel



WI-VFP-4425-ZP - 4.425" Zinc Plated Tower **WI-VFP-4625-ZP** - 4.625" Zinc Plated Tower

NW3004 - 3-5/8" x 20" Zinc plated steel

NW3005 - 4-5/8" x 20" Zinc plated steel

 Same as NW40001s above but with concrete anchor and adjustable leveling plate kit

 Comes with concrete anchors and adjustable leveling plate kit

CASE QTY	WEIGHT
6	24 lbs






BRACKET TO ATTACH ROUND HANDRAILS

▶ Aluminum and Powder Coated

CASE QTY	WEIGHT
50	22 lbs

NW6267 White





PATENTED

SHOTGUN® GATE CLOSER

CONTROLLED CLOSING POWER TO AVOID GATE SLAMMING

- One SKU closes any gate up to 250 lbs*
- ▶ Anti-slam technology
- ▶ Adjustable closing speed
- No oil therefore no leaks

CASE QTY	WEIGHT
10	67 lbs

SHOTGUN-BK Black SHOTGUN-SC Satin Chrome

*Tested on a 6' high, 6' wide. Needs a gate stop at 90 degrees



STAINLESS STEEL 13" GATE SPRINGS

NW198-SSB Black NW198-SSW White

▶ Stainless steel screws included

CASE QTY	WEIGHT
20	42 lbs



PVC CAPS AND ACCESSORIES

All PVC caps and accessories are available in White (WH), Almond (AL) and Khaki (KK). Some SKU's may have a short special order lead time for colors. Check with Customer Service for availability.



EXTERNAL HORSE FLAT POST CAP

- ▶ 4" long lipped cap external fit
- ► Corner radius: .17"
- ▶ Extends: .87" over the profile
- ▶ Total height: 1.5"

CASE QTY	WEIGHT
204	32 lbs

VPC-EXHFL4-WH-2 White

- ▶ 5" long lipped cap external fit
- ▶ Corner radius: .17"
- ▶ Extends: 1" over the profile
- ▶ Total height: 1.9"

CASE QTY	WEIGHT
136	39 lbs

▶ VPC-EXHFL5-WH-2 White



NEW ENGLAND POST CAP

- ▶ 4" square cap external fit
- ▶ Corner radius: .13"
- ▶ Extends: 1" over the profile
- ▶ Total height: 1.8"

CASE QTY	WEIGHT
28	11 lbs

VPC-NWENG4-WH-2 White

- ▶ 5" square cap external fit
- ▶ Corner radius: .16"
- ▶ Extends: 1.3" over the profile
- ▶ Total height: 2.2"

CASE QTY	WEIGHT
24	16 lbs

VPC-NWENG5-WH-2 White



CAPE COD POST CAP

- ▶ 4" cap external fit
- ▶ Inside corner radius: .125"
- ▶ Extends: 1.03" over the profile
- ▶ Total height: 2.55"

CASE QTY	WEIGHT
24	12 lbs

VPC-CC4-WH-2 (White)

- ▶ 5" cap external fit
- ▶ Inside corner radius: .19"
- ▶ Extends: 1.28" over the profile
- ▶ Total height: 2.74"

CASE QTY	WEIGHT
24	17 lbs

VPC-CC5-WH-2 (White)

WHITE SOLAR LIGHT WITH WHITE TOP

- ▶ 4" x 4" cap external fit
- ▶ Total height: 4.75"

CASE QTY	WEIGHT
12	21 lbs

VPL-SOL4-WH-2 (White)

- ▶ 5" x 5" cap external fit
- ▶ Total height: 5.25"

CASE QTY	WEIGHT
12	22 lbs

VPL-SOL5-WH-2 (White)





Top easily removes to access batteries. No need to remove entire light from post.



EXTERNAL SHORT LIP POST CAP

- ▶ 4" short lipped cap external fit
- ▶ Inside corner radius: .17"
- ▶ Extends: .54" over the profile
- ▶ Total height: 1.35"

CASE QTY	WEIGHT
120	13 lbs

VPC-SLEXHFL4-WH-2 (White)



GOTHIC POST CAP

VPC-GOTH4-WH-2 (WI-PVC-GC4-W) White

- ▶ 4" cap external fit
- ▶ Corner radius: .06"
- ▶ Extends: 1.4" over the profile
- ▶ Total height: 7.8"

CASE QTY	WEIGHT
45	25 lbs

VPC-GOTH5-WH-2 (WI-PVC-GC5-W) White

- ▶ 5" cap external fit
- ▶ Corner radius: .03"
- ▶ Extends: 1.6" over the profile
- ▶ Total height: 9.64"

CASE QTY	WEIGHT
48	44 lbs



1-1/2" SQUARE SHARP POINT PYRAMID PICKET CAP

- ▶ 1-1/2" x 1-1/2" cap internal fit
- Min. inside profile dim: 1.35" x 1.35"
- ▶ Corner radius: .11"
- ▶ Extends: .6" into the profile
- ▶ Total height: 1.4"

CASE QTY	WEIGHT
500	11 lbs

VPKT-SHPSQN-WH-2 (White)



7/8" x 3" SHARP POINT/ SPADE PICKET CAP

- ▶ 7/8" x 3" cap internal fit
- Min. inside profile dim: .73" x 2.85"
- ► Corner radius: .125"
- ▶ Extends: .8" into the profile
- ▶ Total height: 2.82"

CASE QTY	WEIGHT
250	13 lbs

VPKT-SHP3N-WH-2 (White)



FEDERAL POST CAP

▶ 5" Federal Post Cap

CASE QTY	WEIGHT
36	42 lbs

WI-PVC-FED5-W (White)



7/8" x 1-1/2" SHARP POINT/ SPADE PICKET CAP

- ▶ 7/8" x 1-1/2" cap internal fit
- Min. inside profile dim: .74" x 1.36"
- ▶ Corner radius: .125"
- ▶ Extends: .9" into the profile
- ▶ Total height: 2.4"

CASE QTY	WEIGHT
500	14 lbs

VPKT-SHP150N-WH-2 (White)



7/8" x 3" DOG EAR PICKET CAP

- ▶ 7/8" x 3" cap internal fit
- Min. inside profile dim: .73" x 2.85"
- ▶ Corner radius: .125""
- ▶ Extends: .8" into the profile
- ▶ Total height: 1.8"

CASE QTY	WEIGHT
300	13 lbs

VPKT-DGR3N-WH-2 (White)



2" x 3-1/2" STRAIGHT BRACKET SET

Inside Dimensions: 2" x 3-1/2"Inside corner radius: .125"

▶ Overall dimensions: 3.75" x 5.2"

Screws included

CASE QTY	WEIGHT
24 kits (2 per kit)	16 lbs

VBKT-L235-WH-2 (White)





2" x 3-1/2" STAIR BRACKET SET

► Inside Dimensions: 2" x 3-1/2" ► Inside corner radius: .125"

▶ Overall dimensions: 3.75" x 5.2"

Screws includedDegree of angle: 31-38°

CASE QTY	WEIGHT
24 kits (2 per kit)	16 lbs

VBKT-S235-WH-2 (White)





T-RAIL STRAIGHT BRACKET SET

- ▶ Overall dimensions: 3.75" x 5.2"
- Screws included

CASE QTY	WEIGHT
24 kits (2 per kit)	16 lbs

VBKT-LTRL-WH-2 (White)



NEW ENGLAND POST SKIRT

4" post skirt - external fit
Corner radius: .125"
Total height: 1.30"
Overall outside dim: 5.49"

CASE QTY	WEIGHT
40	9 lbs

VPS-NWENG4A-WH-2 (White)

▶ 5" post skirt – external fit
▶ Corner radius: .125"
▶ Total height: 1.62"

▶ Overall outside dim: 6.77"

CASE QTY	WEIGHT
40	15 lbs

VPS-NWENG5A-WH-2 (White)



2-PIECE POST SKIRT

▶ 4" two piece post skirt – external fit

➤ Corner radius: .125"
➤ Total height: 1.3"

▶ Overall outside dim: 5.49"

CASE QTY	WEIGHT
50	9 lbs

VPS-2PC4-WH-2 (White)



HOLE PLUG

▶ Fits into a 5/8" hole

CASE QTY	WEIGHT
500	2 lbs

VHP-580-WH-2 (White)







T-RAIL STAIR BRACKET SET

- ▶ Overall dimensions: 3.75" x 5.2"
- ▶ Screws included
- ▶ Degree of angle: 31-38°

CASE QTY	WEIGHT
24 kits (2 per kit)	18 lbs

VBKT-STRL-WH-2 (White)



3-1/2" RAIL END CAP

- ▶ 2" x 3-1/2" cap external fit
- ▶ Cap lip 0.56"

CASE QTY	WEIGHT
100	6 lbs

VREC-350-E-WH-2 (White)

- ▶ 2" x 3-1/2" cap internal fit
- ▶ Min. inside profile dim: 1.78" x 3.3"
- ▶ Corner radius: .25"
- ▶ Extends: .62" into the profile
- ▶ Total height: .72"

CASE QTY	WEIGHT
200	9 lbs

VREC-350-B-WH-2 (White)



GATE SOCKETS

▶ Dimensions: 1-1/2" x 5-1/2" x 4"

CASE QTY	WEIGHT
40	15 lbs

VACC-GS-55-WH-2 (White)

▶ Dimensions: 2" x 3-1/2" x 4"

CASE QTY	WEIGHT
48	22 lbs

VACC-GS-35-WH-2 (White)

RAIL MOUNTS

▶ Dimensions: 1-1/2" x 5-1/2" x 4"

CASE QTY	WEIGHT
64	24 lbs

VACC-RM-A-WH-2 (White)

▶ Dimensions: 2" x 3-1/2" x 4"

CASE QTY	WEIGHT
78	36 lbs

VACC-RM-B-WH-2 (White)

Dimensions: 2" x 6" x 4"

CASE QTY	WEIGHT
64	41 lbs

VACC-RM-C-WH-2 (White)

▶ Dimensions: 1-3/4" x 5-1/2" x 4"

CASE QTY	WEIGHT
64	30 lbs

VACC-RM-D-WH-2 (White)





▶ 1/4" Hand Held Snap Lock Tool

CASE QTY	WEIGHT
1	21 lbs

VT-HHSLT



NOTCHING TOOL

▶ 3/4" Notching Tool

CASE QTY	WEIGHT
10	60 lbs

VT-3/4NOTCH

POST HOLE DIGGERS & TOOLS

▶ Wood Handle



WI-006



▶ Torque Bar

CASE QTY
1

WI-CB06



PVC GLUE

▶ 8 Ounce Tube

CASE QTY	WEIGHT
8	5 lbs

VGL-8W (White) VGL-8C (Clear)

▶ 1.5 Ounce Tube

CASE QTY	WEIGHT
24	3 lbs

VGL-15W (White) VGL-15C (Clear)





STAINLESS STEEL SCREWS

14X1HEX-SSB Black 14X1HEX-SSW White

- ▶ #14 Hex-head by 1" 316 Stainless steel self-drilling
- ▶ Each packet contains 30 screws

14X3/4PHILPANSS Black 14X3/4PHILPANSW White

- ▶ #14 Philips Pan-head by 3/4"
- ▶ Each packet contains 30 screws

WI-HWH-SSB Black WI-HWH-SSW White

- ▶ #14 Hex-head by 1" 410 Stainless steel self-drilling
- ▶ 4,000 each per case



RIVETS

NW6199-MI Mill NW6199-WH White NW6199-TN Tan

▶ 3/16" x .8"

CASE QTY	WEIGHT	
5,000	23 lbs	
ADA614M Mill ADA614T Tan		
▶ 3/16" x 1"		

CASE QTY	WEIGHT
5,000	21 lbs



TABLE OF CONTENTS

Hinges	54
Brackets and Latches	64
Post Caps	66
Brackets	68
End Caps and Floor Mounts	72
Finials	76
'O' Rings, Keyless Locks, Handles	
and Drop Rods	78
Wheels, Closers and Trolleys	80



Photo courtesy of Shoreline Vinyl Systems







4" SELF-CLOSING ALUMINUM HINGE

- Post flange: 1/8"(W) x 2"(D)Gate flange: 1"(W) x 1"(D)
- ▶ Tension adjustment wrench and barrel caps included

CASE QTY	WEIGHT
50	25 lbs

NW093-26 Black NW093-36 Bronze NW093-56 White

- ▶ Both flanges: 1"(W) x 1"(D)
- ▶ Tension adjustment wrench and barrel caps included

CASE QTY	WEIGHT
50	25 lbs


NW093A-26 Black NW093A-36 Bronze NW093A-56 White

 Pairs come with pan head self-drilling stainless steel screws and instructions


CASE QTY	
25 pair	

NW093A-2S-26 Black









5" SELF-CLOSING ALUMINUM HINGE

- Post flange: 1/8"(W) x 2"(D)Gate flange: 1"(W) x 1"(D)
- ▶ Tension adjustment wrench and barrel caps included

CASE QTY	WEIGHT
50	32 lbs


NW093J-26 Black NW093J-36 Bronze NW093J-56 White

▶ Pairs come with self-drilling stainless steel screws and instructions

CASE QTY	WEIGHT
25 pair	25 lbs

NW093J-2S-26 Black NW093J-2S-36 Bronze





Also includes shim for wall-mount applications

5-3/4" SELF-CLOSING ALUMINUM HINGE

- ▶ White is Special Order
- ▶ Post flange: 1 3/4"(W) x 5/16"(D)
- ▶ Gate flange: 1"(W)
- ▶ Adjustable spring tension

CASE QTY	WEIGHT
100	55 lbs


NW094-BK Black

▶ Pairs come with self-drilling stainless steel screws and instructions

CASE QTY	WEIGHT
50 pair	49 lbs

NW094-2S-BK Black Pair





▶ Both flanges: 1-3/4"(W) x 5/16"(D)▶ Adjustable spring tension


CASE QTY	WEIGHT
100	61 lbs

NW094L-BK Black NW094L-WH White

▶ Pairs come with self-drilling stainless steel screws and instruction

CASE QTY	WEIGHT
50 pair	63 lbs

NW094L-2S-BK Black Pair



NAUTILUS* CONTROLLED CLOSING GATE HINGE


- ▶ Anti-slam technology
- Vertically and Horizontally adjustability
- ▶ Fits both right and left hand applications
- ▶ Easy to adjust closing speed

CASE QTY	WEIGHT
12 pair	27 lbs

NTLS-R-AA-BK Active-Active Hinge, Black, Right Hand NTLS-L-AA-BK Active-Active Hinge, Black, Left Hand

*Closing power of 125 lbs.





5-3/4" SELF-CLOSING ALUMINUM HINGE

NEW!

This self-closing hinge uses the same technology as the Cornerstone® 2; featuring a reliable self-closing mechanism, ensuring your gate automatically closes behind you, while in the same form factor as the standard NW096 hinge.

CASE QTY	WEIGHT
50	60 lbs

NW096-C2H-BK Black NW096-C2H-BZ Bronze

- ▶ Both flanges: 1 1/2"(W) x 5/16"(D)
- ▶ Adjustable spring tension

CASE QTY	WEIGHT
100	55 lbs

NW096-BK Black NW096-BZ Bronze NW096-WH White

▶ Pairs come with self-drilling stainless steel screws and instructions

CASE QTY	WEIGHT
50 pair	60 lbs

NW096-2S-BK Black Pair NW096-2S-BZ Bronze Pair NW096-2S-WH White Pair

- ▶ Both flanges: 1 1/2"(W) x 1 1/2"(D)
- ▶ Adjustable spring tension

CASE QTY	WEIGHT
50	42 lbs

NW095-BK Black NW095-BZ Bronze NW095-WH White

▶ Pairs come with self-drilling stainless steel screws and instructions

CASE QTY	WEIGHT
25 pair	46 lbs

NW095-2S-BK Black Pair

4" NON SELF-CLOSING ALUMINUM HINGE

CASE QTY	WEIGHT
100	39 lbs

NW149-26 Black

▶ Both flanges:


1-3/16"(W) x 1-3/16"(D)

CASE QTY	WEIGHT
50 pair	44 lbs


NW149-2S-26 Black Pair

▶ Pairs come with self-drilling stainless steel screws and instructions


















1.29


1.41

HORIZONTAL ADJUSTABLE SELF-CLOSING STAINLESS STEEL HINGE

STRONG CLOSING POWER

CASE QTY	WEIGHT
12	29 lbs

NW171SCP5-SSB Black NW171SCP5-SSBD* Black NW171SCP5-SSBZD* Bronze



SQUARE GATE HINGES - FEMALE

- ▶ Pressed Steel w/fasteners
- ▶ HDG
- ▶ 4mm

CASE QTY	WEIGHT
50 each	24 lbs

CL-5501-BK Black 1-1/4" x 1"

CASE QTY	WEIGHT
25 each	10 lbs

CL-5502-BK Black 1-1/2" x 1"

CASE QTY	WEIGHT
25 each	24 lbs

CL-5503-BK Black 2" x 1"



SQUARE GATE HINGES - MALE

- ▶ Pressed Steel w/fasteners
- ▶ HDG
- ▶ 4mm

CASE QTY	WEIGHT
50 pair	50 lbs

CL-5506-BK Black 2" x 1" CL-5507-BK Black 2-1/2" x 1" CL-5508-BK Black 3" x 1"



SQUARE COLLARS

- ▶ Pressed Steel w/fasteners
- ▶ HDG
- ▶ 4mm

CASE QTY	
50 sets	



SQUARE FORKS

- ▶ Pressed Steel w/fasteners
- ▶ HDG
- ▶ 4mm

CASE QTY 50 each

CL-7389-BK Black 1-1/4" x 1" CL-7391-BK Black 2" x 1" CL-7392-BK Black 2-1/2" x 1"



PRESSED STEEL SQUARE BRACE BANDS

▶ Available in Black



Number	CL-5095-SQ	CL-5096-SQ	CL-5097-SQ	CL-5098-SQ	CL-5101-SQ
Size	1-1/2" x 1-1/2"	2" x 2"	2-1/2" x 2-1/2"	3" x 3"	4" x 4"
Quantity	100/Case	100/Case	50/Case	50/Case	50/Case

^{* =} Self-drilling screws

FOR EACH SIDE OF THE HINGE, YOU CHOOSE:

- Aluminum or Steel material
- ▶ Bolt-on or Weld-on application
- ▶ Black or Mill (unpainted) finish

Understanding the Part Number Material: $\mathbf{A} = Aluminum$ S = Steel**Application: B** = Bolt-on $\mathbf{W} = \text{Weld-on}$ Finish: $\mathbf{B} = Black*$ $\mathbf{M} = \text{Mill}$ Yoke Body (Gate) (Post) Heavy-duty HDBY-ABB-SWM Body Yoke Alum Bolt-on Steel Weld-on Mill * Black finish on aluminum and steel is e-coated.

PATENT PENDING

HDBYSC-SWM-SWM

- ▶ Body: Steel, Weld-on, Mill
- ▶ Yoke: Steel, Weld-on, Mill
- Set includes one self-closing hinge and one dummy hinge (HDBY-SWM-SWM)






HDBY-ABB-ABB

- ▶ Body: Alum, Bolt-on, Blk
- ▶ Yoke: Alum, Bolt-on, Blk
- ▶ Gap Min: 2.7"
- ▶ Gap Max: 3.2"
- ▶ Vertical Adjustability: 0.75"
- ▶ Height: 7.2"
- ▶ Weight: 1.5 lbs each



Body - the portion of the hinge (with bearings) that rotates



Yoke - the bracket portion which holds the body

HINGE FEATURES:

- ▶ Each hinge contains 2 sealed roller bearings (no grease required)
- ▶ All hinges slotted for horizontal adjustability
- ▶ Rating: 2,500 lbs. per hinge based on factory dynamic rating of bearings**
- Assembled in the U.S.
- ▶ Warranty: Lifetime on components and 5 years on bearings
- ▶ Unpainted steel hinges are zinc plated.
- ▶ Steel weld-on body fits round or square profiles
- ▶ All hinges sold individually but packaged 8/case.
- ** On this type of hinge, the mounting bracket is the weak point (not the bearings). Nationwide Industries steel yoke is 15% thicker than competitive products reviewed.

HDBY-SWM-SWM

- ▶ Body: Steel, Weld-on, Mill
- ▶ Yoke: Steel, Weld-on, Mill
- ▶ Body fits round or square profile
- ▶ Gap Min: 2.6"
- ▶ Gap Max: 3.0"
- ▶ Hinge Height: 4.1"
- ▶ Weight: 2.3 lbs each



HDBY-ABB-SBB

- ▶ Body: Alum, Bolt-on, Blk
- Yoke: Steel, Bolt-on, Blk
- ▶ Gap Min: 3.0"
- ▶ Gap Max: 3.5"
- ▶ Hinge Height: 6.5"
- ▶ Weight: 2.5 lbs each



HDBY-ABM-ABM

- ▶ Body: Alum, Bolt-on, Mill
- ▶ Yoke: Alum, Bolt-on, Mill
- ▶ Gap Min: 2.7"
- ▶ Gap Max: 3.2"
- ▶ Vertical Adjustability: 0.75"
- ▶ Height: 7.2"
- ▶ Weight: 1.5 lbs each



HDBY-ABM-SBM

- ▶ Body: Alum, Bolt-on, Mill
- ▶ Yoke: Steel, Bolt-on, Mill
- ▶ Gap Min: 3.0"
- ▶ Gap Max: 3.5"
- ▶ Hinge Height: 6.5"
- ▶ Weight: 2.5 lbs each



HDBY-ABM-AWM

- ▶ Body: Alum, Bolt-on, Mill
- ▶ Yoke: Alum, Weld-on, Mill
- ▶ Gap Min: 2.7"
- ▶ Gap Max: 3.2"
- ▶ Hinge Height: 6.5"
- ▶ Weight: 1.4 lbs each



HDBY-ABM-SWM

- ▶ Body: Alum, Bolt-on, Mill
- ▶ Yoke: Steel, Weld-on, Mill
- ▶ Gap Min: 2.8"
- ▶ Gap Max: 3.3"
- ▶ Hinge Height: 6.5"
- ▶ Weight: 1.9 lbs each



HDBY-AWM-ABB

- ▶ Body: Alum, Weld-on, Mill
- ▶ Yoke: Alum, Bolt-on, Blk
- ▶ Gap Min: 2.4"
- ▶ Gap Max: 2.9"
- ▶ Vertical Adjustability: 0.75"
- ▶ Height: 7.2"
- ▶ Weight: 1.3 lbs each



HDBY-AWM-AWM

- ▶ Body: Alum, Weld-on, Mill
- ▶ Yoke: Alum, Weld-on, Mill
- ▶ Gap Min: 2.4"
- ▶ Gap Max: 2.9"
- ▶ Hinge Height: 4.1"
- ▶ Weight: 1.1 lbs each



HDBY-ABB-AWM

- ▶ Body: Alum, Bolt-on, Blk
- ▶ Yoke: Alum, Weld-on, Mill
- ▶ Gap Min: 2.7"
- ▶ Gap Max: 3.2"
- ▶ Hinge Height: 6.5"
- ▶ Weight: 1.4 lbs each



HDBY-ABB-SWM

- ▶ Body: Alum, Bolt-on, Blk
- ▶ Yoke: Steel, Weld-on, Mill
- ▶ Gap Min: 2.8"
- ▶ Gap Max: 3.3"
- ▶ Hinge Height: 6.5"
- ▶ Weight: 1.9 lbs each



HDBY-AWM-SBM

- ▶ Body: Alum, Weld-on, Mill
- ▶ Yoke: Steel, Bolt-on, Mill
- ▶ Gap Min: 2.7"
- ▶ Gap Max: 3.2"
- ▶ Hinge Height: 6.5"
- ▶ Weight: 2.3 lbs each



HDBY-AWM-SWM

- ▶ Body: Alum, Weld-on, Mill
- ▶ Yoke: Steel, Weld-on, Mill
- ▶ Gap Min: 2.5"
- ▶ Gap Max: 3.0"
- ▶ Hinge Height: 4.1"
- ▶ Weight: 1.6 lbs each



HDBY-SBB-ABB

- ▶ Body: Steel, Bolt-on, Blk
- ▶ Yoke: Alum, Bolt-on, Blk
- ▶ Gap Min: 2.7"
- ▶ Gap Max: 3.2"
- ▶ Vertical Adjustability: 0.75"
- ▶ Hinge Height: 7.2"
- ▶ Weight: 2.7 lbs each



HDBY-SBB-AWM

- ▶ Body: Steel, Bolt-on, Blk
- ▶ Yoke: Alum, Weld-on, Mill
- ▶ Gap Min: 2.7"
- ▶ Gap Max: 3.2"
- ▶ Hinge Height: 6.5"
- ▶ Weight: 2.5 lbs each



HDBY-SBB-SBB

- ▶ Body: Steel, Bolt-on, Blk
- ▶ Yoke: Steel, Bolt-on, Blk
- ▶ Gap Min: 3.0"
- ▶ Gap Max: 3.5"
- ► Height: 6.5"
- ▶ Weight: 3.7 lbs each



HDBY-SBB-SWM

- ▶ Body: Steel, Bolt-on, Blk
- ▶ Yoke:Steel, Weld-on, Mill
- ▶ Gap Min: 2.8"
- ▶ Gap Max: 3.3"
- ▶ Hinge Height: 6.5"
- ▶ Weight: 3.0 lbs each



HDBY-SBM-ABM

- ▶ Body: Steel, Bolt-on, Mill
- ▶ Yoke: Aluml, Bolt-on, Mill
- ▶ Gap Min: 2.7"
- ▶ Gap Max: 3.2"
- ▶ Vertical Adjustability: 0.75"
- ▶ Hinge Height: 7.2"
- ▶ Weight: 2.7 lbs each



HDBY-SBM-AWM

- ▶ Body: Steel, Bolt-on, Mill
- ▶ Yoke: Alum, Weld-on, Mill
- ▶ Gap Min: 2.7"
- ▶ Gap Max: 3.2"
- ▶ Hinge Height: 6.5"
- ▶ Weight: 2.5 lbs each



HDBY-SBM-SBM

▶ Body: Steel, Bolt-on, Mill

▶ Yoke: Steel, Bolt-on, Mill

▶ Gap Min: 3.1"▶ Gap Max: 3.5"

▶ Height: 6.5"

▶ Weight: 3.7 lbs each



HDBY-SWM-ABB

- ▶ Body: Steel, Weld-on, Mill
- ▶ Yoke: Alum, Bolt-on, Blk
- ▶ Body fits round or square profile
- ▶ Gap Min: 2.5"
- ▶ Gap Max: 3.0"
- ▶ Vertical Adjustability: 0.75"
- ▶ Hinge Height: 7.2"
- ▶ Weight: 2.0 lbs each



HDBY-SWM-AWM

- ▶ Body: Steel, Weld-on, Mill
- ► Yoke: Alum, Weld-on, Mill
- ▶ Body fits round or square profile
- ▶ Gap Min: 2.5"
- ▶ Gap Max: 3.0"
- ▶ Height: 4.1"
- ▶ Weight: 1.8 lbs each



HDBY-SWM-SBM

- ▶ Body: Steel, Weld-on, Mill
- ▶ Yoke: Steel, Bolt-on, Mill
- ▶ Body fits round or square profile
- ▶ Gap Min: 2.8"
- ▶ Gap Max: 3.3"
- ► Hinge Height: 6.5"
- ▶ Weight: 3.0 lbs each



HDBY-SBM-SWM

- ▶ Body: Steel, Bolt-on, Mill
- ▶ Yoke: Steel, Weld-on, Mill
- ▶ Gap Min: 2.8"
- ▶ Gap Max: 3.3"
- ▶ Hinge Height: 6.5"
- ▶ Weight: 3.0 lbs each



HDBY-SWM-ABM

- ▶ Body: Steel, Weld-on, Mil
- ▶ Yoke: Alum, Bolt-on, Mill
- ▶ Body fits round or square profile
- ▶ Gap Min: 2.5"
- ▶ Gap Max: 3.0"
- ▶ Vertical Adjustability: 0.75"
- ▶ Hinge Height: 7.2"
- ▶ Weight: 2.0 lbs each



HDBY-SWM-SBB

- ▶ Body: Steel, Weld-on, Mill
- ▶ Yoke: Steel, Bolt-on, Blk
- ▶ Body fits round or square profile
- ▶ Gap Min: 2.8"
- ▶ Gap Max: 3.3"
- ▶ Hinge Height: 6.5"
- ▶ Weight: 3.0 lbs each



HDBY-AWM-ABM

- ▶ Body: Alum, Weld-on, Mill
- ▶ Yoke: Alum, Bolt-on, Mill
- ▶ Gap Min: 2.4"
- ▶ Gap Max: 2.9"
- ▶ Vertical Adjustability: 0.75"
- ▶ Height: 7.2"
- ▶ Weight: 1.2 lbs each



HDBY-AWM-SBB

- ▶ Body: Alum, Weld-on, Mill
- ▶ Yoke: Steel, Bolt-on, Blk
- ▶ Gap Min: 2.7"
- ▶ Gap Max: 3.2"
- ► Hinge Height: 6.5"
- ▶ Weight: 2.3 lbs each



HEAVY-DUTY ESTATE GATE HINGE


- ▶ Horizontal adjustability
- ▶ Has an aluminum block for welding
- ▶ Acetal bushing
- ▶ Stainless steel hinge pin
- ▶ Zinc plated steel mounting plate.
- ▶ Fits 2"or 2-1/2" size gate frame.
- ▶ Ships unassembled (weld block to gate, then assemble)


CASE QTY	WEIGHT
12	40 lbs

NW6218 Mill (2") NW6218-BK Black (2") NW6218-25 Mill (2-1/2")



*Rotating Nut Design that adjusts without removing the gate





NW6318S-20* (2") NW6318S-20H* (2") w/mounting holes NW6318S-25* (2-1/2") NW6318S-25H* (2-1/2) w/mounting holes

ALUMINUM HINGE


- ▶ Designed for 2" gate frames
- ▶ Corrosion-resistant stainless steel hinge pin
- ▶ Brass bushings for smooth operation

NW216-26 Black NW216-36 Bronze NW216-56 White

WI-AIH-2.5-BK Black Gate flange: 2-1/2"

CASE QTY	WEIGHT
20	35 lbs






HEAVY-DUTY ESTATE GATE HINGE WITH ADJUSTABILITY

- ▶ Fits 2" gate frames and posts 4" or larger
- ▶ Aluminum and stainless steel construction
- ▶ Great strength, and horizontal adjustability

CASE QTY	WEIGHT
8	28 lbs

NW6242-B-BK Black Bolt-on (bolts included)





BARREL HINGES







3/8" Commercial Chain Link

- ▶ 1" Barrel O.D Black
- ▶ 4" J-Bolt

WI-BH4JB

CASE QTY	WEIGHT
40	78 lbs

Barrel Hinge w/Grease Fitting

- ▶ 1-1/4" Barrel O.D. Black
- ▶ 6" Barrel

WI-BH-6

CASE QTY	WEIGHT
18	50 lbs

Barrel Hinge w/Grease Fitting

- ▶ 1-1/2" Barrel O.D. Black
- ▶ 1/2" offset

CASE QTY	WEIGHT
12	50 lbs

1.50

2.25

WI-BH-6H-1

1.50

1.50

HEAVY-DUTY BLOCK HINGE FOR ALUMINUM GATE

- ▶ Aluminum
- ▶ Beveled corners, designed to be welded
- ▶ Brass bushings and heavy-duty stainless steel pin
- ▶ No grease required

CASE QTY	WEIGHT
18	45 lbs

NW6189

WI-BH-SA

▶ Aluminum to steel block

CASE QTY	WEIGHT
10	30 lbs

▶ Steel to steel block

CASE QTY	WEIGHT
10	60 lbs

CASE QTY	WEIGHT
10	60 lbs


WI-BH-STEEL


HEAVY-DUTY STEEL BARREL HINGE

- ▶ Contains grease fitting
- ▶ Steel power coated

CASE QTY	WEIGHT
6	22 lbs

NW6215R-BK Black NW6215L-BK Black






LARGE HEAVY-DUTY BALL BEARING HINGE

- ▶ Zinc plated steel
- ▶ Sealed ball bearings
- ▶ No grease required
- ▶ 4" tall

CASE QTY	WEIGHT
12	44 lbs







2" SQUARE STEEL UNIVERSAL BRACKET



CASE QTY	WEIGHT
50 pair	31 lbs

NW6328

2" SQUARE STEEL LINE BRACKET WITH FASTENERS, BLACK

CASE QTY	WEIGHT	
50	31 lbs	- 4
NW6329		

1" UNIVERSAL FLAT WALL MOUNT BRACKET, WITH FASTENERS



NW6330

STAINLESS STEEL GRAVITY LATCH

- ▶ Pad-lockable on one side
- ▶ Stainless steel screws included

CASE QTY	WEIGHT
50	28 lbs



HIDDEN SPRING LATCHES




- ▶ Suitable for 1-1/4" 2-1/2" gate frames
- ▶ Can be used for Double Drive Gates
- ▶ Pad-Lockable on both sides

CASE QTY	WEIGHT
20	25 lbs

NW6283-SSBD Black w/stainless steel self-drilling screws included NW6283-SSWD White w/stainless steel self-drilling screws included

FLIP LATCH

- ▶ Commercial grade
- ▶ Pad-lockable
- Zinc plated steel with blac powder coated finish
- ▶ Stainless steel through-bolts



NW6169-BK Black

- ▶ Teflon Coated
- ▶ Pad-lockable

CASE QTY	WEIGHT
12	56 lbs

WI-DGFL Black

FULCRUM LATCH

2 1/2" POST SIZE

WI-FL-2-1/2

WI-FL-2-1/2-BK

CASE QTY	WEIGHT
6	22 lbs

▶ 4" POST SIZE

WI-FL-4

WI-FL-4-BK

- ▶ Heavy-duty Latch for Large Single Swing Gates
- ▶ Fits 2" Gate Frames

CASE QTY	WEIGHT
6	24 lbs

3" POST SIZE

WI-FL-3

WI-FL-3-BK

CASE QTY	WEIGHT
6	24 lbs

6-5/8" POST SIZE

WI-FL-6-5/8

CASE QTY	WEIGHT
6	40 lbs



MAGNETIC SIDE PULL SPL 100 LATCH

- ▶ Designed for small gates
- ▶ Stainless steel screws included
- ▶ Screws hidden by cover plates
- ▶ Fits 1 1/4" or larger profile

CASE QTY	WEIGHT
20	8 lbs

SPL100-SD-BK

Side Pull Latches Require a Gate Bumper: NW6237-BK on page 79



STEEL POST CAPS

▶ 2" Stamped steel

CASE QTY	WEIGHT
250	36 lbs

NW6210-BK Black

▶ 2.5" Stamped steel

CASE QTY	WEIGHT
100	17 lbs

NW6211-BK Black

▶ 3" Stamped steel

CASE QTY	WEIGHT
100	29 lbs

NW6212-BK Black

▶ 4" Stamped steel

CASE QTY	WEIGHT
50	26 lbs

NW6213-BK Black



NW6210-BK Black



NW6213-BK Black

TRADITIONAL POST CAP - PRESS FIT

ZINC

NW220-MI Mill

▶ 2" Zinc die cast

CASE QTY	WEIGHT
250	39 lbs

ALUMINUM

NW6099-MI Mill NW6099-BK Black NW6099-WH White

▶ 2" Aluminum die cast

CASE QTY	WEIGHT
250	22 lbs

NW6084-MI Mill NW6084-BK Black

▶ 4" Aluminum die cast

CASE QTY	WEIGHT
100	35 lbs

NW244-MI Mill

▶ 2.5" Zinc die cast

CASE QTY	WEIGHT
120	25 lbs

NW6098-SBL Mill NW6098-BK Black NW6098-BZ Bronze

▶ 3" Aluminum die cast

CASE QTY	WEIGHT
100	23 lbs



MODERN POST CAP - PRESS FIT

CUSTOM LOGOS AVAILABLE

(CONTACT YOUR SALES REPRESENTATIVE FOR MORE INFORMATION)

- ▶ 2" Aluminum Post Cap
- ▶ Shorter lip than the NW230NL Series

CASE QTY	WEIGHT
250	22 lbs

WI-IPC-200 Mill

▶ 2" Aluminum die cast

CASE QTY	WEIGHT
250	22 lbs

NW230NL-SBL Mill NW230NL-26 Black NW230NL-36 Bronze NW230NL-BZ2 Lt. Bronze NW230NL-56 White

- ▶ 2.5" Aluminum Post Cap
- ▶ Shorter lip than the NW240NL

CASE QTY	WEIGHT
320	39 lbs

WI-IPC-250 Mill

▶ 2.5" Aluminum die cast

CASE QTY	WEIGHT
300	41 lbs

NW240NL-SBL Mill NW240NL-26 Black NW240NL-36 Bronze NW240NL-56 White

▶ 3" Aluminum Post Cap

CASE QTY	WEIGHT
300	39 lbs

WI-IPC-300 Mill

▶ 4" Aluminum Post Cap

CASE QTY	WEIGHT
144	39 lbs

WI-IPC-400 Mill

- ▶ 1.5" Aluminum Post Cap
- ▶ Shorter lip than the NW291

CASE QTY	WEIGHT
500	25 lbs

WI-IPC-150 Mill

- ▶ 1.5" Aluminum die cast
- ▶ Colors available with special order


CASE QTY	WEIGHT
500	27 lbs

NW291-SBL Mill

- ▶ 6" Aluminum die cast
- ▶ Sandblast finish

CASE QTY	WEIGHT
50	47 lbs

NW6276-SBL Mill NW6276-BK Black



PLASTIC

▶ 2" Plastic post cap

CASE QTY	WEIGHT
325	15 lbs

NW6230-BK Black

BALL CAPS - PRESS FIT

CUSTOM LOGOS AVAILABLE (REQUIRES MINIMUM RUN QUANTITY)

▶ 2" Aluminum die cast - ball cap

CASE QTY	WEIGHT
50	15 lbs

NW6166-MI Mill NW6166-BK Black NW6166-BZ Bronze NW6166-WH White

▶ 2.5" Aluminum die cast - ball cap

CASE QTY	WEIGHT
50	18 lbs

NW6179-SBL Mill NW6179-BK Black NW6179-BZ Bronze

▶ 2" Aluminum die cast - Screw Set

CASE QTY	WEIGHT
72	41 lbs

NW242-SBL Mill

▶ 2" Aluminum die cast - Press Fit

CASE QTY	WEIGHT
72	41 lbs

NW242A-MI Mill

- ▶ Fits a True 2" post
- ▶ Aluminum die cast Press Fit

CASE QTY	WEIGHT
72	41 lbs

NW242B-BK Black

THE BALL CAPS BELOW ARE ALSO AVAILABLE WITH HOLE FOR SET SCREWS. WHEN ORDERING: ADD AN "H" AFTER THE NUMBER IN THE PART NUMBER.

Examples: NW6166H-MI Mill NW6191H-SBL Mill

▶ 3" Aluminum die cast - ball cap

CASE QTY	WEIGHT
50	20 lbs

NW6191-SBL Mill NW6191-BK Black



CASE QTY	WEIGHT
50	42 lbs

NW6193-MI Mill NW6193-BK Black



CASE QTY	WEIGHT
80	43 lbs

NW290A-SBL Mill

▶ 3" Aluminum die cast - Press Fit

CASE QTY	WEIGHT
50	34 lbs

NW6097-SBL Mill



▶ 2" Aluminum Die Cast

CASE QTY	WEIGHT
50	51 lbs

WI-IBC-200 Mill

▶ 2.5" Aluminum Die Cast

CASE QTY	WEIGHT
50	46 lbs

WI-IBC-250 Mill WI-IBC-250-BK Black

▶ 3" Aluminum Die Cast

CASE QTY	WEIGHT
50	45 lbs

WI-IBC-300 Mill

▶ 4" Aluminum Die Cast

CASE QTY	
50	

UBC4 Mill



SWIVEL BALL BRACKET BASES

1" x 1"

SQUARE DUAL FLANGE WALL MOUNT BRACKET

NW280-SBL Mill NW280-BK Black

- ▶ 1" x 1"
- ▶ Aluminum die cast

CASE QTY	WEIGHT
500	44 lbs




SWIVEL BALL BRACKET


NW6192-SBL Mill NW6192-BK Black


- ▶ 1" x 1" Small Base
- ▶ Aluminum die cast

CASE QTY	WEIGHT
100	18 lbs









1" x 1-1/8"

SINGLE FLANGE WALL MOUNT BRACKET


NW211-MI Mill

- ▶ 1" x 1-1/8"
- ▶ Rounded Top Corners
- ▶ Aluminum die cast

NW211-MI-2 Mill NW211-BK-2 Black

- ▶ 1" x 1-1/8"
- ▶ Squared in all Corners
- ▶ Aluminum die cast

CASE QTY	WEIGHT
300	38 lbs
	`




SWIVEL BALL BRACKET


NW6266-SBL Mill NW6266-BK Black

- ▶ 1" x 1-1/8" Small Base
- ▶ Aluminum die cast

CASE QTY	WEIGHT
100	19 lbs







1" x 1-1/2"

SINGLE FLANGE WALL MOUNT BRACKET

NW217-SBL Mill

- ▶ 1" x 1 1/2"
- ▶ Aluminum die cast

CASE QTY	WEIGHT
240	44 lbs



SWIVEL BALL BRACKET

NW6239-SBL Mill

- ▶ 1" x 1 1/2" Small Base
- ▶ Aluminum die cast

CASE QTY	WEIGHT
100	21 lbs



Turn and angle in any direction


RECTANGULAR DUAL FLANGE WALL MOUNT BRACKET

NW6167-MI Mill

- ▶ 1" x 1 1/2"
- ▶ Aluminum die cast

CASE QTY	WEIGHT
250	38 lbs





1-1/8" x 1-1/8"

ADJUSTABLE DUAL FLANGE WALL MOUNT BRACKET

NW6075V-BK Black NW6075V-BZ Bronze NW6075V-WH White

- ▶ 1 1/8" x 1 1/8"
- ▶ Aluminum die cast
- ▶ Adjustable for angle or rake rails


CASE QTY	WEIGHT
100	29 lbs

ADJUSTABLE DUAL FLANGE WALL MOUNT BRACKET

NW6075-SBL Mill NW6075-BK Black NW6075-BZ Bronze NW6075-WH White

- ▶ 1 1/8" x 1 1/8"
- ▶ Aluminum die cast
- ▶ Adjustable for angle or rake rails

CASE QTY	WEIGHT
100	20 lbs



Cup swivels in bracket to desired angle

1-1/4" x 1-1/4"

SINGLE FLANGE WALL MOUNT BRACKET

NW211A-MI Mill

- ▶ 1 1/4" x 1 1/4"
- ▶ Aluminum die cast

CASE QTY	WEIGHT
300	30 lbs




SWIVEL BALL BRACKET

NW6220-SBL Mill NW6220-BK Black

- ▶ 1 1/4" x 1 1/4" Small Base
- ▶ Aluminum die cast

CASE QTY	WEIGHT
300	30 lbs



1-3/8" x 1-3/8"

ADJUSTABLE DUAL FLANGE WALL MOUNT BRACKET

NW6075A-SBL Mill NW6075A-BK Black

- ▶ 1-3/8" x 1-3/8"
- ▶ Aluminum die cast
- ▶ Adjustable for angle or rake rails

CASE QTY	WEIGHT
100	29 lbs



Note: Any brackets used in railing applications should be tested within the railing system to any applicable codes.

1-1/2" x 1-1/2"

SINGLE FLANGE WALL MOUNT BRACKET

NW292-SBL Mill

- ▶ 1-1/2" x 1-1/2"
- ▶ Aluminum die cast

CASE QTY	WEIGHT
100	30 lbs




SWIVEL BALL BRACKET

NW6240-SBL Mill

- ▶ 1-1/2" x 1-1/2" large base
- ▶ Aluminum die cast

WEIGHT
35 lbs





Bronze now comes in 2 shades. BZ or (-36) is standard dark bronze. BZ2 is a lighter bronze. Check for availability or minimum order quantity.

1" x 2"

RECTANGULAR DUAL FLANGE RAIL MOUNT BRACKET

NW6233-SBL Mill

- ► Accommodates a 1" x 2" rail
- ▶ Dual Flange Wall Mount
- ▶ Aluminum die cast

CASE QTY	WEIGHT
100	13 lbs



RECTANGULAR SINGLE FLANGE RAIL MOUNT BRACKET

NW6241-SBL Mill

- ▶ Accommodates a 1" x 2" rail
- ▶ Aluminum die cast

CASE QTY	WEIGHT
200	24 lbs



FLAT WALL MOUNT BRACKET

WI-SL1X2

CASE QTY	WEIGHT
168	30 lbs



2-1/8" x 1-1/8"

FLAT WALL MOUNT BRACKET

WI-SL2X1-B

CASE QTY	WEIGHT
216	41 lbs



FLAT WALL MOUNT BRACKET

WI-SL2X1-S

CASE QTY	WEIGHT
200	32 lbs



1" x 1-5/8"

ROUND SINGLE FLANGE WALL MOUNT BRACKET

NW6238-SBL Mill

- ▶ 1" x 1-5/8"
- ▶ Aluminum die cast

CASE QTY	WEIGHT
300	52 lbs



1-5/8" x 1-5/8"

SQUARE DUAL FLANGE WALL MOUNT BRACKET

- ▶ NW243-SBL Mill
- ► NW243-BK Black
- NW243-WH White
- ▶ NW243-BZ Bronze
- ▶ NW243-TBK Textured Black
- ▶ 1-5/8" x 1-5/8"
- ▶ Aluminum die cast

CASE QTY	WEIGHT
240	47 lbs



0

SWIVEL BALL BRACKET

NW6217-BK Black

- ▶ 1-5/8" x 1-5/8" large base
- ▶ Aluminum die cast

CASE QTY	WEIGHT
100	22 lbs





ADJUSTABLE DUAL FLANGE WALL MOUNT BRACKET

NW279-SBL Mill Cup NW279BP-SBL Mill Base Plate

- ▶ 1-5/8" x 1-5/8"
- ▶ Aluminum die cast
- ▶ Adjustable for angle or rake rails

CASE QTY	WEIGHT
100	29 lbs





1-3/4" x 1-3/4"

STRAIGHT WALL MOUNT BRACKET

NW6247-SBL Mill NW6247-BK Black* NW6247-BZ Bronze* NW6247-WH White*

- ▶ 1-3/4" x 1-3/4"
- ▶ Aluminum die cast

CASE QTY	WEIGHT
150	34 lbs




SWIVEL BALL BRACKET

NW6235-SBL Mill NW6235-BK Black* NW6235-BZ Bronze* NW6235-WH White*

- ▶ 1-3/4" x 1-3/4" large base
- ▶ Aluminum die cast

CASE QTY	WEIGHT
100	43 lbs





All Painted Swivel Ball and Adjustable Brackets are Assembled


DECO BRACKETS


RESIDENTIAL STRAIGHT WALL BRACKET



CASE QTY WEIGHT 350 19 lbs







COMMERCIAL STRAIGHT WALL BRACKET


NW6227-SBL Mill NW6227-BK Black NW6227-BZ Bronze* NW6227-WH White*

▶ Aluminum die cast

CASE QTY	WEIGHT
350	23 lbs








RESIDENTIAL SWIVEL BALL BRACKET

NW6195-SBL Mill NW6195-BK Black NW6195-BZ Bronze* NW6195-WH White*

- ▶ Small Base
- ▶ Aluminum die cast

CASE QTY	WEIGHT
100	19 lbs






COMMERCIAL SWIVEL BALL BRACKET


NW6228-SBL Mill NW6228-BK Black NW6228-BZ Bronze* NW6228-WH White*

- ▶ Small Base
- ▶ Aluminum die cast

CASE QTY	WEIGHT
100	16 lbs









INDUSTRIAL STRAIGHT WALL BRACKET

NW6309-SBL Mill NW6309-BK Black ▶ Aluminum die cast








INDUSTRIAL SWIVEL BALL BRACKET

NW6308-SBL Mill NW6308-BK Black

▶ Aluminum die cast

CASE QTY	WEIGHT
100	34 lbs





BREAD LOAF RAIL BRACKETS

NW6258-SBL Mill NW6258-BK Black

▶ Aluminum die cast

CASE QTY	WEIGHT
100	44 lbs



9

NW6259-SBL Mill NW6259-BK Black

CASE QTY	WEIGHT
150	25 lbs

MILL FINISH

BLACK FINISH

PATIO RAILING BRACKETS

'V' FLANGE WALL MOUNT BRACKET

NW272-36 Bronze NW272-56 White NW272-76 Mill

- ▶ Accepts both bottom channel & snap plate
- ▶ 1" x 1-13/16" opening
- ▶ Aluminum die cast

CASE QTY	WEIGHT
280	42 lbs



RECTANGULAR DUAL FLANGE WALL MOUNT BRACKET

NW268-36 Bronze NW268-56 White NW268-76 Mill

- ▶ Accommodates a 1" x 1-7/8 "rail
- ▶ Aluminum die cast
- ▶ Accepts both bottom channel and snap plate

CASE QTY	WEIGHT
168	50 lbs

MUSHROOM SINGLE FLANGE MOUNT BRACKET

NW270-36 Bronze NW270-56 White NW270-76 Mill

- ▶ Accommodates a 1-5/8" x 2-5/8" rail O.D.
- ▶ Aluminum die cast

CASE QTY	WEIGHT
160	47 lbs



MUSHROOM RAILING END CAP

NW269-36 Bronze NW269-56 White NW269-76 Mill

- Accommodates a 1-5/8" x 2-1/4" rail I.D.
- Aluminum die cast

CASE QTY	WEIGHT
300	47 lbs



ROUND TOP SINGLE FLANGE MOUNT BRACKET

NW271-26 Black NW271-36 Bronze NW271-56 White NW271-76 Mill

- ▶ Accommodates a 1-5/8" x 2" rail O.D.
- ▶ Aluminum die cast

CASE QTY	WEIGHT
210	43 lbs



ROUND TOP RAILING END CAP

NW267-36 Bronze NW267-56 White NW267-76 Mill

- Accommodates a 1-1/4" x 1-3/4" rail I.D.
- Aluminum die cast

CASE QTY	WEIGHT
300	40 lbs



FLOOR MOUNT ALUMINUM DIE CAST

NW273-36 Bronze NW273-56 White NW273-76 Mill

- ► Accommodates a 1-7/8" x 1-1/2" post
- ▶ Profile height: 1-3/4"
- ▶ Flange: 4-3/8" x 4-3/8"

CASE QTY	WEIGHT
45	41 lbs



FLOOR MOUNTS

All Floor Mount Brackets are Aluminum Die Cast

- ▶ Accommodates a 2" x 2" post
- ▶ Profile height: 1-3/4"
- ▶ Flange: 4-3/8" x 4-3/8"

CASE QTY	WEIGHT
50	44 lbs

NW302-MI Mill NW302H-MI Mill with hole for set screw NW302-26 Black NW302-36 Bronze NW302-56 White

- ▶ Accommodates a 2-1/2" x 2-1/2" post
- ▶ Profile height: 1-3/4"
- ▶ Flange: 4-7/8" x 4-7/8"

CASE QTY	WEIGHT
40	44 lbs

NW6187H-MI Mill with hole for set screw NW6187H-BK Black with hole for set screw NW6187H-BZ Bronze with hole for set screw

- ▶ Accommodates a 3" x 3" post
- ▶ Profile height: 1-3/4"
- ▶ Flange: 5-3/8" x 5-3/8"

CASE QTY	WEIGHT		
20	38 lbs		

NW6173H-MI Mill with hole for set screw NW6173H-BK Black with hole for set screw





PREMIUM FLOOR MOUNT BRACKETS



- ▶ Accommodates 2" posts
- ▶ Aluminum die cast
- ▶ OD: 5"x 1.72" high

CASE QTY	WEIGHT			
50	60 lbs			

NW6248-SBL Mill



NW6248/49PLUGBK Black

- ▶ Bolt Hole Cover for Premium Floor Mounts
- ▶ Each Order amount needed

ONE PIECE COVER PLATE

- ▶ Accommodates a 2" x 2" post
- ▶ Profile height: 1-7/8"
- ▶ OD: 4-3/4" x 4-3/4"
- ▶ Fits Over NW302

CASE QTY	WEIGHT		
50	25 lbs		

NW6197-SBL Mill NW6197-BK Black

- Accommodates a 2-1/2" x 2-1/2" post
- ▶ Profile height: 1-7/8"
- ▶ OD: 5-1/4" x 5-1/4"
- ▶ Fits Over NW6187

CASE QTY	WEIGHT		
50	29 lbs		

NW6198-SBL Mill NW6198-BK Black

- Accommodates a 3" x 3" post
 ▶ Profile height: 1-7/8"
- ▶ OD: 5-21/32" x 5-21/32"
- ▶ Fits Over NW6173

CASE QTY	WEIGHT		
50	32 lbs		

NW6190-MI Mill NW6190-BK Black

TWO PIECE COVER PLATE

- ▶ Accommodates a 2" x 2" post
- ▶ Profile height: 1-7/8"
- ▶ Flange: 4-3/4" x 4-3/4"
- ▶ Fits Over NW302

CASE QTY	WEIGHT
50	24 lbs

NW6243-SBL Mill NW6243-BK Black

▶ Accommodates a 3" x 3" post


CASE QTY	WEIGHT
40	27 lbs

NW6288-SBL Mill NW6288-BK Black

- Accommodates a 2-1/2" x 2-1/2" post
- ▶ Profile height: 1.9"
- ▶ Flange: 5-1/5" x 5-1/5"
- ▶ Fits Over NW6187

CASE QTY	WEIGHT
50	29 lbs

NW6269-SBL Mill NW6269-BK Black



TWO PIECE "CORE" COVER PLATE

Hides Concrete Residue

- ▶ Accommodates a 2" x 2" post
- ▶ Profile height: 7/8"
- ▶ OD: 4-5/8" x 4-5/8"

CASE QTY	WEIGHT
100	22 lbs

NW6257-SBL Mill NW6257-BK Black

- Accommodates a 2-1/2" x 2-1/2" post
- ▶ Profile height: 7/8"
- ▶ OD: 5-1/8" x 5-1/8"

CASE QTY	WEIGHT
100	20 lbs

NW6263-SBL Mill NW6263-BK Black





NW233PF, NW234PF NW235PF, NW236PF



NW212, NW213, NW245, NW246, NW249 NW250, NW251, NW252



NW233, NW234 NW235, NW236



SLIM LINE NW6200, NW6201, NW6202, NW6203, NW6204, NW6205, NW6206, NW6207

ITEM NO	STYLE	WITH HOLE	PRESS FIT or SLIP-ON	MATERIAL	OPTIMUM PICKET O.D.	QTY/CASE	WEIGHT/CASE
			5/8"				
NW233-MI	Triad	Υ	so	Aluminum	0.635	300	42
NW233PF-SBL	Triad	N	PF	Aluminum	0.600	300	42
NW233PFH-SBL	Triad	Υ	PF	Aluminum	0.600	300	42
NW235-SBL	Quad	Υ	SO SO	Aluminum	0.635	300	45
NW235PF-SBL	Quad	N	PF	Aluminum	0.600	300	45
NW235PFH-SBL	Quad	Y	PF	Aluminum	0.600	300	45
NW6202-SBL	Quad	N	so	Aluminum	0.600	300	23
NW6202H-SBL	Quad	Y	so	Aluminum	0.600	300	23
NW6202HA-SBL	Quad	Y	so	Aluminum	0.625	300	23
NW6202PFTS-SBL	Quad	N	PF	Aluminum	0.600	300	23
NW6206-SBL	Triad	N	so	Aluminum	0.600	300	23
NW6206H-SBL	Triad	Y	so	Aluminum	0.600	300	23
NW6206PFTS-SBL	Triad	N	PF	Aluminum	0.600	300	23
NW212-MI	Quad	N	PF	Zinc	0.600	250	42
NW213-MI	Triad	N	so	Zinc	0.600	250	42
NW6231-SBL	Fleur de Lis	N	so	Aluminum	0.600	300	27
NW6231H-SBL	Fleur de Lis	Y	so	Aluminum	0.600	300	27
NW6231PFTS-SBL	Fleur de Lis	N	PF	Aluminum	0.600	300	27
NW6253-SBL	Fleur de Lis	N	PF	Aluminum	0.600	300	41
11110250 552	Ficul de Els		3/4"	Alammam	0.000	000	
NW234-MI	Triad	Υ	so so	Aluminum	0.750	300	51
NW234PF-SBL	Triad	N N	PF	Aluminum	0.720	300	51
NW234PFH-SBL	Triad	Y	PF	Aluminum	0.720	300	51
NW234PF75-SBL	Triad	N	PF	Aluminum	0.750	300	51
NW234PFH75-SBL	Triad	Y	PF	Aluminum	0.750	300	51
NW236-SBL	Quad	Y	SO	Aluminum	0.750	300	51
NW236PF-SBL	Quad	N	PF	Aluminum	0.720	300	51
NW236PFH-SBL	Quad	Υ	PF	Aluminum	0.720	300	51
NW236PF75-SBL	Quad	N	PF	Aluminum	0.750	300	51
NW236PFH75-SBL	Quad	Υ	PF	Aluminum	0.750	300	51
NW6201H-SBL	Quad	Y	SO	Aluminum	0.720	300	26
NW6201PFTS-SBL	Quad	N	PF	Aluminum	0.750	300	26

Fleur de Lis







NW6253



NW6277-SBL

Mill Finish On All Finials. Some Finials May Be Special Order. Please Contact Customer Service for Availability. When ordering Color, Substitute the MI or SBL in the Item No. with BK (Black), BZ $\,$ (Bronze), BZ2 (Bronze), or WH (White).

ITEM NO	STYLE	HOLE	PRESS FIT or SLIP-ON	MATERIAL	OPTIMUM PICKET O.D.	QTY/CASE	WEIGHT/CAS
			3/4" Continu	ied			
NW6205-SBL	Triad	N	so	Aluminum	0.720	300	28
NW6205H-SBL	Triad	Υ	SO SO	Aluminum	0.720	300	28
NW6205PFTS-SBL	Triad	N	PF	Aluminum	0.750	300	28
NW249-MI	Quad	N	SO SO	Zinc	0.750	250	49
NW249IT-MI	Quad	N	PF	Zinc	0.750	250	49
NW250IT-MI	Triad	N	PF	Zinc	0.750	250	46
NW250-MI	Triad	N	SO	Zinc	0.750	250	46
NW6232-SBL	Fleur de Lis	N	SO	Aluminum	0.750	300	26
NW6232H-SBL	Fleur de Lis	Υ	so	Aluminum	0.750	300	26
NW6232PFTS-SBL	Fleur de Lis	N	PF	Aluminum	0.750	300	26
	·		1"		·		
NW6200-SBL	Quad	N	SO SO	Aluminum	1.00	300	31
NW6200H-SBL	Quad	Y	SO	Aluminum	1.00	300	31
NW6204-SBL	Triad	N	SO	Aluminum	1.00	300	29
NW6204H-SBL	Triad	Υ	SO	Aluminum	1.00	300	29
NW245-MI	Quad	N	SO	Zinc	1.00	200	41
NW245IT-MI	Quad	N	PF	Zinc	1.00	200	41
NW246-MI	Triad	N	SO	Zinc	1.00	200	41
NW246IT-MI	Triad	N	PF	Zinc	1.00	200	41
NW6277-SBL	Fleur de Lis	N	SO	Aluminum	1.00	200	42
NW6277H-SBL	Fleur de Lis	Υ	SO	Aluminum	1.00	200	42
			5/8" X 1"				
NW6203-SBL	Quad	N	SO SO	Aluminum	.600 x 1.00	300	29
NW6203H-SBL	Quad	Υ	SO	Aluminum	.600 x 1.00	300	29
NW6203PFTS-SBL	Quad	N	PF	Aluminum	.600 x 1.00	300	29
NW6207-SBL	Triad	N	SO	Aluminum	.600 x 1.00	300	26
NW6207H-SBL	Triad	Υ	SO	Aluminum	.600 x 1.00	300	26
NW6207PFTS-SBL	Triad	N	PF	Aluminum	.625 x 1.00	300	26
NW251-MI	Quad	N	SO	Zinc	.600 x 1.00	200	38
NW252-MI	Triad	N	SO	Zinc	.600 x 1.00	200	38

ALUMINUM INDUSTRIAL DOUBLE 'O' RING

- ▶ Used with 1" Picket system
- ▶ 3.96" Outer Diameter
- ▶ 3.34" Inner Diameter

CASE QTY	WEIGHT
50	35 lbs



NW6334-BK Black

ALUMINUM DECORATIVE SINGLE 'O' RING

- ▶ Used with 3/4" picket system
- ▶ 4" Outer Diameter
- ▶ 3-1/4" Inner Diameter

CASE QTY	WEIGHT
120	40 lbs

NW237A-MI Mill



ALUMINUM DECORATIVE DOUBLE 'O' RING

NW237DBL-MI Mill NW237DBL-26 Black NW237DBL-36 Bronze

- ▶ Used with 3/4" picket system
- ▶ Spacing between two rings is .770"
- ▶ 3-7/16" Outer Diameter
- ▶ 2-7/8" Inner Diameter

CASE QTY	WEIGHT
50	24 lbs



ALUMINUM DECORATIVE SCROLL

- ▶ Used with 5/8" picket system
- ▶ Fits .600 Profile
- ▶ 3-5/8"(H) x 3-3/4"(W) x 5/8"(D)

CASE QTY	WEIGHT
160	42 lbs

NW241J-SBL Mill

▶ Fits .625 Profile



CASE QTY	WEIGHT
200	48 lbs

NW6326-SBL Mill

- ▶ Used with 3/4" picket system
- ▶ Fits .75 Profile

3" ALUMINUM RING

WI-RING-3

→ 100 per case



3-7/8" ALUMINUM RING

WI-RING-WD

▶ 100 per case



KNUCKLES

- ▶ Aluminum die cast
- ▶ Standard part for welding
- Add hole for screw mount

CASE QTY	WEIGHT
50	13 lbs

NW6262-SBL Mill - Accommodates 3/4" Picket



NW6261-SBL Mill - Accommodates 1" Picket

5/8" ALUMINUM QUAD RING

WI-4RING



CASE QTY	WEIGHT
45	40 lbs

ARBOR COLLAR

NW6275-SBL

▶ 1.5"-2.5" Arbor Collar

CASE QTY	WEIGHT
50	42 lbs



MORTISE LOCKSET BOX

NW214-MI Mill

- ▶ Box is 3-3/8"(H) x 4-7/16"(W) x 2"(D)
- Welded into gate profile to accommodate traditional mortise lockset

CASE QTY	WEIGHT
50	29 lbs

DOUBLE HOLE LOCK BOX

WI-LB-D

▶ 35 each per case

NYLON GATE BUMPER

NW6186-SD-BK Black NW6186-SD-WH White

- Made with durable glass-filled nylon with UV inhibitors
- ► Flanges are each 2"(W) x 1.75"(D) for durable attachment
- ▶ Overall height is 4.5"
- ▶ Stainless steel screws included
- Also available in quantities of 10

CASE QTY	WEIGHT
50	22 lbs







Handle Bumper Also Available

HEAVY-DUTY STAINLESS STEEL DROP RODS

NW38305-24SS Mill NW38305-24SSB Black NW38305-24SSW White

CASE QTY	WEIGHT
20	39 lbs

36" NW38305-36SSB Black

CASE QTY	WEIGHT
10	23 lbs

NW38305-48SSB Black

CASE QTY	WEIGHT
10	40 lbs

- ▶ 5/8" diameter
- ▶ Screws included
- ▶ Dual guides
- ▶ Pad-lockable
- ▶ Retention-ears for theft prevention



NYLON GATE HANDLES

NW314S-BK w/S.S. screws Black NW314S-WH w/S.S. screws White NW314-BK w/o screws Black NW314-WH w/o screws White

- Made with durable glass-filled nylon with UV inhibitors
- ► Flanges are each 1.5"(W) x 1.25"(D) for durable attachment
- ▶ Overall height is 5" and handle is .75" deep
- ▶ Very comfortable and easy to grasp

CASE QTY	WEIGHT
50	8 lbs



STAINLESS STEEL GATE HANDLE

NW6184-BK Black NW6184-WH White

- ▶ 2-Sided Attachment
- ▶ Modern Design
- ▶ Stainless steel screws included

CASE QTY	WEIGHT
100	35 lbs



STAINLESS STEEL GATE BUMPER

NW6237-BK

- ▶ Slim line Design
- ▶ 2-Sided Attachment
- ▶ Stainless Steel Screws included

CASE QTY	WEIGHT
50	7 lbs



STAINLESS STEEL KEY LOCKING DROP RODS

18" NW38305KL-18-4D Black

CASE QTY	WEIGHT
10	23 lbs

24" NW38305KL-24SSB Black NW38305KL-24-4D

CASE QTY	WEIGHT
10	23 lbs

36" NW38305KL-36SSB Black NW38305KL-36SSW White NW38305KL-36-4D

CASE QTY	WEIGHT
10	36 lbs

- Add the appeal of a key lock to your drop rod
- ▶ Anti-theft protection
- The handle & brackets are made of low-maintenance, glass filled nylon
- ▶ The rods are 300 series stainless steel
- ▶ Available with Black or White brackets
- 2-sided bracket attachment
 Stainless steel screws included

All Lockable Drop Rods Can Be Keyed Alike



ALUMINUM DROP RODS

NW38305A1-24BK

- ▶ Colors are special order
- ▶ Fits gates frames 1" or larger
- ▶ 24" height
- Rust resistant and cost effective
- ▶ Light to handle, easy to install
- ▶ Stainless steel screws included

CASE QTY	WEIGHT
20	23 lbs



(i) Fits Narrow Gate Frames

COMMERCIAL DROP RODS

NW6270-24BK Black NW6270-24HDG Hot Dip Galvanized

CASE QTY	WEIGHT
10	46 lbs



CASE QTY	WEIGHT
10	55 lbs

NW6270-48BK Black 48" NW6270-48HDG Hot Dip Galvanized

CASE QTY	WEIGHT
5	36 lbs

- ► Heavy-duty 1" O.D. drop rod
- ▶ Zinc plated, powder coated steel
- ▶ Through bolt design
- ▶ Can be used on vinyl, wood, aluminum or steel gates

COMMERCIAL PAD-LOCKABLE DROP RODS

NW6270L-24BK Black NW6270L-24HDG Hot Dip Galvanized

CASE QTY	WEIGHT
10	46 lbs

NW6270L-36BK Black 36" NW6270L-36HDG Hot Dip Galvanized

CASE QTY	WEIGHT
10	55 lbs

NW6270L-48BK Black 48" NW6270L-48HDG Hot Dip Galvanized

	-
CASE QTY	WEIGHT
5	36 lbs



Comes with

a holder for

"up position"

GUIDE ROLLERS

WI-RGR-BKT

- ▶ 3" Rubber Guide roller with bracket
- ▶ 8/Case



GUIDE ROLLERS

NW6271-BK Black NW6271-WH White

- ▶ Plastic roller
- ▶ Used for Vinyl and Ornamental gates
- > Zinc plated bracket for welding
- Bracket is 6.2" in height

CASE QTY	WEIGHT
15	38 lbs

WI-RGR-C

- ► Cover for WI-RGR
- ▶ 200/Case

WI-RGR

- ▶ 3" Nylon Guide Roller
- ▶ No cover
- ▶ 40/Case



"V" GROOVE TRACK WHEELS

ROLL2BV - 2" ROLL3BV - 3"

CASE QTY	WEIGHT
25	44 lbs

ROLL4BV - 4"

- ▶ "V" Groove, Zinc plated steel
- ▶ Attached bracket included


CASE QTY	WEIGHT
16	50 lbs



V-TRACK

WI-EGT-016-10H

- ▶ Aluminum Extrusion
- ▶ 10' V-track with alternating holes every 18"
- ▶ Please contact customer service for bundle quantities



PATENTED

SHOTGUN® GATE CLOSER



SHOTGUN-BK Black

- SHOTGUN-SC Satin Chrome
- ▶ One SKU closes any gate up to 250 lbs*
- ▶ Anti-slam technology
- ▶ Adjustable closing speed
- ▶ No oil therefore no leaks

CASE QTY	WEIGHT
10	67 lbs

^{*}Tested on a 6' high, 6' wide. Needs a gate stop at 90 degrees

TROLLEY FOR CANTILEVER GATES

NW-TROLLEY4WA

CASE QTY	WEIGHT
6	29 lbs



CASE QTY	WEIGHT
4	31 lbs

4 WHEEL TROLLEY

WI-TROLLEY-M4S

- ▶ Cast Steel body
- ▶ Horizontal Wheels O.D. 2.125"
- ▶ Vertical Wheels O.D. 2.045"
- ▶ 12/Case

8 WHEEL TROLLEY

WI-WTS10-1

- ▶ Machined Steel body
- ▶ Horizontal Wheels O.D. 2.125"
- ▶ Vertical Wheels O.D. 2.045"
- ▶ 8/Case

WI-TROLLEY-8P

- ▶ Cast Aluminum
- ▶ 8/Case

TROLLEY BRACKETS

NW-TRLLBKT-R-HD

▶ 4" Round, Heavy-duty Gage



CASE QTY	WEIGHT
6	45 lbs







NW-TRLLBKT-S-HD

▶ 4" Square, Heavy-duty Gage



1	
Case Qty	Weight
6	45 lbs

TROLLEY BRACKETS

NW-TRLLBKT-RD-STL - 4"

▶ Round, Heavy-duty Gage

NW-TRLLBKT-SQ-STL - 4"

▶ Square, Heavy-duty Gage

CASE QTY	WEIGHT
4	40 lbs

WI-HANG-4R-4"

- ▶ Round
- ▶ 8/Case

WI-HANG-4S - 4"

- ▶ Square
- ▶ 8/Case

WI-HANG-6S - 6"

- ▶ Square
- ▶ 4/Case

WI-HANG-6-5/8 - 6-5/8"

- ▶ Round
- ▶ 4/Case







GOOSE NECK PEDESTALS

WI-ACA-1 42" WI-ACA-2 48"

- ▶ Access Control Arm w/base
- Pad Mountable

CASE QTY	WEIGHT
1	17 lbs



WI-ACA-1-B 54" WI-ACA-72-B 72"

Direct Burial

CASE QTY	WEIGHT
1	20 lbs

WI-GNC-DUAL-72

- ▶ Dual Arm Pedestal
- ▶ 42" and 72" Pedestal

CASE QTY	WEIGHT
1	42 lbs



WOOD FENCE & GATE HARDWARE

TABLE OF CONTENTS

Hinges	84
Screw Hooks	87
Rustic Series	88
Latches and Kits	90
Drop Rods	92
Caps and Gate Braces	94
Bumpers, Closers, Handles and Brackets	96
Accessories and Tools	98



Photo courtesy of Integrous Fencing and Decks





8" ORNAMENTAL 'T' HINGE

NW389370

- > Zinc plated steel with black finish
- ▶ 1-3/4" lag screws with black finish

CASE QTY	WEIGHT
20 pair	43 lbs

NW38937FQ with Fixed Pin

- > Zinc plated steel with black finish
- ▶ 1-3/4" lag screws with black finish

CASE QTY	WEIGHT
20 pair	43 lbs

NW38937AQ Un-Assembled

- > Zinc plated steel with black finish
- ▶ 1-3/4" lag screws with black finish

CASE QTY	WEIGHT
20 pair	43 lbs

NW38937MDQ

- > Zinc plated steel with black finish
- ▶ 3" thru-bolts for gate side
- ▶ 3" lag screws for fence side

CASE QTY	WEIGHT
20 pair	44 lbs



10" ORNAMENTAL 'T' HINGE

NW38933MDQ with Cotter-Pin

- ▶ Zinc plated steel with black finish
- ▶ 3" thru-bolts for gate side
- ▶ 3" lag screws for fence side

CASE QTY	WEIGHT
10 pair	44 lbs

NW38933FMDQ with Fixed Pin

- ▶ Zinc plated steel with black finish
- ▶ 3" thru-bolts for gate side
- ▶ 3" lag screws for fence side

CASE QTY	WEIGHT
10 pair	44 lbs

12" ORNAMENTAL 'T' HINGE

NW38935Q

- > Zinc plated steel with black finish
- ▶ 1-3/4" lag screws with black finish

CASE QTY	WEIGHT
10 pair	52 lbs

NW38935MDQ

- > Zinc plated steel with black finish
- ▶ 3" thru-bolts for gate side
- ▶ 3" lag screws for fence side

CASE QTY	WEIGHT
10 pair	52 lbs



8" CONTEMPORARY 'T' HINGE

NW38945Q

NW38945Q-BULK

- > Zinc plated steel with black finish
- ▶ 1-3/4" lag screws with black finish

CASE QTY	WEIGHT
20 pair	54 lbs



(i) Also Available in Hammered Bronze

NW38945MDQ

- ▶ Zinc plated steel with black finish
- ▶ 3" thru-bolts for gate side
- ▶ 3" lag screws for fence side

CASE QTY	WEIGHT
20 pair	54 lbs

NW38945SS

Same as NW38945Q but in stainless steel with mill finish



10" CONTEMPORARY 'T' HINGE

NW38947Q

NW38947Q-BULK

- > Zinc plated steel with black finish
- ▶ 1-3/4" lag screws with black finish

CASE QTY	WEIGHT
10 pair	32 lbs

NW38947MDQ

- ▶ Zinc plated steel with black finish
- ▶ 3" thru-bolts for gate side
- ▶ 3" lag screws for fence side

CASE QTY	WEIGHT
10 pair	32 lbs



8" ORNAMENTAL HEAVY-DUTY **SELF-CLOSING 'T' HINGE**

NW38937HDQ

- ▶ Easy tension adjustment
- ▶ Easy to hold adjustment pin

CASE QTY	WEIGHT
20 pair	52 lbs





8" TRADITIONAL 'T' HINGE

NW38941Q

- ▶ Zinc plated steel with black finish
- ▶ 1-3/4" lag screws with black finish

CASE QTY	WEIGHT
20 pair	56 lbs

10" TRADITIONAL 'T' HINGE

WI-TTH-10

- > Zinc plated steel with black finish
- 1-3/4" lag screws with black finish

CASE QTY	WEIGHT
10 pair	41 lbs



8" ADJUSTABLE SELF-CLOSING **CONTEMPORARY 'T' HINGE**

NW6332

- > Zinc plated steel with black finish
- ► Easy tension adjustment
- ▶ Easy to hold adjustment pin
- ▶ 1-3/4" lag screws with black finish

CASE QTY	WEIGHT
20 pair	42 lbs



NW36576/6-71

▶ Zinc plated steel finish ▶ Bulk-packed without screws

CASE QTY

50 each

BLUNT 'T' HINGE

NW6172-BK

- > Zinc plated steel with black finish
- ▶ 1-3/4" lag screws for fence
- ▶ 1-3/4" lag screws for gate

CASE QTY	WEIGHT
20 pair	40 lbs



6" UNIVERSAL 'T' HINGE

NW36576/6-BQ

- > Zinc plated steel with black finish
- ≥ 2-1/2" lag screws for fence≥ 1-3/4" lag screws for gate

CASE QTY	WEIGHT
20 pair	34 lbs

NW36576/6-M

- ▶ Zinc plated steel finish
- ▶ 2-1/2" lag screws for fence
- ▶ 1-3/4" lag screws for gate

CASE QTY	WEIGHT
20 pair	34 lbs

NW36576/6-ZPBB with Brass Bushing

> Zinc plated steel with black finish

WEIGHT

43 lbs

- ▶ 2-1/2 lag screws for fence
- ▶ 1-3/4" lag screws for gate

CASE QTY	WEIGHT
20 pair	30 lbs



8" UNIVERSAL 'T' HINGE

- > Zinc plated steel with black finish
- ▶ 2-1/2" lag screws for fence
- ▶ 1-3/4" lag screws for gate

CASE QTY	WEIGHT
20 pair	42 lbs

8" ORNAMENTAL SCREW HOOK & STRAP HINGE



NW38934Q

- > Zinc plated steel with black finish
- ▶ 1-3/4" lag screws with black finish

CASE QTY	WEIGHT
20 pair	40 lbs

8" ORNAMENTAL DOUBLE STRAP HINGE



NW38936Q

- > Zinc plated steel with black finish
- ▶ 1-3/4" lag screws with black finish

CASE QTY	WEIGHT
20 pair	52 lbs

8" ORNAMENTAL HALF STRAP HINGE



NW38938Q

- > Zinc plated steel with black finish
- ▶ 1-3/4" lag screws with black finish

CASE QTY	WEIGHT
20 pair	41 lbs

NW38938FQ with Fixed Pin

- > Zinc plated steel with black finish
- ▶ 1-3/4" lag screws with black finish

CASE QTY	WEIGHT
20 pair	41 lbs

NW38938A Un-Assembled

- > Zinc plated steel with black finish
- ▶ 1-3/4" lag screws with black finish

CASE QTY	WEIGHT
20 pair	40 lbs

6" UNIVERSAL DOUBLE STRAP HINGE



NW36579/6-M

- ▶ Zinc plated steel finish
- ▶ 2-1/2" lag screws for fence
- ▶ 1-3/4" lag screws for gate

CASE QTY	WEIGHT
20 pair	35 lbs

8" CONTEMPORARY DOUBLE STRAP HINGE



- ▶ Zinc plated steel with black finish
- ▶ 1-3/4" lag screws with black finish

NW38944SS

▶ Same as NW38944Q but in stainless steel with mill finish

CASE QTY	WEIGHT
20 pair	61 lbs



10" CONTEMPORARY DOUBLE STRAP HINGE

NW38942Q

- > Zinc plated steel with black finish
- ▶ 1-3/4" lag screws with black finish

CASE QTY	WEIGHT
10 pair	35 lbs

8" TRADITIONAL DOUBLE STRAP HINGE



NW38940Q

- > Zinc plated steel with black finish
- ▶ 1-3/4" lag screws with black finish

CASE QTY	WEIGHT
20 pair	54 lbs

10" TRADITIONAL DOUBLE STRAP HINGE

NW38946Q

- ▶ Zinc plated steel with black finish
- ▶ 1-3/4" lag screws with black finish

CASE QTY	WEIGHT
10 pair	37 lbs

8" CONTEMPORARY BUTTERFLY HINGE

NW38943Q

- > Zinc plated steel with black finish
- ▶ 1-3/4" lag screws with black finish

CASE QTY	WEIGHT
20 pair	54 lbs

NW38943SSB (WI-CBH-8-SS) Black NW38943SSW White

- ▶ Stainless Steel
- ▶ Traditional wood hardware look
- Stainless steel screws included

CASE QTY	WEIGHT
20 pair	45 lbs



8" TRADITIONAL **BUTTERFLY HINGE**

NW38943T

- ▶ Zinc plated steel with black finish
- ▶ 1-3/4" lag screws with black finish

CASE QTY	WEIGHT
20 pair	54 lbs



HEAVY-DUTY SEALED BEARING HINGES

GREAT OPTIONS FOR COMMERCIAL GATES

- Assembled in the USA
- ▶ Never needs lubrication
- ▶ Horizontal adjustability





Mill Steel Weld-on

Black Aluminum Bolt-on

Options Per Each Hinge Side

- ▶ Steel or Aluminum
- ▶ Bolt-on or Weld-on application
- ▶ Black or Mill finish

29 SKUs Available

See pages 58 - 61 for full product offering



NWSS-HDT-SC-BK Black w/stainless steel screws NWSS-HDT-SC-BKD Black w/stainless steel self-drilling screws

- ▶ Heavy duty spring
- ▶ Stainless steel, powder coated
- ► Easy tension adjustment
- ▶ Allen wrench included
- ▶ Larger easy to hold pin

CASE QTY	WEIGHT
12 pair	40 lbs

6" HEAVY-DUTY STRAP WITH 1/2" SCREW HOOK



NW284-76

▶ Zinc plated steel finish

CASE QTY	WEIGHT
12 pair	21 lbs

8" HEAVY-DUTY STRAP WITH 5/8" SCREW HOOK



- ▶ Zinc plated steel with black finish
- ▶ 1-3/4" lag screws with black finish

CASE QTY	WEIGHT
20 pair	30 lbs

12" HEAVY-DUTY STRAP WITH 5/8" SCREW HOOK

NW255/38931-26

- > Zinc plated steel with black finish
- ▶ 1-3/4" lag screws with black finish

CASE QTY	WEIGHT
12 pair	42 lbs

NW255-71

- ▶ Zinc plated steel finish
- ▶ Without screws bulk packed

CASE QTY	WEIGHT
50 pair	42 lbs

NW255/38931-GV

- ▶ HDG finish
- ▶ 1-3/4" lag screws with HDG finish

CASE QTY	WEIGHT
12 pair	42 lbs

1/2" x 4" SCREW HOOK & EYE HINGE



NW38603-GV ▶ HDG finish

NW38603-BK ▶ Black finish

CASE QTY	WEIGHT
50 pair	56 lbs

5/8" x 5" SCREW HOOK & EYE HINGE



NW38931

> Zinc plated steel finish

CASE QTY	WEIGHT
20	56 lbs

RUSTIC SERIES

12", 16", 20" AND 24" HINGES

RUSH112-BK

- ▶ 12" pair of black hinges
- ▶ 1/2" pin
- ▶ Powder coated finish

CASE QTY	WEIGHT
10 pair	59 lbs

RUSH116-BK

- ▶ 16" pair of black hinges
- ▶ 1/2" pin
- ▶ Powder coated finish

CASE QTY	WEIGHT
8 pair	50 lbs

RUSH220-BK

- ▶ 20" pair of black hinges
- ▶ 5/8" pin
- ▶ Powder coated finish

CASE QTY	WEIGHT
6 pair	55 lbs

RUSH224-BK

- ▶ 24" pair of black hinges
- ▶ 5/8" pin
- ▶ Powder coated finish

CASE QTY	WEIGHT
4 pair	45 lbs

^{*} All hinges include stainless steel screws and a carriage bolt with painted head



TWISTED RING LATCH

RUSL1-BK

- ▶ Operates from either side
- ▶ Fits gates up to 5" thick
- ▶ Powder coated finish

CASE QTY	WEIGHT
10	20 lbs



STANDARD GRAVITY LATCH

NW38204Q Black NW38204Q-BULK NW38204BZ Bronze NW38204W White

- ▶ Zinc plated steel
- Screws included
- ▶ .38" Strike bar with ball tip
- ▶ Pad-lockable

CASE QTY	WEIGHT
50	27 lbs

NW38204-76Q

- ▶ Zinc plated steel finish
- ▶ Screws with zinc plate finish
- ▶ .38" Strike bar with ball tip
- ▶ Pad-lockable

CASE QTY	WEIGHT
50	27 lbs

NW38204SSM

▶ Same as NW38204Q but in stainless steel with mi

NW38204NC-76 with Cable

- ▶ Zinc plated steel finish
- ▶ Screws with zinc plate finish
- ▶ With 13" cable, clip and o-ring for access on opposite side of fence
- ▶ .38" Strike bar with ball tip

▶ Pad-lockable		
CASE QTY	WEIGHT	
50	27 lbs	
nill finish		

STANDARD GRAVITY LATCH WITH FLOATING BAR

NW38203Q

- ▶ Zinc plated steel with black finish
- Screws with black finish
- ▶ .38" Strike Bar with ball tip
- ▶ Pad-lockable

CASE QTY	WEIGHT
50	27 lbs



90° STRIKE GRAVITY LATCH

NW38204AQ

- > Zinc plated steel with black finish
- Screws with black finish
- ▶ .38" Strike bar with 90° bend and ball tip
- ▶ Pad-lockable

CASE QTY	WEIGHT
50	28 lbs



FORK LATCH KIT WITH HANDLE

NW6185-BK

- Zinc plated steel with black finish
- ▶ Simple to use latch
- ▶ Avoids most sagging problems
- ▶ Built-in handles and gate stop

CASE QTY	WEIGHT
20	44 lbs



HEAVY-DUTY GRAVITY LATCH

NW38338/R

- > Zinc plated steel with black finish
- ▶ Screws with black finish
- ▶ .48" Strike bar with 90° bend
- ▶ Pad-lockable

CASE QTY	WEIGHT
20	28 lbs



NW38338A/R-26 Black NW38338/R-ZP Mill with Cable

- ▶ Zinc plated steel
- Screws included
- With 13" cable, clip and o-ring for access on opposite side of fence
- ▶ .48" Strike bar with 90° bend
- ▶ Pad-lockable

CASE QTY	WEIGHT
20	30 lbs

HEAVY-DUTY GRAVITY LATCH WITH FLOATING BAR

NW38340Q

- > Zinc plated steel black finish
- Screws with black finish
- ▶ .48" Strike bar
- ▶ Pad-lockable

NW38340-M

> Same as NW38340Q but with zinc plated steel finish

NW38340-CABLE with Stainless Pull Cable

- ▶ Zinc plated steel black finish
- Screws with zinc plate finish
- ▶ .48" Strike bar
- ▶ Pad-lockable

CASE QTY	WEIGHT
25	42 lbs

STANDARD POST LATCH

NW38308Q

NW38308Q-BULK

- ▶ Zinc plated steel with black finish
- Screws with black finish
- ▶ Spring activated release lever
- ▶ Two-sided entry
- Reversible (right or left handed)
- ▶ Pad-lockable on one side only

CASE QTY	WEIGHT
20	33 lbs

NW38308Q/38398Q

▶ NW38308Q with a 9" standard gate handle

CASE QTY	WEIGHT
20	40 lbs

NW38308SS

 Same as NW38308Q but in stainless steel with mill finish

NW38308NUA-Q

- > Zinc plated steel with black finish
- ▶ Screws with black finish
- ▶ Spring activated release lever
- ▶ Two-sided entry
- Reversible (right or left handed)
- ▶ Pad-lockable on two sides
- ▶ Bent handle design

CASE QTY	WEIGHT
20	33 lbs






STEEL CONTEMPORARY GATE LATCH

NW38310QS

NW38310Q-BULK

- > Zinc plated steel with black finish
- ▶ Screws with black finish
- ▶ Strike flange: 3.12"(W) x 3.5"(H) x 1.38"(D)
- ▶ Latch flange: 1.88"(W) x 5.5"(H) x 1.5"(D)
- Mounts around corner of post and gate frame
- Pad-lockable on both sides –
 Locking slide switch on latch arm
- ▶ Allows entry from both sides
- Reversible mounting (right or left handed)
 Easy Opening STOP Design (as seen in photo above)





CONTEMPORARY POST LATCH

NW38310WQ

▶ Larger opening allows for more play of strike bar

NW38310Q

- > Zinc plated steel with black finish
- ▶ Screws with black finish
- ▶ 9" Gate handle
- ▶ Slide-switch lock on opposite side
- ▶ Pad-lockable on both sides

CASE QTY	WEIGHT
20	43 lbs



(i) Also Available in Hammered Bronze

ROUND BAR THUMB LATCH

NW283-26

NW283-26-BULK

- ▶ Zinc plated steel with black finish
- ▶ Screws with black finish
- ▶ 9" Gate handle
- ▶ Round locking lever bar
- ▶ Pad-lockable

CASE QTY	WEIGHT
25	38 lbs



(i) Improved and designed to avoid falling out







ORNAMENTAL THUMB LATCH KIT

NW38307 - 6" Lever

NW38306A - 7" Lever

- > Zinc plated steel with black finish
- ▶ Screws with black finish
- ▶ 9" Gate handle
- ▶ Locking lever bar is 'flat'

CASE QTY	WEIGHT
25	37 lbs



(i) Improved and designed to avoid falling out





ALL-PURPOSE LATCH KIT

NW38341-26

- > Zinc plated steel with black finish
- Screws with black finish

NW38341-GV

- ▶ HDG finish
- ▶ Screws with HDG finish

NW-S-Latch-ZP

- ▶ Zinc plated steel finish
- Screws with zinc plate finish

CASE QTY	WEIGHT
20	36 lbs

* All kits contain gravity latch with cable



Contains same "U" shape striker bar, "U" shape staple and handle as the All Purpose Latch above. Does not include the gravity latch with cable but instead includes a flat stake keeper.

FLIP LATCH



- Great for dumpster use
- ▶ Pad-lockable
- ▶ Zinc plated steel with black powder coated finish
- ▶ Stainless steel through-bolt hardware included

CASE QTY	WEIGHT
10	37 lbs

WI-DGFL

- ▶ Teflon Coated
- ▶ Pad-lockable

CASE QTY	WEIGHT
12	56 lbs



SLIDE-BAR LATCH

NW38339Q

NW38339Q-BULK

- ▶ Zinc plated steel with black finish
- ▶ Screws with black finish
- ▶ 3" Throughbolts for latch
- ▶ 1" Screws for keeper
- ▶ Pad-lockable

CASE QTY	WEIGHT
60	42 lbs

ROUND RAIL LOOP LATCH

NW38301Q

- ▶ Zinc plated steel finish
- Screws with HDG finish

CASE QTY	WEIGHT
60	43 lbs

SPLIT RAIL LOOP LATCH

NW38302Q

- ▶ Zinc plated steel finish
- Screws with HDG finish

CASE QTY	WEIGHT
60	43 lbs



LOCK THRU™ LATCH





LT1-BK

- Open the padlock from either side of the gate
 Simple to lock or unlock as the latch rotates to you
- > Zinc-plated steel & powder coated
- ▶ Mounting hardware included (padlock not included)
- ▶ Compatible with left or right hand gates

CASE QTY	WEIGHT
20	24 lbs

CONTEMPORARY WALK GATE KIT



WI-CWGK

WI-CWGK-BULK

- ▶ Open the padlock from either side of the gate
- ▶ Simple to lock or unlock as the latch rotates to you
- > Zinc-plated steel & powder coated
- Mounting hardware included (padlock not included)
- ► Compatible with left or right hand gates

CASE QTY	WEIGHT
10 kits	53 lbs

WI-CWGK-T

- > Zinc plated steel with black finish
- ▶ Screws with black finish
- ▶ Includes: pair of 8" T-hinge, post latch and 9" handle

CASE QTY	WEIGHT
10 kits	50 lbs

NW38948CQ-HBZ


CASE QTY	WEIGHT
10 kits	53 lbs


CONTEMPORARY DRIVE GATE KIT

NW38949CQ

▶ Same as NW38948CQ kit with an additional 24" drop rod and pair of hinges (includes 2 pair of hinges)

CASE QTY	WEIGHT
6 kits	63 lbs





TRADITIONAL WALK GATE KIT

- > Zinc plated steel with black finish
- Screws with black finish
- ▶ Includes: pair of 8" double strap hinges, post latch with return spring and 9" handle

CASE QTY	WEIGHT
10 kits	47 lbs

NW38948TQ

- > Zinc plated steel with black finish
- ▶ Screws with black finish
- ▶ Includes: pair of 8" T-hinge, post latch with return spring and 9" handle

CASE QTY	WEIGHT
10 kits	48 lbs

TRADITIONAL DRIVE GATE KIT

NW38949Q

▶ Same as NW38948TQ kit with an additional 24" drop rod and pair of hinges (includes 2 pair of hinges)

CASE QTY	WEIGHT
6 kits	58 lbs

WESTERN WALK GATE KIT

WI-WWGK

WI-WWGK-BULK

- > Zinc plated steel with black finish
- Screws with black finish
- ▶ Includes: pair of 8" double strap hinges, post latch with return spring and 9" handle

CASE QTY	WEIGHT
10 kits	51 lbs

WI-BTWGK

- > Zinc plated steel with black finish
- Screws with black finish
- ▶ Includes: pair of 8" T-hinge, post latch with return spring and 9" handle

CASE QTY	WEIGHT
10 kits	44 lbs

WI-WWGK-3H

▶ Same as above but with 3 hinges

GATE WHEELS

GW2-BK Black (For Wood Gates)

- > Zinc plated steel with powder-coated finish
- ▶ Composite wheel designed for rougher uneven surfaces and large temperature ranges
- ▶ Swivel design for ease of use
- ▶ Easily reversible for use on left or right-handed gates
- Nationwide's V-notch™ styling
 May be installed on any flat surface
- ▶ Lag screws included

CASE QTY	WEIGHT
10	38 lbs



PLASTIC CAPS

4" WOOD POST PLASTIC CAP

NW287-21

▶ Fits a 4 x 4 post measuring 3-5/8" square

CASE QTY	WEIGHT
500	37 lbs

6" WOOD POST PLASTIC CAP

▶ Fits a 6 x 6 post measuring 5-3/4" square

CASE QTY	WEIGHT
200	35 lbs

HEAVY-DUTY DROP RODS

18"

CASE QTY	WEIGHT
20	36 lbs

NW38305-18Q - Zinc plated steel Black finish NW38305-18/ZP - Zinc plated steel- unpainted NW38305-18Q-BULK



CASE QTY	WEIGHT
20	64 lbs

NW38305-24Q - Zinc plated steel Black finish NW38305/24-76Q - Zinc plated steel unpainted NW38305-24SS - Stainless steel - unpainted NW38305-24SSB - Stainless steel with Black finish NW38305-24SSW - Stainless steel with White finish



CASE QTY	WEIGHT
20	44 lbs

NW38305-36Q - Zinc plated steel Black finish



CASE QTY	WEIGHT
10	41 lbs

NW38305-48Q - Zinc plated steel Black finish

- ▶ 5/8" diameter
- ▶ Screws included
- ▶ Dual guides
- ▶ Pad-lockable
- ▶ Retention-ears for theft prevention



Also Available in Hammered Bronze

DROP RODS WITH HOLDER

NW38305H-24Q NW38305H-36Q NW38305H-48Q

- ▶ No locking nibs
- ▶ Includes holder for "up" position



COMMERCIAL DROP RODS

24"

CASE QTY	WEIGHT
10	46 lbs

NW6270-24BK Black NW6270-24HDG Hot Dip Galvanized

36"

CASE QTY	WEIGHT
10	55 lbs

NW6270-36BK Black NW6270-36HDG Hot Dip Galvanized

48"

CASE QTY	WEIGHT
5	36 lbs

NW6270-24BK Black NW6270-24HDG Hot Dip Galvanized

- ▶ Heavy-duty 1" O.D. drop rod
- ▶ Zinc plated, powder coated steel
- ▶ Through bolt design
- Can be used on vinyl, wood, aluminum or steel gates

COMMERCIAL PAD-LOCKABLE DROP RODS

NW6270L-24BK Black NW6270L-24HDG Hot Dip Galvanized

CASE QTY	WEIGHT
10	46 lbs

36" NW6270L-36BK Black NW6270L-36HDG Hot Dip Galvanized

CASE QTY	WEIGHT
10	55 lbs

48" NW6270L-48BK Black NW6270L-48HDG Hot Dip Galvanized

CASE QTY	WEIGHT
5	36 lbs



MITER-LESS WOOD CAPS

These slip-over, Miter-less wood caps are made from a single solid block of mahogany wood. Eliminating the miter joints has solved the age old problem of post caps splitting at the corners. By making the cap out of one solid piece of wood, it has eliminated the need for any glue or staples to hold the cap together.



Theirs



Ours



(i) Made From High Quality Mahogany Wood

TRADITIONAL



WPC-312-TRD

► Fits a standard 4 x 4 post measuring 3-1/2" square

CASE QTY	WEIGHT
54	35 lbs

PYRAMID



WPC-312-PYR

► Fits a standard 4 x 4 post measuring 3-1/2" square

CA	SE QTY	WEIGHT
	45	35 lbs

NEW ENGLAND



WPC-312-NWENG

► Fits a standard 4 x 4 post measuring 3-1/2" square

CASE QTY	WEIGHT
45	35 lbs

WPC-334-NWENG

▶ Fits a 4 x 4 post measuring 3-3/4" square

CASE QTY	WEIGHT
45	35 lbs

COPPER AND STAINLESS STEEL CAPS

The 20 gauge copper post caps are made of 100% copper and have a natural look that will patina to a green color over time. The stainless steel caps are 20 gauge stainless steel. The caps will fit 4 x 4 and 6 x 6 posts and include 2 screws for mounting.

TRADITIONAL



COPPER

WPC-312-COPP

► Fits a standard 4 x 4 post measuring 3-1/2" square

CASE QTY	WEIGHT
25	6 lbs

WPC-534-COPP

► Fits a 6 x 6 post measuring 5 1/2 to 5 3/4" square

CASE QTY	WEIGHT
25	11 lbs

TRADITIONAL



STAINLESS STEEL

WPC-312-SS

▶ Fits a standard 4 x 4 post measuring 3 1/2" square

CASE QTY	WEIGHT
25	6 lbs

WPC-534-SS

► Fits a 6 x 6 post measuring 5 1/2 to 5 3/4" square

CASE QTY	WEIGHT
25	11 lbs

METAL-WOOD COMBINATION

4 x 4 POST SIZE ONLY

Order a copper or stainless steel cap and a Traditional 4 X 4 Miter-less wood cap for a metal-wood combination



WPC-312-COPP WPC-312-TRD

Both SKUs must be ordered together to match image above.

WOOD GATE FRAME

NW6260-SB-BK Black, Short with attached hinges for 3' or 4' gates NW6260-TB-BK Black, Tall with attached hinges for 5' or 6' gates NW6260NH-SB-BK Black, Short without hinges for 3' or 4' gates NW6260NH-TB-BK Black, Tall without hinges for 5' or 6' gates

▶ Powder coated steel

CASE QTY	WEIGHT
1	16 lbs

TO ASSEMBLE:

- 1. Cut (2) 2 x 4's 2" shorter than the gate opening
- 2. Attach 2 x 4's to frame with enclosed screws
- 3. Nail gate boards to 2 x 4's
- 4. Mount gate to fence post using the lag screws enclosed

Avoid sagging & warping with easy-to-make gates.

GATE BRACES

NW6132 Black or White

▶ 43" x 3" x 3"

CASE QTY	WEIGHT
10	25 lbs

ADJUSTABLE GATE FRAME

WI-AGF

- ▶ Zinc plate polyester coated
- ▶ Fits 3' X 3' to 6' X 6' gates
- ▶ Cross brace included to set final destination



PATENT PENDING

GATE SAVER PRO

NW-GSP2-BK - Gate Saver Pro - Black NW-GSP2-WH - Gate Saver Pro - White

- ▶ Prevents and Fixes Sagging on Wooden and Vinyl Gates
- ▶ Accommodates wood gates from 36" to 72" wide

CASE QTY	WEIGHT
6	20 lbs





Images shown above are Gate Saver Pro

NYLON GATE HANDLE WITH BUMPER



WI-NGH-SB Black WI-NGH-SB-WH White

- ▶ Made with durable glass-filled nylon with UV inhibitors
- Flanges are each 2"(W) x 1.75"(D) for durable attachment
 Overall height is 4.5" and handle is 1" deep
 Very comfortable and easy to grasp

- ▶ Stainless steel screws included

CASE QTY	WEIGHT
50	25 lbs

Rubber pad backing absorbs gate slamming shock, reducing latch wear



NYLON GATE BUMPER



NW6186-SD-BK NW6186-SD-WH

- ▶ Made with durable glass-filled nylon with UV inhibitors
- ▶ Flanges are each 2"(W) x 1.75"(D) for durable attachment
- Overall height is 4.5"Stainless steel screws included

CASE QTY	WEIGHT
50	22 lbs





PATENTED

SHOTGUN® GATE CLOSER

CONTROLLED CLOSING POWER TO AVOID GATE SLAMMING

- ▶ One SKU closes any gate up to 250 lbs*
- ▶ Anti-slam technology
- ▶ Adjustable closing speed
- ▶ No oil therefore no leaks

CASE QTY	WEIGHT
10	67 lbs

SHOTGUN-BK Black

*Tested on a 6' high, 6' wide. Needs a gate stop at 90 degrees



CL-8009

6" STANDARD GATE HANDLE

- Zinc plated steel
- Screws included
- ▶ Also available in quantities of 50

CASE QTY	WEIGHT
100	19 lbs

NW257-26Q (WI-SGH-6) Black NW257-56 (WI-SGH-6W) White



9" STANDARD GATE HANDLE

- > Zinc plated steel with black finish
- ▶ Screws with black finish
- ▶ Also available in quantities of 50

CASE QTY	WEIGHT
100	31 lbs

NW38398Q (WI-SGH-9)

(i) Also Available in Hammered Bronze



9" ORNAMENTAL GATE HANDLE

- ▶ Zinc plated steel with black finish
- Screws with black finish
- ▶ Does not match or fit handle from the NW38307 Thumb Latch Kit
- ▶ Also available in quantities of 50

CASE QTY	WEIGHT
100	43 lbs

NW38396Q (WI-OGH-9) NW38396Q-BULK



11" ORNAMENTAL GATE HANDLE

- > Zinc plated steel with black finish
- Screws with black finish
- Matches and fits the handle from the NW38307 Thumb Latch Kit
- ▶ Also available in quantities of 50

CASE QTY	WEIGHT
100	43 lbs

NW38307HANDLE



NYLON GATE HANDLE

- ▶ Made with durable glass-filled nylon with UV inhibitors
- ▶ Flanges are each 1.5"(W) x 1.25"(D) for durable attachment
- ▶ Overall height is 5" and handle is .75" deep
- ▶ Very comfortable and easy to grasp
- Stainless steel screws included

CASE QTY	WEIGHT
50	8 lbs

NW314S-BK Black (WI-NGH) NW314S-WH White (WI-NGH-W)



2" x 4" RAIL MOUNTING **BRACKET - STEEL**

NW288-MI (WI-RMB-2x4)

▶ Zinc plated steel finish

NW288-GV (WI-RMB-2x4-HDG)

▶ Galvanized

CASE QTY	WEIGHT
400	45 lbs

ROUND POST TO WOOD BRACKET

- ▶ Pre-Galvanized
- ▶ No screws included
- ▶ Chain Link Post to Wood Panels

CASE QTY	WEIGHT
50	23 lbs

NW6287-PG 2-3/8"

- Adjustable Chain Link to Wood brackets
- Available in black

WEIGHT
19 lbs

CL-8000 1-5/8"

CASE QTY	WEIGHT
25	24 lbs
21 0004 011	

CL-8001 2"

CASE QTY	WEIGHT
25	25 lbs

CL-8002 2.5"

CASE QTY	WEIGHT
25	31 lbs

CL-8010 3"

▶ 2-3/8" Chain Link to Wood Adaptor

CASE QTY	WEIGHT
56	50 lbs

CL-8009

CHAIN LINK TO WOOD PANEL BRACKET

- ► Chain Link to Wood Adaptor
- ▶ One-piece top clamp with one-piece base
- Carriage bolts included

CASE QTY	WEIGHT
100	19 lbs

CL-8003 1-5/8"

CASE QTY	WEIGHT
100	18 lbs
CL-8004 1-7/8"	

CASE QTY	WEIGHT
100	21 lbs
a. aaa a a a (a)	

CL-8005 2-3/81

CASE QTY	WEIGHT
100	22 lbs

CL-8008 2-7/8" (WI-WSA-BASE2) 2-3/8"













DIE CAST PLUG

- ▶ 2-1/2" diameter Die cast Plug
- ▶ Aluminum A360 Alloy

CASE QTY	WEIGHT
200	30 lbs



10" GATE SPRING

- > Zinc plated steel with black finish
- Screws with black finish
- ▶ Adjustable tension

CASE QTY	WEIGHT
40	53 lbs

NW38304-PQ NW38304-PQ-BULK



GATE ANTI-SAG KIT - STEEL

NW38309Q

- ▶ Zinc plated steel finish
- Screws with zinc plate finish
- ▶ Cable length is 9

CASE QTY	WEIGHT
50 kits	31 lbs

NW38309-SSM

► Same as NW38309Q but in stainless steel with mill finish



STEEL ANTI-SAG KIT

NW6296-BK

Steel Cable with Black Plastic Coating NW6296-CL

Steel Cable with Clear Plastic Coating NW6296-WH

Steel Cable with White Plastic Coating

▶ Cable Length is 9'

CASE QTY	WEIGHT
50	32 lbs



LAG SCREWS



NW5162

- > Zinc plated steel with black finish
- ▶ 5/16" x 2"

CASE QTY	WEIGHT
850	33 lbs

NW5162Q

- ▶ HDG steel with black finish
- ▶ 5/16" x 2"

CASE QTY	WEIGHT
850	33 lbs

POST HOLE DIGGERS & TOOLS

▶ Wood Handle



WI-006




▶ Torque Bar

CASE QTY
1

WI-CB06







WHERE FORM MEETS FUNCTION

For Fence and Railing Hardware

Innovation at its core—35 patents earned, 2,000 SKUs and 30+ Million Cycle Warranty Products. Each one of the more than 2,000 SKUs engineered by Nationwide Industries™ is manufactured to outlast, outperform, and simply outshine any other brand of fence and gate hardware.

CHAIN LINK FENCE & GATE HARDWARE

TABLE OF CONTENTS

Hinges	102
Latches	104
Collars, Forks and Rollers	106
Covers, Receivers and Trolleys	108
Trolley Brackets, Guides and Assemblies	110
Drop Rods and Wheels	112
Brackets, Post Caps and Rail Ends	114
Clamps and Sleeves	116
Bands and Barb Arms	118
Bolts, Plugs and Accessories	120
Tools and Vita	122







BULLDOG HINGE

Pressed Steel

- ▶ All fit: 1-5/8" or 1-7/8" gate frame
- ▶ Available in black



Number	Size	Quantity / Weight
CL-5175	2-3/8"	10/Case @ 30lbs
CL-5176	2-7/8"	10/Case @ 30bs
CL-5177	4"	10/Case @ 28lbs
CL-5178	6-5/8"	10/Case @ 28lbs

MALLEABLE BOX HINGE

Malleable-ball and socket type

- ▶ All fit: 1-5/8" or 1-7/8" gate frame
- ▶ Available in black



Number	Size	Quantity
CL-BXH-A238	2-3/8"	4/Case @ 17lbs
CL-BXH-A3	2-7/8"	10/Case @ 45lbs
CL-BXH-A312	3-1/2"	4/Case @ 19lbs
CL-BXH-A4	4"	4/Case @ 47lbs
CL-BXH-A658	6-5/8"	2/Case @ 23lbs

INDUSTRIAL BOX HINGE

Pressed Steel

- ▶ All fit: 1-5/8" or 1-7/8" gate frame
- ▶ Available in black



Number	Size	Qty / Weight
CL-5170	2-3/8"	10/Case @ 36lbs
CL-5171	2-7/8"	10/Case @ 38bs
CL-5172	4"	5/Case @ 20 lbs
CL-5174	6-5/8"	5/Case @ 25 lbs

INDUSTRIAL 180 DEGREE HINGES

Pressed Steel - complete

- ▶ Fits gate frames 1-5/8" or 1-7/8"
- 4mm thickness (5mm available check with customer service)
- ▶ Available in Black



Number	Size	Quantity
CL-5179	2-3/8"	10/Case
CL-5180	2-7/8"	10/Case
CL-5182	4"	5/Case
CL-5184	6-5/8"	4/Case

INDUSTRIAL OFFSET HINGES

Malleable, Complete

- ▶ Fits gate frames 1-5/8" or 1-7/8"
- ▶ Available in Black



Number	Size	Quantity
CL-5190	2-3/8"	4/Case
CL-5191	2-7/8"	4/Case
CL-5192	3-1/2"	4/Case
CL-5193	4"	4/Case
CL-5195	6-5/8"	2/Case

FEMALE GATE HINGES

Pressed Steel without bolts

- ▶ 1" Width, 3/16" GA
- ▶ 1-1/4" Width available (please check with customer service)
- ▶ Available in Black



Number	Size	Quantity
CL-5141	1-3/8" x 5/8"	100/Case
CL-5142	1-5/8" x 5/8"	100/Case
CL-5143	1-7/8" x 5/8"	100/Case
CL-5144	1-3/8" x 1/2"	100/Case
CL-5145-BK	1-5/8" x 1/2"	100/Case

MALE POST HINGES

Pressed Steel without bolts

- ▶ 1" Width, 3/16" GA
- ▶ 1-1/4" Width available (please check with customer service)
- ▶ Available in Black



Number	Size	Quantity
CL-5153	1-3/8" x 5/8"	50/Case
CL-5154	1-5/8" x 5/8"	50/Case
CL-5155	1-7/8" x 5/8"	50/Case
CL-5156	2-3/8" x 5/8"	50/Case
CL-5157	2-7/8" x 5/8"	50/Case
CL-5159	2-3/8" x 1/2"	50/Case

180 DEGREE ROUND POST TO SQUARE FRAME HINGES

HDG Steel

▶ Fits 2" Gate frames



Number	Size	Quantity
WI-79	4" Round Post	6/Case
WI-80	3" Round Post	6/Case
WI-81	6-5/8" Round Post	4/Case

180 DEGREE SQUARE TO SQUARE HINGES

▶ Fits 2" Gate frames



Number	Size	Quantity
WI-77	2-1/2"	6/Case
WI-76	3"	6/Case
WI-75	4"	6/Case
WI-78	6-5/8"	5/Case

GRAVITY HINGES

Pressed Steel

- ▶ 2-slot, 2-Way Swing
- ▶ Available in Black





- ▶ 1-Slot/1-Hole, 1-Way Swing
- ▶ Available in Black

Number	Size	Quantity
CL-5270	1-3/8" x 1-7/8"	10/Case
CL-5271	1-3/8" x 2-3/8	10/Case
CL-5272	1-5/8" x 2-3/8"	10/Case
CL-5273	1-5/8" x 2-7/8"	10/Case

RESIDENTIAL HINGES

Malleable, Complete Female Hinges

▶ Available in Black

Number	Size	Quantity
CL-5196	1-3/8"	50/Case
CL-5197	1-5/8"	50/Case



Malleable, Complete Male Hinges

▶ Available in Black

Number	Size	Quantity
CL-5198	1-7/8"	50/Case
CL-5199	2-3/8"	50/Case
CL-5200	2-7/8"	50/Case



HDG

WI-ISPH

- ▶ 2-1/2" x 1-3/8"
- ▶ Self-Closing

CASE QTY	
30	



WALL MOUNT HINGE

Pressed Steel

CL-5201

- ▶ Plate is 3" x 4-1/2"
- ▶ Available in Black
- ▶ 5/8"

CASE QTY	WEIGHT
50	45 lbs
• •	.0.20





COMMERCIAL DOUBLE DRIVE GATE LATCH

- ▶ Heavy-duty steel construction
- ▶ 2 pad lock locations
- ▶ Fits 1-5/8" or 1-7/8" gate frames
- If used without keeper for single gate, it may still be pad locked





Heavy-duty Powder Coated

6/Case @ 50 lbs

PUSH LATCH

CL-CDL-HD

- ▶ Black and gray finish available
- ▶ Powder coated steel tube
- ▶ Tapered bushing for locking hole
- ▶ Threaded U-Bolt mounting

Number	Color	Size	Quantity
CL-7219-BK*	Black	1-3/8" x 1-3/8"	25/Case
CL-7220-BK	Black	1-3/8" x 1-5/8"	25/Case
CL-7221-BK*	Black	1-3/8" x 1-7/8"	25/Case
CL-7222-BK*	Black	1-3/8" x 2-3/8"	25/Case
CL-7223-BK	Black	1-5/8" x 1-5/8"	25/Case
CL-7224-BK*	Black	1-5/8" x 1-7/8"	25/Case
CL-7225-BK*	Black	1-5/8" x 2-3/8"	25/Case
CL-7227-GY	Gray	1-5/8" x 2-7/8"	25/Case

* Available in Gray (-GY)

COMMERCIAL SINGLE GATE LATCH

- ▶ Fits 1-5/8" or 1-7/8" gate frames
- ▶ 6/Case @ 34 lbs





Number	Description of Gate Latch
CL-CSL212	Hot Dip Galvanized for 2-1/2" Post
CL-CSL212-BK	Black Zinc Plated Steel & Powder Coated for 2-1/2" Post
CL-CSL3	Hot Dip Galvanized for 3" Post
CL-CSL3-BK	Black Zinc Plated Steel & Powder Coated for 3" Post
CL-CSL4	Hot Dip Galvanized for 4" Post
CL-CSL4-BK	Black Zinc Plated Steel & Powder Coated for 4" Post

RESIDENTIAL DOUBLE GATE LATCH

CL-RDL Hot Dip Galvanized

CL-RDL-BK Black Zinc Plated Steel and Powder Coated

- ▶ Heavy-duty steel construction
- ▶ 2 pad lock locations
- ▶ If used without keeper for single gate, it may still be pad locked
- ▶ Fits 1-3/8" gate frames
- ▶ 2/Case @ 6 lbs



FULCRUM LATCH

HDG

WI-FL-2-1/2 2-1/2" WI-FL-2-1/2-BK 2-1/2"

▶ 6/Case @ 22 lbs

WI-FL-3 3" WI-FL-3-BK 3"

▶ 6/Case @ 24 lbs

WI-FL-4 4" WI-FL-4-BK 4"

- ▶ Heavy-duty Latch for Large Single Swing Gates
- ▶ Fits 2" Gate Frames
- ▶ 6/Case @ 24 lbs

WI-FL-6-5/8

▶ 6/Case @ 40 lbs

SELF-CLOSING AND LOCKING LATCH

Malleable HDG

WI-LF-LATCH

- ▶ 3" x 1-5/8
- ▶ 12/Case @ 62 lbs



WI-AF-LATCH

- ▶ 3" Post weld on keeper
- ▶ 10/Case @ 62 lbs



GATE FORK LATCH

Pressed Steel Complete

▶ Available in Black



Number	Size	Quantity
CL-5202	1-3/8" x 1-3/8"	25/Case
CL-5203	1-3/8" x 1-5/8"	25/Case
CL-5204	1-3/8" x 1-7/8"	25/Case
CL-5205	1-3/8" x 2-3/8"	25/Case
CL-5206	1-3/8" x 2-7/8"	25/Case
CL-5207	1-5/8" x 1-7/8"	25/Case
CL-5208	1-5/8" x 2-3/8"	25/Case
CL-5209	1-5/8" x 2-7/8"	25/Case
CL-5210	1-5/8" x 4"	25/Case
CL-5211	1-7/8" x 1-7/8"	25/Case
CL-5212	1-7/8" x 2-3/8"	25/Case
CL-5213	1-7/8" x 2-7/8"	25/Case
CL-5214	1-7/8" x 4"	25/Case

GATE FORK LATCH

Malleable, Complete

▶ Available in Black



Number	Size	Quantity
CL-5217	1-3/8" x 1-7/8"	25/Case
CL-5218	1-3/8" x 2-3/8"	25/Case
CL-5219	1-3/8" x 2-7/8"	25/Case
CL-5220	1-5/8" x 1-7/8"	25/Case
CL-5221	1-5/8" x 2-3/8"	25/Case
CL-5222	1-5/8" x 2-7/8"	25/Case
CL-5223	1-5/8" x 3-1/2"	25/Case
CL-5224	1-5/8" x 4"	25/Case
CL-5225	1-7/8" x 2-3/8"	20/Case
CL-5226	1-7/8" x 2-7/8"	20/Case
CL-5227	1-7/8" x 3-1/2"	20/Case
CL-5228	1-7/8" x 4"	20/Case

BUTTERFLY LATCH

AL/ Pressed Steel

▶ Available in Black



Number	Size	Quantity
CL-5229	1-3/8" x 1-7/8"	25/Case

LOCK N' LATCHES

Pressed Steel

▶ Available in Black



Number	Size	Quantity
CL-5231	Offset	25/Case
CL-5232	Straight	25/Case

PRESSED STEEL COLLARS

Pressed Steel

▶ Available in Black



Number	Size	Quantity
CL-7080	1-3/8"	100/Case
CL-7081	1-5/8"	100/Case
CL-7082	1-7/8"	100/Case

ROLLING GATE LATCHES

Pressed Steel

▶ Available in Black



Number	Size	Quantity
CL-6011	1-5/8"	20/Case
CL-6012	1-7/8"	20/Case
CL-6013	Universal	20/Case

FORKS

Pressed Steel

▶ Available in Black



Number	Size	Quantity
CL-7090	1-3/8"	100/Case
CL-7095	1-5/8"	100/Case
CL-7091	2"	100/Case
CL-7092	2-1/2"	100/Case
CL-7093	3"	100/Case
CL-7094	4"	50/Case

FLAT BACK FORK LATCH

Pressed Steel



Number	Size	Quantity
CL-7200	1-3/8"	50/Case

INDUSTRIAL LATCH ASSEMBLY

Malleable

▶ Available in Black



Number	Size	Quantity
CL-5233	1-5/8" x 1-7/8"	8/Case

CANTILEVER GATE LATCHES

Malleable


Available in Black

▶ Latches up to a 1-7/8" Post



Number	Size	Quantity
CL-7231	2-7/8"	10/Case
CL-7232	4"	10/Case

CANTILEVER GATE RECEIVERS



Number	Size	Qty / Weight
CL-7233	2-7/8" round w/locking bar	4/Case @ 10 lbs
CL-7234	4" round w/locking bar	4/Case @ 10 lbs
CL-7233SQ	2-7/8" square w/locking bar	4/Case @ 10 lbs
CL-7234SQ	4" square w/locking bar	4/Case @ 10 lbs

WI-GR-4S

- ▶ 4" Square Post x 2-3/8" Frame
- ▶ 16/Case @ 55 lbs

WI-GR-4R

- ▶ 4" Round Post x 2-3/8" Frame
- ▶ 16/Case @ 55 lbs

WI-GR-6 5/8R

- ▶ 6-5/8" Round Post x 2-3/8" Frame
- ▶ 12/Case @ 50 lbs



MULTI-ADJUSTABLE GATE RECEIVER

WI-GR-4R-A

- ▶ 4" Round Post x 2-3/8" Frame
- ▶ 7/Case @ 40 lbs



GATE RECEIVER WITH INSERT

WI-GR-4SIS

- ▶ 4" Square Post x 2-3/8" Frame
- ▶ 8/Case @ 48 lbs

WI-GR-4RIS

- ▶ 4" Round Post x 2-3/8" Frame
- ▶ 8/Case @ 48 lbs

WI-SPLI-S

- ▶ 4" Square Post x 2-3/8" Frame
- ▶ 9/Case @ 55 lbs

WI-SPLI

- ▶ 4" Round Post x 2-3/8" Frame
- ▶ 9/Case @ 55 lbs





NYLON CANTILEVER ROLLERS

Cast Steel Housing / Double Sealed Bearings

WI-CR3-N

- ▶ 4" x 2-3/8"
- ▶ 4/Case @ 52 lbs



▶ 2/Case @ 35 lbs





Stamped Steel Housing / Double Sealed Bearings

WI-CR7-N

- ▶ 4" x 2-3/8"
- ▶ 4/Case @ 52 lbs
- WI-CR7-N-TBC
- ▶ 4" x 2-3/8"
- ▶ 4/Case @ 56 lbs





Cast Aluminum Housing / Double Sealed Bearings

WI-CR8-N

- ▶ 3" x 2-3/8"
- ▶ 4/Case @ 45 lbs



Ductile Iron Housing / Double Sealed Bearings

WI-CR4-N

- ▶ 6-5/8" x 2-3/8"
- ▶ 4/Case @ 72 lbs



Cast Aluminum Housing / Round Nylon Roller w/square post

WI-CR6-N-3R

- ▶ 4" x 2-3/8"
- ▶ 4/Case @ 45 lbs



Cast Aluminum Housing / Square Nylon Roller

WI-CR6-N

- ▶ 4" x 2"
- ▶ 4/Case @ 45 lbs



WI-CR3-N-6S

- ▶ 4" x 2"
- ▶ 4/Case @ 45 lbs



CAST IRON CANTILEVER ROLLERS

Ductile Iron Housing / Double Sealed Bearings

WI-CR3-C

- ▶ 4" x 2-3/8"
- ▶ 4/Case @ 75 lbs



WI-CR3-C-TBC

- ▶ 4" x 2-3/8"
- ▶ 2/Case @ 45 lbs



Ductile Iron Housing / Double Sealed Bearings

WI-CR8-C

- ▶ 3" x 2-3/8"
- ▶ 4/Case @ 45 lbs



Stamped Iron Housing / Double Sealed Bearings

WI-CR7-C

- ▶ 4" x 2-3/8"
- ▶ 4/Case @ 45 lbs



WI-CR7-C-TBC

- ▶ 4" x 2-3/8"
- ▶ 4/Case @ 50 lbs



RESIDENTIAL CANTILEVER ROLLERS

Nylon Wheel with cover / Double Sealed Bearings

WI-CR9-N-TBC

- ▶ 2-3/8" x 1-5/8"
- ▶ 4/Case @ 75 lbs



MINI CANTILEVER ROLLERS

Malleable Casting / Sealed Ball Bearing

CL-CRMS238

- ▶ 2-3/8" x 1-5/8"
- ▶ 8/Case @ 44 lbs



CANTILEVER ROLLERS

Malleable Casting / Double Sealed Ball Bearing

- ▶ Castle nut
- ▶ Dust Cap and Oil Seal



Number	Size	Qty / Weight
CL-CRMS278	2-7/8" x 2-3/8"	4/Case @ 56 lbs
CL-CRMS278C (w/cover)	2-7/8" x 2-3/8"	2/Case @ 33 lbs
CL-CRMS312	3-1/2" x 2-3/8"	4/Case @ 60 lbs
CL-CRMS658	6-5/8" x 2-3/8"	4/Case @ 84 lbs
CL-CRMS4	4" x 2-3/8"	4/Case @ 64 lbs
CL-CRMS4C (w/cover)	4" x 2-3/8"	4/Case @ 64 lbs

CANTILEVER ROLLERS SOLID NYLON WHEEL

Malleable Casting / Double Sealed Ball Bearing

- ▶ Universal top & bottom cover all in one
- ▶ Can be ordered with & without cover



Number	Size	Qty / Weight
CL-CRNYL278C-S	2-7/8" x 2-3/8" w/slotted cover	2/Case @ 29 lbs
CL-CRNYL658C-S	6-5/8" x 2-3/8" w/slotted cover	2/Case @ 40 lbs
CL-CRNYL658NC-S	6-5/8" x 2-3/8" no cover	4/Case @ 80 lbs

CANTILEVER ROLLERS RIBBED NYLON WHEEL

Wheel Cover



Number	Size	Qty / Weight
CL-CRNYL278C-R	2-7/8" x 2-3/8" w/slotted cover	2/Case @ 29 lbs
CL-CRNYL278NC-R	2-7/8" x 2-3/8" no cover	2/Case @ 21 lbs
CL-CRNYL4C-R	4" x 2-3/8" w/slotted cover	2/Case @ 31 lbs
CL-CRNYL4NC-R	4" x 2-3/8" no cover	2/Case @ 48 lbs
CL-CRNYL658C-R	6-5/8" x 2-3/8" w/slotted cover	2/Case @ 40 lbs
CL-CRNYL658NC-R	6-5/8" x 2-3/8" no cover	2/Case @ 37 lbs
CL-SCRNYL4C-S-SQ	4" x 2" w/slotted cover	2/Case @ 35 lbs

CANTILEVER COVERS

Universal Top & Bottom Cover / For All CR3 & CR7 Series Rollers

WI-TBCOVER-BWN

CASE QTY	WEIGHT
24	45 lbs



Cantilever Top Cover / For All CR3 & CR4 Series Rollers

WI-CR1-COVER

CASE QTY	WEIGHT
16	40 lbs



Cantilever Top Cover for 3" or 4"

CL-CRG4022





TROLLEY FOR CANTILEVER GATES

NW-TROLLEY4WA

CASE QTY	WEIGHT
6	29 lbs

NW-TROLLEY8WA

CASE QTY	WEIGHT
4	31 lbs

4 WHEEL TROLLEY

WI-TROLLEY-M4S

- ▶ Cast Steel body
- ▶ Vertical Wheels O.D. 2.045"
- ▶ 12/Case



8 WHEEL TROLLEY

WI-WTS10-1

- ▶ Machined Steel body
- ► Horizontal Wheels O.D. 2.125"
- ▶ 8/Case





TROLLEY BRACKETS

NW-TRLLBKT-R-HD ▶ 4" Round, Heavy-duty Gage **NW-TRLLBKT-S-HD** ▶ 4" Square, Heavy-duty Gage





CASE QTY	WEIGHT
6	45 lbs

NW-TRLLBKT-RD-STL - 4" ▶ Round, Heavy-duty Gage

NW-TRLLBKT-SQ-STL - 4" ▶ Square, Heavy-duty Gage





CASE QTY	WEIGHT
4	40 lbs

WI-HANG-4R - 4"

- ▶ Round
- ▶ 8/Case

WI-HANG-4S - 4"

- ▶ Square
- ▶ 8/Case

WI-HANG-6S - 6"

- ▶ Square
- ▶ 4/Case

WI-HANG-6-5/8 - 6-5/8"

- ▶ Round
- ▶ 4/Case

BOTTOM GUIDE ASSEMBLY



Number	Size	Quantity
CL-7237	Round 4"	6/Case
CL-7238	Round 6-5/8"	6/Case
WI-SRBG-6-5/8 (Side Mount)	Round 6-5/8"	6/Case



Number	Size	Quantity
CL-7237-SQ	Square 4"	6/Case
CL-7238-SQ	Square 6"	6/Case

BOTTOM GUIDE ASSEMBLY

WI-BGAR ▶ 4" Round



OFFSET BOTTOM GUIDE ASSEMBLY

WI-SSBGO-4 ▶ 4" Square



CASE QTY	WEIGHT
10	40 lbs

MULTI-ADJUSTABLE BOTTOM GUIDE ASSEMBLY

CL-7239



CASE QTY	WEIGHT
4	80 lbs

GUIDE BRACKET



CL-6005 ▶ 4"

CASE QTY	WEIGHT
8	52 lbs

GUIDE ROLLERS



CASE QTY	WEIGHT
15	38 lbs

NW6271-BK Black NW6271-WH White

- ▶ Plastic roller
- Zinc plated bracket for welding
- ▶ Bracket is 6.2" in height



CASE QTY	WEIGHT
40	21 lbs

WI-RGR

- ▶ 3" Nylon Guide Roller
- ▶ No cover



CASE QTY	WEIGHT
200	24 lbs

WI-RGR-C

→ Cover for WI-RGR



CASE QTY	WEIGHT
24	21 lbs

WI-RGR-BKT

→ 3" Rubber Guide
roller with bracket

BEAM HANGER

HDG

Number	Size	Quantity
CL-6000	2-7/8"	4/Case
CL-6001	4"	4/Case
CL-6002	6-5/8"	2/Case



TROLLEY ASSEMBLIES

Pressed Steel - HD Trolley Roller

▶ Fits 6" I-Beam

Number	Size	Quantity
CL-6035	4 Rollers	2/Case



Number	Size	Quantity
CL-6036	Single	4/Case
CL-6037	Double	2/Case





DROP ROD & GUIDE

Pressed Steel

▶ Available in Black



DOUBLE HANGER

Pressed Steel



Number	Size	Quantity
CL-6003	4" & 8" Spacing	4/Case

INDUSTRIAL DROP FORK & GUIDES



Number	Size	Quantity
CL-6100 (drop guide)	1-5/8"	50/Case
CL-6101 (drop guide)	2"	50/Case
CL-6102 (drop fork)	1-5/8"	50/Case
CL-6103 (drop fork)	2"	50/Case

COMMERCIAL DROP RODS

NW6270-24BK Black NW6270-24HDG Hot Dip Galvanized

CASE QTY	WEIGHT
10	46 lbs

36" NW6270-36BK Black NW6270-36HDG Hot Dip Galvanized

CASE QTY	WEIGHT
10	55 lbs

NW6270-24BK Black
NW6270-24HDG Hot Dip Galvanized

CASE QTY	WEIGHT
5	36 lbs

- ▶ Heavy-duty 1" O.D. drop rod
- > Zinc plated, powder coated steel
- ▶ Through bolt design
- Can be used on vinyl, wood, aluminum or steel gates

COMMERCIAL PAD-LOCKABLE DROP RODS

NW6270L-24BK Black NW6270L-24HDG Hot Dip Galvanized

CASE QTY	WEIGHT
10	46 lbs

36" NW6270L-36BK Black NW6270L-36HDG Hot Dip Galvanized

CASE QTY	WEIGHT
10	55 lbs

48" NW6270L-48BK Black NW6270L-48HDG Hot Dip Galvanized

CASE QTY	WEIGHT
5	36 lbs





NEW! MUSHROOM GATE STOP

CL-CS

CASE QTY	WEIGHT
10	35 lbs

GATE WHEELS

GW3-BK Black

- > Zinc plated steel with powder-coated finish
- ► Composite wheel designed for rougher uneven surfaces and large temperature ranges
- ▶ Swivel design for ease of use
- Attached easily
- Nationwide's V-notch™ styling
- ▶ May be used on any flat surface
- ▶ Fit's 1-3/8", 1-5/8" and 2" size gate frames

WI-SPW-6

- ▶ Steel stamped, zinc plated housing
- ▶ Ball bearing swivel wheel
- Nylon wheel with sealed bearing
- ▶ Adjustable spring tension

CASE QTY	WEIGHT
10	50 lbs



SWING GATE HELPER WHEELS

Pressed Steel

Number	Size	Quantity
CL-6025	1-7/8"	4/Case

Number	Size	Quantity
CL-6026	1-7/8"	5/Case



SWIVEL WHEELS

Pressed Steel

Number	Size	Quantity
CL-6027	1-3/8"	4/Case
CL-6028	1-5/8"	4/Case
CL-6029	1-7/8"	4/Case



SINGLE WHEEL CARRIERS - 2PC

Pressed Steel

Number	Size	Quantity
CL-6030	1-5/8 x 6"	10/Case
CL-6031	1-5/8 x 8"	10/Case
CL-6032	1-7/8 x 6"	5/Case
CL-6033	1-7/8 x 8"	5/Case



DOUBLE WHEEL ASSEMBLY FOR SLIDE GATE

CL-DBLWA-6

- ▶ 6" Adjustable Wheel
- ▶ Heavy-duty rubber ball bearing wheels
- ▶ Fits 1-3/8", 1-5/8" or 1-7/8" gate frames

CASE QTY	WEIGHT
4	34 lbs

CL-7000

- ▶ 6" Wheel
- ▶ Fits 1-7/8" gate frames
- ▶ 4/Case

CL-7001

- ▶ 8" Wheel 12" wide
- ▶ Fits 1-7/8" gate frames
- ▶ 4/Case



DOUBLE WHEEL ASSEMBLY FOR SLIDE GATE



WI-DUALTIRE-9

▶ 2" U-Bolts

CASE QTY	WEIGHT
5	40 lbs

WI-DUALTIRE-9-8

▶ 8" wheel - 2" U-Blots

CASE QTY	WEIGHT
5	60 lbs

DOUBLE WHEEL ASSEMBLY (PNEUMATIC TIRES)

Number	Size	Quantity
CL-7002	10" D x 3" W	2/Case



(i) 16" Carriage/Wheel Carriers

Number	Size	Quantity
WI-DUALTIRE-16	2" U-Bolts	2/Case
WI-DUAL-PT8	(8" Wheel) 2" U-Bolts	4/Case
WI-DUAL-PT10	(10" Wheel) 2" U-Bolts	2/Case
WI-DUALPT10-2.5	(10" Wheel) 2.5" U-Bolts	2/Case

ROLL GATE TRACK GUARD

CL-RGTG


- ▶ The Anti-Hole Ripper
- Avoid holes in mesh when sliding a chain link roll gate
- ▶ Small, easy to install
- ▶ Fits 1-3/8" pipe

CASE QTY	WEIGHT
20	37 lbs

UNIVERSAL SAFETY TYPE TRACK BRACKETS

Pressed Steel

▶ Available in Black





Number	U-Bolt Size	Quantity
CL-6014	1-5/8" x 1-7/8"	20/Case
CL-6015	2-3/8" x 2-7/8"	20/Case

PIPE TRACK WHEELS ASSEMBLIES

Malleable

Number	Size	Quantity
CL-6019	5"	10/Case
CL-6020	5" x 1-5/8"	4/Case



Pressed Steel

Number	Size	Quantity
CL-6021 Pipe track roller only	5" x 1-5/8"	10/Case
CL-6023 Pipe track wheel with 2" U-bolt	5" x 1-5/8"	10/Case



Cast Steel Wheel

Number	U-Bolt Size	Quantity		
WI-CW-HA	1-5/8" W/ 1-7/8"	6/Case		



PIPE TRACK WHEELS

Nylon Wheel

Number	U-Bolt Size	Quantity
WI-NW-HA	1-5/8"	12/Case



REAR PIPE BRACKET

Pressed Steel

Number	Size	Quantity
CL-6008	1-5/8"	50/Case



GATE STOP BRACKET

Pressed Steel

Number	Size	Quantity	
WI-GSB	2-3/8"	40/Case	



ADJUSTABLE REAR ROLLER BRACKET

Pressed Steel - Clamp On

Number	Size	Quantity
CL-6010	1-5/8" - 2"	25/Case



ALUMINUM POST CAPS

▶ Available in Black



Number	CL-4010	CL-4011	CL-4012	CL-4013	CL-4014	CL-4015	CL-4016
Size	1-3/8"	1-5/8"	1-7/8"	2-3/8"	2-7/8"	3-1/2"	4"
Quantity	350/Case	350/Case	250/Case	150/Case	150/Case	100/Case	50/Case

MALLEABLE POST CAPS

▶ Available in Black



Number	CL-4025	CL-4026	CL-4027	CL-4028	CL-4029	CL-4030	CL-4032	CL-4033
Size	1-5/8"	1-7/8"	2-3/8"	2-7/8"	3-1/2"	4"	6-5/8"	8-5/8"
Quantity	100/Case	100/Case	50/Case	50/Case	25/Case	25/Case	8/Case	4/Case

PRESSED STEEL POST CAPS



Number	CL-5001	CL-5002	CL-5003	CL-5004	CL-5006	CL-5008	CL-5009	CL-5011
Size	1-3/8"	1-5/8"	1-7/8"	2-3/8"	2-7/8"	3-1/2"	4"	6-5/8"
Quantity	250/Case	250/Case	250/Case	100/Case	100/Case	50/Case	25/Case	10/Case

BULLET CAPS

▶ Fits 1-3/8" rails









L	LJ	7	13	

13 CL3914

CL3915

CL3916

Number	CL-3913	CL-3914	CL-3915	CL-3916
Size	2-3/8"	2-3/8"	2-3/8"	1-3/8 rail adaptor
Quantity	100/Case	100/Case	100/Case	200/Case

ALUMINUM-OFFSET RAIL ENDS

▶ Available in Black

 Number
 CL-4017
 CL-4018

 Size
 1-3/8"
 1-5/8"

 Quantity
 350/Case
 250/Case

MALLEABLE HALF MOON RAIL ENDS

▶ Available in Black



Number	CL-4050
Size	1-5/8"
Quantity	100/Case

PRESSED STEEL PLAIN OFFSET RAIL ENDS

▶ Available in Black



Number	CL-5012	CL-5013	CL-5014	CL-5015
Size	1-3/8"	1-5/8"	1-7/8"	2-3/8"
Quantity	100/Case	100/Case	50/Case	50/Case

PRESSED STEEL 2 HOLES RAIL ENDS

▶ Available in Black



Number	CL-5016	CL-5017
Size	1-5/8"	1-7/8"
Quantity	50/Case	50/Case

MALLEABLE OFFSET RAIL ENDS



Number	CL-5038	CL-5039	CL-5040
Size	1-3/8"	1-5/8"	1-7/8"
Quantity	100/Case	100/Case	50/Case

PRESSED STEEL HALF MOON RAIL ENDS

▶ Available in Black



Number	Size	Quantity
CL-5041	1-5/8"	100/Case

PRESSED STEEL 3-HOLE RAIL ENDS

▶ Available in Black



Number	Size	Quantity
CL-5341	1-5/8"	100/Case
CL-5342	1-7/8"	50/Case
CL-5343	2-3/8"	50/Case

RAIL END COMBO

▶ Available in Black



ı	Number	Size	Quantity
	WI-REC-1-5/8	1-5/8"	100/Case

ALUMINUM BALL TOP LOOP CAPS

▶ Available in Black



Number	Size	Quantity
CL-4002	1-5/8" x 1-3/8"	200/Case
CL-4003	1-7/8" x 1-3/8"	200/Case
CL-4004	1-7/8" x 1-5/8"	100/Case
CL-4005	2-3/8" x 1-5/8"	100/Case

ALUMINUM LOOP CAPS

▶ Available in Black



Number	Size	Quantity
CL-4006	1-5/8" x 1-3/8"	200/Case
CL-4007	1-7/8" x 1-3/8"	200/Case
CL-4008	1-7/8" x 1-5/8"	100/Case
CL-4009	2-3/8" x 1-5/8"	100/Case

PRESSED STEEL LOOP CAPS

▶ Available in Black



Number	Size	Quantity
CL-5018	1-5/8" x 1-3/8"	50/Case
CL-5019	1-5/8" x 1-5/8"	50/Case
CL-5020	1-7/8" x 1-3/8"	50/Case
CL-5021	1-7/8" x 1-5/8"	50/Case
CL-5022	2-3/8" x 1-5/8"	50/Case
CL-5023	2-7/8" x 1-5/8"	50/Case
CL-5024	4" x 1-5/8"	50/Case
CL-5025 (heavy)	1-5/8" x 1-3/8"	50/Case
CL-5027 (heavy)	1-7/8" x 1-3/8"	50/Case
CL-5028 (heavy)	1-7/8" x 1-5/8"	50/Case
CL-5029 (heavy)	2-3/8" x 1-5/8"	50/Case
CL-5030 (heavy)	2-7/8" x 1-5/8"	50/Case

ALUMINUM CORNER CLAMPS

▶ Available in Black



Number	Size	Quantity
CL-4000 (closed)	1-3/8"	100/Case
CL-4001 (split)	1-3/8"	100/Case

PRESSED STEEL RESIDENTIAL GATE CORNER CLAMPS WITHOUT RIVET



Number	Size	Quantity
CL-5242 (top)	1-3/8"	50/Case
CL-5243 (bottom)	1-3/8"	50/Case

PRESSED STEEL HEAVY GATE CORNER CLAMPS WITHOUT RIVET

▶ Available in Black



Number	Size	Quantity	
CL-5246 (top)	1-5/8"	20/Case	
CL-5247 (bottom)	1-5/8"	20/Case	

PRESSED STEEL PANEL CLAMPS

▶ Available in Black



Number	Size	Quantity
CL-5255	1-3/8"	100/Case
CL-5256	1-5/8"	100/Case
CL-5257	1-7/8"	50/Case

PRESSED STEEL SADDLE CLAMPS 4MM

▶ Available in Black



Number	Size	Quantity
CL-5258	1-3/8" x 1-3/8"	100/Case
CL-5259	1-5/8" x 1-5/8"	100/Case
CL-5260	1-7/8" x 1-7/8"	100/Case

PRESSED STEEL BOULEVARD CLAMPS-2PCS PER SET

▶ Available in Black



Number	Size	Quantity
CL-5070	1-3/8" x 1-3/8"	100/Case
CL-5071	1-5/8" x 1-3/8"	100/Case
CL-5072	1-5/8" x 1-5/8"	100/Case
CL-5073	1-7/8" x 1-3/8"	100/Case
CL-5074	1-7/8" x 1-5/8"	100/Case
CL-5075	2-3/8" x 1-3/8"	100/Case
CL-5076	2-3/8" x 1-5/8"	50/Case
CL-5077	2-3/8" x 1-7/8"	50/Case
CL-5078	2-7/8" x 1-5/8"	50/Case
CL-5080	3-1/2" x 1-5/8"	50/Case
CL-5081	4" x 1-5/8"	50/Case

PRESSED STEEL END CLAMPS 2PCS PER SET

▶ Available in Black

Number	Size	Quantity
CL-5082	1-3/8" x 1-3/8"	100/Case
CL-5083	1-5/8" x 1-3/8"	100/Case
CL-5084	1-5/8" x 1-5/8"	100/Case
CL-5085	1-7/8" x 1-3/8"	100/Case
CL-5086	1-7/8" x 1-5/8"	100/Case
CL-5087	1-7/8" x 1-7/8"	100/Case
CL-5088	2-3/8" x 1-5/8"	100/Case
CL-5089	2-3/8" x 1-7/8"	50/Case
CL-5090	2-7/8" x 1-5/8"	50/Case
CL-5091	2-7/8" x 1-7/8"	50/Case
CL-5092	4" x 1-5/8"	50/Case
CL-5093	4" x 1-7/8"	50/Case

PRESSED STEEL SLEEVES

▶ Available in Black

Number	Size	Quantity
CL-5134	1-3/8" x 6"	100/Case
CL-5136	1-5/8" x 6"	50/Case
CL-5138	1-5/8" x 7"	50/Case



PRESSED STEEL TENSION BANDS 14GA



Number	Size	Quantity
CL-5114	1-3/8"	250/Case
CL-5115	1-5/8"	250/Case
CL-5116	1-7/8"	250/Case
CL-5117	2-3/8"	250/Case
CL-5118	2-7/8"	100/Case
CL-5120	3-1/2"	100/Case
CL-5121	4"	100/Case
CL-5123	6-5/8"	50/Case

PRESSED STEEL TENSION BANDS (HEAVY 3MM) 11GA

▶ Available in Black



Number	CL-5124	CL-5125	CL-5126	CL-5127	CL-5128	CL-5130	CL-5131	CL-5133
Size	1-3/8"	1-5/8"	1-7/8"	2-3/8"	2-7/8"	3-1/2"	4"	6-5/8"
Quantity	250/Case	100/Case	100/Case	100/Case	100/Case	100/Case	100/Case	50/Case

PRESSED STEEL BEVELED TENSION BANDS

▶ Available in Black



Number	CL-5114BV	CL-5115BV	CL-5116BV	CL-5117BV	CL-5118BV	CL-5121BV	CL-5123BV
Size	1-3/8"	1-5/8"	1-7/8"	2-3/8"	2-7/8"	4"	6-5/8"
Quantity	250/Case	250/Case	250/Case	250/Case	100/Case	100/Case	50/Case

PRESSED STEEL SQUARE TENSION BANDS

▶ Available in Black



Number	CL-5115-SQ	CL-5116-SQ	CL-5117-SQ	CL-5118-SQ	CL-5121-SQ
Size	1-1/2" x 1-1/2"	2" x 2"	2-1/2" x 2-1/2"	3" x 3"	4" x 4"
Quantity	100/Case	100/Case	50/Case	50/Case	50/Case

ALUMINUM SQUARE TENSION BAND

▶ Available in Black



Number	WI-SPB-2
Size	2"
Quantity	300/Case

ALUMINUM SQUARE BRACE BAND



Number	WI-SBB-2
Size	2"
Quantity	300/Case

PRESSED STEEL BRACE BANDS 12GA

▶ Available in Black



Number	CL-5094	CL-5095	CL-5096	CL-5097	CL-5098	CL-5100	CL-5101	CL-5103
Size	1-3/8"	1-5/8"	1-7/8"	2-3/8"	2-7/8"	3-1/2"	4"	6-5/8"
Quantity	250/Case	250/Case	250/Case	250/Case	100/Case	100/Case	100/Case	50/Case

PRESSED STEEL BRACE BANDS (HEAVY 3MM) 11GA



Number	CL-5104	CL-5105	CL-5107	CL-5108	CL-5110	CL-5111	CL-5113
Size	1-3/8"	1-5/8"	2-3/8"	2-7/8"	3-1/2"	4"	6-5/8"
Quantity	250/Case	250/Case	250/Case	100/Case	100/Case	100/Case	50/Case

PRESSED STEEL BEVELED BRACE BANDS

▶ Available in Black



Number	CL-5095BV	CL-5096BV	CL-5097BV	CL-5098BV	CL-5101BV	CL-5103BV
Size	1-5/8"	1-7/8"	2-3/8"	2-7/8"	4"	6-5/8"
Quantity	250/Case	250/Case	250/Case	100/Case	100/Case	50/Case

PRESSED STEEL SQUARE BRACE BANDS

▶ Available in Black



Number	CL-5095-SQ	CL-5096-SQ	CL-5097-SQ	CL-5098-SQ	CL-5101-SQ
Size	1-1/2" x 1-1/2"	2" x 2"	2-1/2" x 2-1/2"	3" x 3"	4" x 4"
Quantity	100/Case	100/Case	50/Case	50/Case	50/Case

PRESSED STEEL "V" CORNER ARMS



Number	CL-5048	CL-5050
Size	2-7/8"	4"
Quantity	5/Case	5/Case

MALLEABLE "V" BARB ARMS



Number	CL-5056
Size	2-7/8"
Quantity	5/Case

PRESSED STEEL SINGLE CORNER ARMS

▶ Available in Black

Number	CL-5042	CL-5043	CL-5044	CL-5045
Size	2-3/8"	2-7/8"	3-1/2"	4"
Quantity	10/Case	10/Case	10/Case	5/Case



PRESSED STEEL VERTICAL BARB ARMS

Number	CL-5059	CL-5060	CL-5061
Size	1-5/8" x 1-5/8"	1-7/8" x 1-5/8"	2-3/8" x 1-5/8"
Quantity	25/Case	25/Case	25/Case



MALLEABLE SINGLE CORNER ARMS

Number	CL-5051	CL-5052	CL-5053	CL-5054
Size	2-3/8"	2-7/8"	3-1/2"	4"
Quantity	5/Case	5/Case	5/Case	5/Case



PRESSED STEEL 45 DEGREE BARB ARMS

▶ Available in Black



Number	Size	Quantity
CL-5062	1-5/8" x 1-5/8"	25/Case
CL-5063	1-7/8" x 1-5/8"	25/Case
CL-5064	2-3/8" x 1-5/8"	25/Case

PRESSED STEEL "V" BARB ARMS

▶ Available in Black



Number	Size	Quantity
CL-5065	1-5/8" x 1-5/8"	5/Case
CL-5066	1-7/8" x 1-5/8"	5/Case
CL-5067	2-3/8" x 1-5/8"	5/Case

CARRIAGE BOLTS

Galvanized (Nut included with bolts)

▶ Available in Black



Number	Size	Quantity
CL-7017	5/16" x 6"	250/Case
CL-7018	5/16" x 1-1/4"	1000/Case
CL-7019	5/16" x 2"	1000/Case
CL-7020	5/16" x 2-1/2"	1000/Case
CL-7021	3/8" x 2"	500/Case
CL-7022	3/8" x 3"	500/Case
CL-7023	3/8" x 2-1/2"	500/Case
CL-7024	3/8" x 3-1/2"	500/Case
CL-7029	3/8" x 1-1/2"	500/Case

FLOOR BASE PLATES

Pressed Steel - Galvanized



Number	Size	Quantity
NW6174-4	4"	50/Case
NW6174-6	6"	10/Case
NW6174-8	8"	10/Case

FLOOR FLANGES

Malleable



Number	Size	Quantity
CL-7110	1-7/8"	10/Case
CL-7111	2-3/8"	5/Case
CL-7112	2-7/8"	12/Case
CL-7113	4"	4/Case

J-BOLTS


▶ 2 Nuts Attached



Size	Quantity
1/2" x 4-1/2"	100/Case
1/2" x 6"	100/Case
5/8" x 4-1/2"	50/Case
5/8" x 6"	50/Case
5/8" x 8"	50/Case
5/8" x 10"	50/Case
5/8" x 12"	50/Case
	1/2" x 4-1/2" 1/2" x 6" 5/8" x 4-1/2" 5/8" x 6" 5/8" x 8" 5/8" x 10"

LAG SCREW HINGES

Number	Size	Quantity
CL-7025	1/2" x 4-1/2"	100/Case
CL-7027	5/8" x 4-1/2"	100/Case
CL-7028	5/8" x 6"	100/Case



C-TYPE GATE CLIPS 1-3/8"

Pressed Steel

▶ Available in Black



Number	Size	Quantity
CL-5234	C,3.319"	250/Case
CL-5235	C,3.070"	250/Case
CL-5236	C,3.800"	250/Case
CL-5237	(1-3/8" L)	250/Case

DIE CAST PLUG

WI-DCP

- ▶ 2-1/2" diameter Die cast Plug
- ► Aluminum A360 Alloy

Weight
30 lbs



HINGE PLUG

Cast

Number	Size	Quantity
CL-4060	1-5/8"	10/Case
CL-4061	1-7/8"	10/Case



HOG RINGS

Aluminum - 9GA

▶ Sold in 5lb bags/6 bags per Master Case

Number	Color	Weight
CL-7050	Mill	30lbs/Case
CL-7052	Black	30lbs/Case



GATE HOLDBACK

Malleable

Number	Size	Quantity
CL-5241	1-5/8"-1-7/8"	20/Case



HOOK TIES

Aluminum



Number	Color	Size	Quantity
CL-7060	Mill	6-1/2" x 9ga	1000/Case
CL-7061	Mill	8-1/4" x 9ga	1000/Case
CL-7062	Black	6-1/2" x 9ga	1000/Case
CL-7063	Black	8-1/4" x 9ga	1000/Case
CL-7064	Mill	6-1/2" x 11ga	1000/Case
CL-7065	Black	6-1/2" x 11ga	1000/Case

POST ANCHORS

Pressed Steel - HDG

Size	Quantity
1-5/8"	25/Case
1-7/8"	25/Case
2-3/8"	25/Case
	1-5/8"



TRUSS ROD TIGHTENER

▶ Available in Black

Number	Quantity
CL-7047	100/Case



TRUSS RODS

HDG

Number Size	Quantity
CL-TR132 3/8" x 132"	250/Bundle

GATE SCROLLS



Number	Size	Quantity
CL-5239 (Available in Black)	18"	10/Case
CL-5240	24"	10/Case

WIRE WINDERS

Pressed Steel



Number	Size	Quantity
CL-5069	4"	50/Case



Number	Quantity
WI-BRT	48/Case

TENSION BARS

Pressed Steel



Number	Size	Quantity
CL-7500	3/16" x 5/8"x46"	500/Bundle
CL-7501	3/16" x 5/8"x58"	500/Bundle
CL-7502	3/16" x 5/8"x70"	500/Bundle
CL-7503 (not available in black)	3/16" x 5/8"x82"	250/Bundle
CL-7510	3/16" x 3/4"x58"	250/Bundle
CL-7511	3/16" x 3/4"x70"	250/Bundle
CL-7512	3/16" x 3/4"x82"	250/Bundle



Number	Quantity
WI-GCT	1/Case

WIRE GRIP TOOL



Number	Quantity
WI-WGT	1/Box

POST HOLE DIGGERS & TOOLS

▶ Wood Handle

CASE QTY

WI-006



▶ Torque Bar

CASE QTY

WI-CB06

GATE KIT SINGLE

CL-GATEKITSGL 5/Case		
Number	Size	
CL-7080	1-3/8" PS Collar	
CL-5141	1-3/8" x 5/8" PS Gate Hinge	
CL-5156	2-3/8" x 5/8" PS Post Hinge	
CL-7092	2-1/2" PS Fork	
CL-7018	5/16" x 1-1/4" Carriage bolt	
CL-7021	3/8" x 2" Carriage bolt	
CL-7022	3/8" x 3" Carriage Bolt	
	Number CL-7080 CL-5141 CL-5156 CL-7092 CL-7018 CL-7021	

GATE KIT DOUBLE

▶ Available in Black

CL-GATEKITDBL 5/Case		
Quantity	Number	Size
1 Set	CL-7080	1-3/8" PS Collar
4	CL-5141	1-3/8" x 5/8" PS Gate Hinge
2	CL-5144	1-3/8" x 1/2" PS Gate Hinge
4	CL-5156	2-3/8" x 5/8" PS Post Hinge
1	CL-7090	1-3/8" PS Fork
2	CL-7018	5/16" x 1-1/4" Carriage Bolt
2	CL-7019	5/16" x 2" Carriage Bolt
4	CL-7021	3/8" x 2" Carriage Bolt
4	CL-7022	3/8" x 3" Carriage Bolt

ROLL GATE KIT

WI-ROLLGATE 1/Case		
Quantity	Number	Size
1	1 WI-DUAL-PT8	Dual Tire Runner
2	CL-6023	5" x 1-5/8" Pipe Track Roller
6	CL-6015	2-3/8" & 2-7/8" PS Safety Track Bracket
1	CL-6013	PS Rolling Gate Latch





LOCKEY

GATE AND DOOR SECURITY HARDWARE

Mechanical Locks | Gate and Panic Hardware





QUICK GUIDE



DC - DOUBLE COMBINATION

Most LockeyUSA Mechanical Keyless Locks are available in Double Combination (DC). DC locks have a combination body on both the interior and exterior and require a code to unlock from both the interior and exterior.


KO - KEY OVERRIDE

Many of our products are available in Key Override (KO). Please note the warranty on Key Override locks differs from our standard mechanical lock warranty. For warranty statements, visit LockeyUSA.com/warranty

MG - MARINE GRADE

We offer two marine grade finishes, Jet Black Marine Grade (JBMG) and Satin Chrome Marine Grade (SCMG), which are designed to extend the life of the finish when exposed to corrosive elements of coastal/saltwater environments.

HOW TO ORDER A PANIC SHIELD KIT



PS: Standard ED: Edge

4: Value 5: Safety

INCLUDE LATCH PROTECTOR AND JAMB STOP.

6: Security

0: No Bar 1: PB1100

*WHATS INCLUDED? (4) Value Kits: Shield, Bar, Strike Bracket. (5) Safety Kits:

Shield, Bar, Strike Bracket, Key Box, Keyed Cylinder. (6) Security Kits: Shield,

Bar, Strike Bracket, Gate Box, 285-P, Max Guard. ALL EDGE STYLE KITS

2: Detex V-40 3: Detex V40xEBxW S: Silver B: Black OPTIONAL PANIC BAR UPGRADE

(SELECT ONE ONLY)

PB1100 L: 42" Bar M: Stainless Steel

F: Fire Rated LM: 42" Stainless Bar DETEX V-40

L: 42" Bar M: Stainless Steel F: Fire Rated LM: 42" Stainless Bar

DETEX V-40xEBxW

L: 42" Bar 7: Black V-40xEB L7: 42" Black V-40xEB

**For standard 36" doors/gates.

INSTRUCTIONS LockeyUSA highly recommends reviewing product instruction documents prior to purchase and installation. Visit the specific product page of our website for complete product details including instruction documents or view all instructions and available videos at lockeyusa.com/resources

TROUBLESHOOTING If you're still having trouble after reviewing instruction documents, contact our technical support team. Our team can be reached at 888.395.0163, info@lockeyusa.com or by filling out the contact form at lockeyusa.com/contact-us



INSTALLATION INSTRUCTIONS

REPLACEMENT PARTS To obtain replacement parts for a LockeyUSA product, visit lockeyparts.com or contact the company you originally purchased from.

WHERE TO BUY

Find a Distributor: LockeyUSA.com/find-a-distributor Find an Online Retailer: LockeyUSA.com/online-retailers





LockeyUSA™ offers a vast selection of door and gate security hardware including keyless locks, hydraulic gate closers and panic hardware. LockeyUSA products provide security and convenience for an extensive range of commercial and residential applications. Motivated by a desire to meet customer needs and exceed expectations, LockeyUSA is inspired to create innovative access control products of the highest standard and greatest value.

lockeyusa.com | info@lockeyusa.com 888.395.0163 | 3505 Cragmont Dr. Tampa, FL 33619

MECHANICAL LOCKS

TABLE OF CONTENTS

C Series	130
M Series	131
1000 Series	132
2000 Series	134
2900 Narrow Stile Series	138
3000 Series	140
SUMO™ GL2	143
Specialty Locks	144
Accessories	145



Photo courtesy of Automated Equipment





C120 MECHANICAL KEYLESS SURFACE MOUNT LOCK

- Mechanical, keyless, surface mount deadbolt
- Reversible long/short bar
- One User Code (changeable)
- Low profile
- Ideal for cabinets



SHOWN IN SATIN CHROME MARINE GRADE

Part Number	Description
C120-(finish)	Mechanical Keyless Surface Mount Lock

Compatible with: C25 Pull Handle

C150 MECHANICAL KE

MECHANICAL KEYLESS HOOK BOLT LOCK

- Mechanical, keyless, hook bolt
- Surface mount lock
- One User Code (changeable)
- Low profile
- Ideal for sliding glass patio doors









DIGITAL

2 0

SHOWN IN SATIN CHROME MARINE GRADE

Part Number	Description
C150-(finish)	Mechanical Keyless Hook Bolt Lock

Compatible with: C25 Pull Handle

C170 MECHANICAL KEYLESS CAM CABINET LOCK

- Mechanical, keyless, push button lock
- Surface mount cam lock
- One User Code (changeable)
- Low profile
- Ideal for cabinet doors







SHOWN IN SATIN CHROME MARINE GRADE

Part Number	Description
C170-(finish)	Mechanical Keyless Cam Cabinet Lock

Compatible with: C25 Pull Handle

C25 PULL HANDLE

Pull handle for C Series Locks





SHOWN IN JET BLACK AND SATIN CHROME MARINE GRADE

Part Number	Description
C25-(finish)	Pull handle for C Series Locks

Compatible with: C120, C150, C170

M210

MECHANICAL KEYLESS DEADBOLT

- Mechanical, keyless, deadbolt lock
- Thumb turn on exterior and interior
- One User Code (changeable)
- Reversible handing
- Adjustable backset deadbolt
- EZ plates (metal trim plates) included- installs in minutes with no drilling on doors with an existing 2-1/8" deadbolt hole













SINGLE COMBINATION

Part Number	Description
M210-(finish)	Mechanical Keyless Deadbolt, single combination

DOUBLE COMBINATION

Part Number	Description
M210-(finish)-DC	Mechanical Keyless Deadbolt, double combination

Available Finishes: Antique Brass (AB), Bright Brass (BB), Bright Chrome (BC), Jet Black Marine Grade (JBMG), Oil Rubbed Bronze (OIL), Satin Brass (SB)*, Satin Chrome Marine Grade (SCMG), Satin Nickel (SN), White (WH) *Satin Brass only available in Single Combination

WEATHER

Compatible with: GB210, GB200M, GB-ADD-A-BOLT

M220

MECHANICAL KEYLESS SURFACE MOUNT DEADBOLT

- Surface mount deadbolt/slide bolt
- Reversible long/short bar
- One User Code (changeable)
- Works on most hinged configurations
- Ideal for narrow stile doors and light-duty applications



SHOWN IN SATIN CHROME MARINE GRADE

Part Number	Description
M220-(finish)	Mechanical Keyless Surface Mount Deadbolt

M230

MECHANICAL KEYLESS DEADLOCKING SPRING LATCH

- Mechanical, keyless deadlocking spring latch lock
- Auto-locking
- One User Code (changeable)
- Knob on interior and exterior
- Covers 2-1/8" prep hole





SHOWN IN SATIN CHROME MARINE GRADE

SINGLE COMBINATION

Part Number	Description
M230-(finish)	Mechanical Keyless Deadlocking Spring Latch, single combination

DOUBLE COMBINATION

Part Number	Description
M230-(finish)-DC	Mechanical Keyless Deadlocking Spring Latch, double combination

Compatible with: GB200M

1150 MECHANICAL KEYLESS HEAVY DUTY LEVER LOCK

- Mechanical, keyless, heavy duty lever lock
- Auto-locking with passage function
- One User Code (changeable)
- Adjustable backset deadlocking spring latch







SHOWN IN SATIN CHROME MARINE GRADE



SINGLE COMBINATION

Part Number	Description
1150-(finish)	Mechanical Keyless Heavy Duty Lever Lock, single combination



DOUBLE COMBINATION

Part Number	Description
1150-(finish)-DC	Mechanical Keyless Heavy Duty
	Lever Lock, double combination

Available Finishes: Jet Black Marine Grade (JBMG), Oil Rubbed Bronze (OIL), Satin Chrome Marine Grade (SCMG)

Dimensions & Specs : 7 5/16" L X 2 3/16" W X 2 5/16" D, TOTAL COVERAGE WITH TRIM PLATES: 7 1/2" L X 2 1/2" W X 2 1/2" D, LEVER SIZE: 5/8" L X 5" W, DOOR THICKNESS: 1 1/8" TO 2", FITS DOORS UP TO 5" WITH EXTENSION KIT (SOLD SEPARATELY), MATERIAL: ZINC-PLATED STEEL WITH TEFLON COATED STAINLESS STEEL INTERIOR COMPONENTS, FOR EXTERIOR & INTERIOR USE.

Compatible with: GB1150 Gate Box, 1600 Knob

1600 MECHANICAL KEYLESS HEAVY DUTY KNOB LOCK

- Mechanical, keyless, heavy duty knob lock
- Auto-locking with passage function
- One User Code (changeable)
- Adjustable backset deadlocking spring latch







SHOWN IN JET BLACK MARINE GRADE



SINGLE COMBINATION

Part Number	Description
1600-(finish)	Mechanical Keyless Heavy Duty Knob Lock,
	single combination



DOUBLE COMBINATION

Part Number	Description
1600-(finish)-DC	Mechanical Keyless Heavy Duty Knob Lock,
	double combination

Available Finishes: Jet Black Marine Grade (JBMG), Oil Rubbed Bronze (OIL), Satin Chrome Marine Grade (SCMG)

Dimensions & Specs : 7-5/16" L X 2-3/16" W X 2-11/16" D, TOTAL COVERAGE WITH TRIM PLATES: 7-1/2" L X 2-1/2" W X 2-7/2" D, KNOB SIZE: 2" DIAMETER, DOOR THICKNESS: 1-1/8" TO 2", FITS DOORS UP TO 5" WITH EXTENSION KIT (SOLD SEPARATELY), MATERIAL: ZINC-PLATED STEEL WITH TEFLON COATED STAINLESS STEEL INTERIOR COMPONENTS, FOR EXTERIOR & INTERIOR USE.

Compatible with: GB1150 Gate Box, 1150 Lever

2210 MECHANICAL KEYLESS DEADBOLT

- Mechanical, keyless, deadbolt lock
- · Knob on exterior, thumb turn on interior
- One User Code (changeable)
- Reversible handing
- Adjustable backset deadbolt










SHOWN IN OIL RUBBED **BRONZE**

SINGLE COMBINATION

Part Number	Description
2210-(finish)	Mechanical Keyless Deadbolt, single combination

DOUBLE COMBINATION

Part Number	Description
2210-(finish)-DC	Mechanical Keyless Deadbolt, double combination



Dimensions & Specs: 5-5/8" L X 1-5/8" W X 1-5/8" D, TOTAL COVERAGE WITH TRIM PLATES: 6-1/2" L X 2-1/2" W, DOOR THICKNESS: 1-1/8" TO 2", FITS DOORS UP TO 5" WITH EXTENSION KIT (SOLD SEPARATELY), MATERIAL: ZINC-PLATED STEEL WITH TEFLON COATED STAINLESS STEEL INTERIOR COMPONENTS, FOR EXTERIOR & INTERIOR USE.

Compatible with: GB2500 Gate Box, Key Override System (KOS)

2210KO MECHANICAL KEYLESS DEADBOLT WITH KEY OVERRIDE

- Mechanical, deadbolt lock with key override
- Knob on exterior, thumb turn on interior
- One User Code (changeable)
- Reversible handing
- Adjustable backset deadbolt
- Available keyed alike or keyed different





Part Number	Description	
2210-(finish)-KO	Mechanical Deadbolt with Key Override, single combination	

DOUBLE COMBINATION

Part Number	Description
2210-(finish)-DC-KO	Mechanical Deadbolt with Key Override, double combination

2210-DC-KO

2210-KO

Available Finishes: Antique Brass (AB), Bright Brass (BB), Bright Chrome (BC), Jet Black Marine Grade (JBMG), Oil Rubbed Bronze (OIL), Satin Chrome Marine Grade (SCMG), Satin Nickel (SN), White (WH)

Dimensions & Specs: 5-5/8" L X 1-5/8" W X 1-5/8" D, TOTAL COVERAGE WITH TRIM PLATES: 6-1/2" L X 2-1/2" W, DOOR THICKNESS: 1-1/8" TO 2", FITS DOORS UP TO 5" WITH EXTENSION KIT (SOLD SEPARATELY), MATERIAL: ZINC-PLATED STEEL WITH TEFLON COATED STAINLESS STEEL INTERIOR COMPONENTS, FOR EXTERIOR & INTERIOR USE.

2200

MECHANICAL KEYLESS SURFACE MOUNT DEADBOLT

- Surface mount deadbolt/slide bolt
- Narrow stile
- One User Code (changeable)
- Long and short bar included
- Works on most hinged configurations



SHOWN IN SATIN NICKEL

Part Number	Description
2200-(finish)	Mechanical Keyless Surface Mount Deadbolt

Compatible with: Key Override System (KOS)

2200KO

MECHANICAL SURFACE MOUNT DEADBOLT WITH KEY OVERRIDE

- Surface mount deadbolt/ slide bolt with key override
- Narrow stile
- One User Code (changeable)
- Long and short bar included
- Works on most hinged configurations
- Available keyed alike or keyed different







SHOWN IN SATIN CHROME MARINE GRADE

Part Number	Description
2200-(finish)-KO	Mechanical Surface Mount Deadbolt with Key Override

2500

MECHANICAL KEYLESS SURFACE MOUNT HOOK BOLT

- Mechanical, keyless hook bolt lock
- Knob on exterior, thumb turn on interior
- One User Code (changeable)
- Reversible handing
- Designed for sliding doors







SHOWN IN SATIN CHROME MARINE GRADE

Part Number	Description
2500-(finish)	Mechanical Keyless Surface Mount Hook Bolt

2500KO

MECHANICAL KEYLESS SURFACE MOUNT HOOK BOLT WITH KEY OVERRIDE

- Mechanical, hook bolt lock with key override
- Knob on exterior, thumb turn on interior
- One User Code (changeable)
- Reversible handing
- Designed for sliding doors
- Available keyed alike or keyed different







SHOWN IN SATIN CHROME MARINE GRADE

Part Number	Description
2500-(finish)-KO	Mechanical Surface Mount Hook Bolt with Key Override

2830 MECHANICAL KEYLESS KNOB LOCK WITH PASSAGE FUNCTION

- Mechanical, keyless lock
- · Knob on exterior and interior
- One User Code (changeable)
- Reversible handing
- Auto-locking with passage function











SHOWN IN **BRIGHT CHROME**

SINGLE COMBINATION

Part Number	Description
2830-(finish)	Mechanical Keyless Knob Lock with Passage Function, single combination

DOUBLE COMBINATION

Part Number	Description
2830-(finish)-DC	Mechanical Keyless Knob Lock with Passage Function, double
	combination

Available Finishes: Antique Brass (AB), Bright Brass (BB), Bright Chrome (BC), Jet Black Marine Grade (JBMG), Oil Rubbed Bronze (OIL), Satin Chrome Marine Grade (SCMG), Satin Nickel (SN), White (WH)

Dimensions & Specs: 5-5/8" L X 1-5/8" W X 2-1/4" D, TOTAL COVERAGE WITH TRIM PLATES: 6-1/2" L X 2-1/2" W, DOOR THICKNESS: 1-1/8" TO 2", FITS DOORS UP TO 5" WITH EXTENSION KIT (SOLD SEPARATELY), MATERIAL: ZINC-PLATED STEEL WITH TEFLON COATED STAINLESS STEEL INTERIOR COMPONENTS, FOR EXTERIOR & INTERIOR USE.

Compatible with: GBS2000, GB2500 Gate Box, Key Override System (KOS), 2835-Adapter, 2835 Lever

KOS KEY OVERRIDE SYSTEM WORKS WITH: 2200, 2210, 25 WORKS WITH: 2200, 2210, 2830, 2835, 285P, ALL DC'S

- Add-On Key Override System
- Schlage Keyway
- Available keyed alike or keyed different
- Three keys included
- KOS and lock sold separately





Part Number	Description
KOS	Key Override System

Available Finishes: Antique Brass (AB), Bright Brass (BB), Bright Chrome (BC), Jet Black (JB), Satin Chrome Marine Grade (SCMG), Oil Rubbed Bronze (OIL), Satin Nickel (SN), White (WH)

Dimensions & Specs: 8-1/16" L X 2-9/16" W X 2" D, DOOR THICKNESS: 1-1/8" TO 2", UP TO 5" THICK DOOR WITH EXTENSION KIT, MATERIAL: ALUMINUM, REVERSIBLE HANDING, FOR EXTERIOR & INTERIOR USE.



2835 MECHANICAL KEYLESS LEVER LOCK WITH PASSAGE FUNCTION

- Mechanical, keyless lock
- · Lever on exterior and interior
- One User Code (changeable)
- Reversible handing
- Auto-locking with passage function











SINGLE COMBINATION

Part Number	Description
2835-(finish)	Mechanical Keyless Lever Lock with Passage Function, single
2033-(1111511)	combination



DOUBLE COMBINATION

Part Number	Description
2025 (C. : 17 DC	Mechanical Keyless Lever Lock with Passage Function, double
2835-(finish)-DC	combination

Available Finishes: Antique Brass (AB), Bright Brass (BB), Bright Chrome (BC), Jet Black Marine Grade (JBMG), Oil Rubbed Bronze (OIL), Satin Chrome Marine Grade (SCMG), Satin Nickel (SN), White (WH)

Dimensions & Specs : 5-5/8" L X 1-5/8" W X 2-1/4" D, TOTAL COVERAGE WITH TRIM PLATES: 6-1/2" L X 2-1/2" W, LEVER SIZE: 4" W X 1" H, DOOR THICKNESS: 1-1/8" TO 2", FITS DOORS UP TO 5" WITH EXTENSION KIT (SOLD SEPARATELY), MATERIAL: ZINC-PLATED STEEL WITH TEFLON COATED STAINLESS STEEL INTERIOR COMPONENTS, FOR EXTERIOR & INTERIOR USE.

Compatible with: GBS2000, GB2500 Gate Box, Key Override System (KOS), 2835-Adapter, 2830 Knob

2900

MECHANICAL KEYLESS NARROW STILE DEADBOLT LOCK

- Mechanical, keyless narrow stile deadbolt lock
- Knob on exterior, thumb turn on interior
- One User Code (changeable)
- 1-1/8" Backset Deadbolt, replaces Adams-Rite style locks
- Ideal for aluminum storefront doors and gates





SINGLE COMBINATION

Part Number	Description
2900-(finish)	Mechanical Keyless Narrow Stile Deadbolt Lock, single combination





DOUBLE COMBINATION

Part Number	Description
2900-(finish)-DC	Mechanical Keyless Narrow Stile Deadbolt Lock, double combination

Available Finishes : Jet Black Marine Grade (JBMG), Oil Rubbed Bronze (OIL), Satin Chrome Marine Grade (SCMG), Satin Nickel (SN) **Compatible with :** GB900+, GB2900LINX, SB2900

2950

MECHANICAL KEYLESS NARROW STILE HOOK BOLT LOCK

- Mechanical, keyless, narrow stile hook bolt lock
- Knob on exterior, thumb turn on interior
- One User Code (changeable)
- 1-1/8" Backset Hook bolt, replaces Adams-Rite style locks
- Ideal for aluminum storefront doors and sliding gates









Part Number	Description
2950-(finish)	Mechanical Keyless Narrow Stile Hook Bolt Lock, single combination



DOUBLE COMBINATION

Part Number	Description
2950-(finish)-DC	Mechanical Keyless Narrow Stile Hook Bolt Lock, double combination

Available Finishes : Jet Black Marine Grade (JBMG), Oil Rubbed Bronze (OIL), Satin Chrome Marine Grade (SCMG), Satin Nickel (SN) **Compatible with :** GB900+, GB2900LINX, SB2900

MECHANICAL KEYLESS NARROW STILE KNOB LOCK WITH PASSAGE FUNCTION

- Mechanical, keyless narrow stile knob lock
- Auto-locking with passage function
- One User Code (changeable)
- 1-1/8" Backset Latch, replaces Adams-Rite style locks
- Ideal for gates



SINGLE COMBINATION

Part Number	Description
2930-(finish)	Mechanical Keyless Narrow Stile Knob Lock with Passage Function, single combination





Part Number	Description
2930-(finish)-DC	Mechanical Keyless Narrow Stile Knob Lock with Passage Function, double combination



Available Finishes: Jet Black Marine Grade (JBMG), Oil Rubbed Bronze (OIL), Satin Chrome Marine Grade (SCMG), Satin Nickel (SN) Compatible with: GB900+, GB2900LINX, SB2985, 2985 Lever

MECHANICAL KEYLESS NARROW STILE LEVER LOCK WITH PASSAGE FUNCTION

- Mechanical, keyless narrow stile lever lock
- Auto-locking with passage function
- One User Code (changeable)
- 1-1/8" Backset Latch, replaces Adams-Rite style locks
- Ideal for gates







SINGLE COMBINATION

Part Number	Description
2985-(finish)	Mechanical Keyless Narrow Stile Lever Lock with Passage Function, single combination



DOUBLE COMBINATION

Part Number	Description
2985-(finish)-DC	Mechanical Keyless Narrow Stile Lever Lock with Passage Function, double combination



Available Finishes: Jet Black Marine Grade (JBMG), Oil Rubbed Bronze (OIL), Satin Chrome Marine Grade (SCMG), Satin Nickel (SN) Compatible with: GB900+, GB2900LINX, SB2985, 2930 Knob

3210 MECHANICAL KEYLESS DEADBOLT LOCK

- Mechanical, keyless deadbolt lock
- Oversized knob on exterior and interior
- One User Code (changeable)
- Reversible handing
- Adjustable backset deadbolt











SINGLE COMBINATION

Part Number	Description
3210-MG	Mechanical Keyless Deadbolt Lock, Satin Chrome Marine Grade Finish, single combination





DOUBLE COMBINATION

Part Number	Description
3210-MGDC	Mechanical Keyless Deadbolt Lock, Satin Chrome Marine Grade Finish, double combination

Available Finishes: Satin Chrome Marine Grade (SCMG)

Dimensions & Specs : 6-1/4" L X 1-3/4" W X 2" D, TOTAL COVERAGE WITH TRIM PLATES: 6-3/4" L X 2-1/4" W, DOOR THICKNESS: 1-1/8" TO 2", FITS DOORS UP TO 5" WITH EXTENSION KIT (SOLD SEPARATELY), MATERIAL: ZINC-PLATED STEEL WITH TEFLON COATED STAINLESS STEEL INTERIOR COMPONENTS, FOR EXTERIOR & INTERIOR USE.

Compatible with: GB2500

3830 MECHANICAL KEYLESS KNOB LOCK WITH PASSAGE FUNCTION

- Mechanical, keyless knob lock
- Auto-locking with passage function
- One User Code (changeable)
- Reversible handing
- Adjustable backset latch







SHOWN IN SATIN CHROME MARINE GRADE





SINGLE COMBINATION

Part Number	Description
3830-(finish)	Mechanical Keyless Knob Lock with Passage Function, single
	combination





DOUBLE COMBINATION

Part Number	Description
3830-(finish)-DC	Mechanical Keyless Knob Lock with Passage Function, double
	combination

Available Finishes: Jet Black Marine Grade (JBMG), Oil Rubbed Bronze (OIL), Satin Chrome Marine Grade (SCMG), Satin Nickel (SN)

Dimensions & Specs: 6-5/16" L X 1-3/4" W X 2-1/4" D, TOTAL COVERAGE WITH TRIM PLATES: 7" L X 2-1/4" W, DOOR THICKNESS: 1-1/8" TO 2", FITS DOORS UP TO 5" WITH EXTENSION KIT (SOLD SEPARATELY), MATERIAL: ZINC-PLATED STEEL WITH TEFLON COATED STAINLESS STEEL INTERIOR COMPONENTS, FOR EXTERIOR & INTERIOR USE.

Compatible with: GB2500, 3835 Lever

3835 MECHANICAL KEYLESS LEVER LOCK WITH PASSAGE FUNCTION

- Mechanical, keyless lever lock
- Auto-locking with passage function
- One User Code (changeable)
- Reversible handing
- Adjustable backset latch











SINGLE COMBINATION

Part Number	Description
3835-(finish)	Mechanical Keyless Lever Lock with Passage Function, single combination



DOUBLE COMBINATION

Part Number	Description
3835-(finish)-DC	Mechanical Keyless Lever Lock with Passage Function,
	double combination

Available Finishes: Jet Black Marine Grade (JBMG), Oil Rubbed Bronze (OIL), Satin Chrome Marine Grade (SCMG), Satin Nickel (SN)

Dimensions & Specs : 6-5/16" L X 1-3/4" W X 2-1/4" D, TOTAL COVERAGE WITH TRIM PLATES: 7" L X 2-1/4" W, DOOR THICKNESS: 1-1/8" TO 2", FITS DOORS UP TO 5" WITH EXTENSION KIT (SOLD SEPARATELY), MATERIAL: ZINC-PLATED STEEL WITH TEFLON COATED STAINLESS STEEL INTERIOR COMPONENTS, FOR EXTERIOR & INTERIOR USE.

Compatible with: GB2500, 3830 Knob

今りプロック

GL2 SURFACE MOUNT GATE LOCK

- Easy to install surface mount gate kit, lock included
- No welding needed
- Auto-locking with passage function
- Keyed cylinder lockout function prevents code use when locked
- Adjustable strike accommodates gate gaps up to 2"





SHOWN IN SATIN CHROME MARINE GRADE





I E A PNI M C

SINGLE COMBINATION

Part Number	Description
GL2-(finish)	Surface Mount Gate Lock with Passage and Key Lockout Function, single combination



DOUBLE COMBINATION

Part Number	Description
GL2-(finish)-DC	Surface Mount Gate Lock with Passage and Key Lockout Function, double combination

Available Finishes: Jet Black Marine Grade (JBMG), Satin Chrome Marine Grade (SCMG)

Dimensions & Specs: DIMENSIONS ON GATE: 9-5/16" L X 2-1/2" W X 4" D, DIMENSIONS ON FENCE POST: 8-5/8" L X 1-1/2" W X 2-1/4" D, GATE THICKNESS: 1-1/4" TO 3.5", UP TO 5" WITH EXTENSION KIT (SOLD SEPARATELY), MINIMUM GATE STILE WIDTH: 1-3/4", LOCK MATERIAL: ZINC-PLATED STEEL TEFLON COATED STAINLESS STEEL INTERIOR COMPONENTS, FOR EXTERIOR & INTERIOR USE. TO RETAIN PRODUCT WARRANTY, A SLAM PREVENTION DEVICE MUST BE INSTALLED.

Compatible with: GL2LINX158, GL2LINX178

GL2LINX ADAPTER

- Chain Link Gate Adapter Lock sold separately
- For mounting a LockeyUSA SUMO® GL2 keyless gate lock on a chain link gate
- Bolts on, no welding needed

Part Number	Description
GL2LINX158	1-5/8" Adapter for installing the SUMO® GL2 on Chain Link Gates
GL2LINX178	1-7/8" Adapter for installing the SUMO® GL2 on Chain Link Gates



MC728

MECHANICAL COMBINATION CAM LOCK



- Mechanical cam lock
- 4 Wheel Combination
- 10,000 unique combinations
- Lost code finder key
- Easy Installation

Part Number	Description
MC728-(finish)	Mechanical Combination Cam Lock

Available Finishes: Silver (S), Black (B)

Dimensions & Specs: DIAMETER: 56 X 28MM, NUT FIXING: 3/4" – 27 UN X 21MM LONG (16.5MM A/F), CAM FIXING: 8MM SQ. WITH M4 THREAD, MATERIAL: ZINC DIE - CAST CONSTRUCTION, FINISH: POWDER COATED, FOR EXTERIOR & INTERIOR USE, WEATHER RESISTANT, LIMITED LIFETIME MECHANICAL WARRANTY



MS40BL MECHANICAL COMBINATION SLIDE BOLT LOCK





- Mechanical keyless slide bolt
- Surface mounted
- 4 Wheel Combination
- Ideal for retrofitting
- Easy Installation

Part Number	Description
MS40BL	Mechanical Combination Slide Bolt Lock

Available Finishes: Black

Dimensions & Specs: 2" L X 3-1/2" W X 1-1/4" D, THROW: 7/8", MATERIAL: CORROSION RESISTANT ZINC DIECAST BODY, WEATHER RESISTANT, FOR EXTERIOR & INTERIOR USE



MECHANICAL LOCK ACCESSORIES

Product	Description
PINKIT	Extra Combination Tumblers
TPS- TAMPER PROOF	Tamper Proof Screws
EXT KIT 1150 ADJ	Extension Kit for use with 1150/1600 on doors/gates up to 5" thick
EXT KIT 2000/3000	Extension Kit for use with C/M/2000/3000 Series on doors/gates up to 5" thick
EXT KIT 2835 ADJUST	Extension Kit for use with 2830/2835/3830/3835 on doors/gates up to 5" thick
Extension Kit for Key Override	Extension Kit for use with Mechanical Locks with Key Override
Extension Kit- SUMO GL2	Extension Kit for use with SUMO® GL2 Surface Mount Gate Lock
TDK	Thin Door Kit for use with surface mount keyless locks
ADJUSTABLE DEADBOLT	Adjustable Deadbolt for use with M210, 2210, 3210
SLADJUSTABLE LEVER	Adjustable Latch for use with 1150, 1600, 2830, 2835, 3830, 3835
SKADJKNOB LATCH	Adjustable Latch for use with M230
M Series Outside Body	M Series Outside Body, specify finish
M Series Inside Body	M Series Inside Body, specify finish
M Series DC Inside Body	M Series DC Inside Body, specify finish
1150/1600 Outside Body	1150/1600 Outside Body, specify finish
1150/1600 Inside Body	1150/1600 Inside Body, specify finish
16-KNOB	Knob for use on 1150/1600 Mechanical Keyless Lock, specify finish
2000 Series Outside Body	2000 Series Outside Body, specify finish
2000 Series Inside Body	2000 Series Inside Body, specify finish
2000 Series DC Inside Body	2000 Series DC Inside Body, specify finish
2835 Outside Body	2835 Outside Body, specify finish
2835 Inside Body	2835 Inside Body, specify finish
2835DC Inside Body	2835DC Inside Body, specify finish
2835 LEVER ONLY	Lever for use on 2830, 2835, 2985, 2930, 3830, 3835, specify finish
28-KNOB	Lever for use on 2830, 2835, 2985, 2930, 3830, 3835, specify finish
900-BOLT	Narrow Stile Deadbolt for use with 2900
930LATCH	Narrow Stile Latch for use with 2930, 2985
950-HOOK	Narrow Stile Hook Bolt for use with 2950
T-COVER 1150	T Cover 1150 (3" x 8 1/2" Cover Plate) for use with 1150, 1600
T-COVER 2500	T Cover 2500 (3 1/4" x 9" Cover Plate) for use with 2000 and 3000 Series
T-METAL	T-Metal Metal Trim Plate for use with 2000 Series Locks
PPG Push/Pull Guard	Push/Pull Guard for use with 2000 Series, 3000 Series, 310P
AR2991 Adams Rite Mounting Tabs	Mounting Tabs for use with 2900 Series Narrow Stile Locks

For a list of all available accessories, please contact your LockeyUSA sales representative.

GATE AND PANIC HARDWARE

TABLE OF CONTENTS

Gate Boxes	148
Gate Closers	150
Gate and Panic Hardware	152
Panic Shields	153
Panic Bars & Trims	154
Trim Boxes	156
Panic Shield Kits	157
Panic Shield Comparison Chart	164
Flectronic Locks	165



Photo courtesy of AGF Custom Metal Concepts





WELDABLE GATE BOXES



Part Number	Description	
GB200-M	Steel Gate Box for use with M210, M230	
GB200-MAL	Aluminum Gate Box for use with M210, M230	



Part Number	Description	
GB210	Steel Gate Box for use with M210 + knob/lever	
GB210-AL	Aluminum Gate Box for use with M210 + knob/lever	



Part Numb	er	Description	
GB210PLUS	DC	Kit includes GB210 Steel Gate Box, M210DC, knob	
GB210PLUSE	CAL	Kit includes GB210 Aluminum Gate Box, M210DC, knob	



Part Number	Description
GB210PLUSDCALEVER	Kit includes GB210 Steel Gate Box, M210DC, lever
GB210PLUSDCLEVERAL	Kit includes GB210 Aluminum Gate Box, M210DC, lever



Part Number	Description
GB900+	Steel Gate Box for use with 2900, 2930, 2950, 2985 (replaces GB900 and GB950)
GB900AL+	Aluminum Gate Box for use with 2900, 2930, 2950, 2985 (replaces GB900AL and GB950AL)



Part Number	Description	
GB1150	Steel Gate Box for use with 1150, 1600	
GB1150-AL	Aluminum Gate Box for use with 1150, 1600	



Part Number	Description
GB2500	Steel Gate Box for use with 2210, 2830, 2835, 3210, 3830, 3835
GB2500ALUMINUM	Aluminum Gate Box for use with 2210, 2830, 2835, 3210, 3830, 3835

NON-WELDABLE GATE BOXES

PATENT PENDING

Part Number

GBS2000

2000 MECHANICALLY **ATTACHED GATE BOX**

· Installs without welding Fits 2" x 2" square gate frames

• Easy installation Simple to retrofit into an existing gate

• For use with LockeyUSA 2830/2835 Mechanical Keyless Locks Lock available in single and double combination, sold separately





100 007 200 007 200 000 400 000 600 000 200 002 700 000
SHOWN WITH 2835 INSTALLED

SCAN FOR INSTALLATION VIDEO

Dimensions & Specs: DIMENSIONS: 9.5" L X 3.75" W X 2.29" D. GATE FRAME SIZE: 2". MATERIAL: CAST ALUMINUM. FOR EXTERIOR AND INTERIC	R USE.

Description Mechanically Attached Gate Box for use with

LockeyUSA 2830, 2835 on a 2" square gate frame







Part Number	Description
GBADDABOLT DC KIT	Kit includes GBADDABOLT Narrow Stile Gate Box, M210DC and Drive-In-Deadbolt

Part Number	Description
GB2900LINX 1-5/8"	Stainless Steel Chain Link Gate Box for use with 2900, 2930, 2950, 2985
GB2900LINX 1-7/8"	Stainless Steel Chain Link Gate Box for use with 2900, 2930, 2950, 2985

2835-ADAPTER PATENTED

- Easily install the 2835 or 2830 Mechanical Keyless Lock (sold separately) on a gate
- No need for a gate box or welding
- Ideal for vinyl and ornamental gates
- Installs on gates 1.75" to 5" thick without the need for an extension kit
- Works with gate gaps ranging from .4" to 1.5"
- Weather Resistant
- Reversible Handing

Part Number	Description
2835-Adapter	Adapter for installing the 2835/2830 on Vinyl and Ornamental Gates, black



HYDRAULIC GATE CLOSERS

- Hydraulic controlled closing speed
- Installs on top/middle/bottom of left and right hand gates
- Mounts on opening side of gate, pushes the gate closed
- Mounting brackets and fitting bar included
- Hinge Arrangements: In-line or Offset







TB200 / TB400 / TB600

Part Number	Description	Opening Pressure
TB200	Hydraulic Gate Closer for gates 50 to 125 lbs., 30-52" wide	3-7 lbs.
TB400	Hydraulic Gate Closer for gates 75 to 175 lbs., 40-64" wide	6-12 lbs.
TB600	Hydraulic Gate Closer for gates 150 to 250 lbs., 44-72" wide	8-18 lbs.

Compatible with: TBLINX, TBLINX 4"



TB200-SS / TB400-SS / TB600-SS



Part Number	Description	Opening Pressure
TB200-SS	Hydraulic Gate Closer for gates 50 to 125 lbs., 30-52" wide, Stainless Steel	3-7 lbs.
TB400-SS	Hydraulic Gate Closer for gates 75 to 175 lbs., 40-64" wide, Stainless Steel	6-12 lbs.
TB600-SS	Hydraulic Gate Closer for gates 150 to 250 lbs., 44-72" wide, Stainless Steel	8-18 lbs.

Available Finishes: Stainless Steel Compatible with: TBLINX, TBLINX 4"

ADJUSTABLE HYDRAULIC GATE CLOSERS

- Adjustable Hydraulic controlled closing speed
- Installs on top/middle/bottom of left and right hand gates
- Mounts on opening side of gate, pushes the gate closed
- Mounting brackets and fitting bar included
- Hinge Arrangements: In-line or Offset







TB250 / TB450 / TB650

Part Number	Description	Opening Pressure
TB250-(finish)	Adjustable Hydraulic Gate Closer for gates 50 to 125 lbs., 30-52" wide	3-7 lbs.
TB450-(finish)	Adjustable Hydraulic Gate Closer for gates 75 to 175 lbs., 40-64" wide	6-12 lbs.
TB650-(finish)	Adjustable Hydraulic Gate Closer for gates 150 to 250 lbs., 44-72" wide	8-18 lbs.

Available Finishes: Black (B), White (W), Grey (G) Compatible with: TBLINX, TBLINX 4"

TB100

TURTLEBACK GATE CLOSER

- Gently closes gates up to 125 lbs. and 54" wide
- Pushes gate closed with adjustable closing speed
- Can be used on lightweight, non-fire rated doors
- Hinge Arrangements: In-Line/Flush Hinges
- Gap between hinges and gate post should be 1" or less





Part Number	Description
TB100	Turtleback Gate Closer

TB175 GARDEN GATE CLOSER



- Gently closes gates up to 110 lbs. and 54" wide
- Pushes gate closed with adjustable closing and latching speed
- Hold-open feature allows gate to be temporarily held open
- Flush mount closer
- Hinge Arrangements: In-Line/Flush Hinges



Part Number	Description
TB175B	Garden Gate Closer, Black
TB175W	Garden Gate Closer, White

Available Finishes: Black (B), White (W)

TB950 **MAGNUM**

- **GATE CLOSER** • All-in-one closer and hinge system
- Concealed, high use, pedestrian gate closer
- Tamper and vandal resistant
- Million cycle tested
- Two speed adjustments: closing & latching





Part Number	Description
TB950	All-in-One Gate Closer and Hinge System for high-use gates 50-250 lbs.

Compatible with: TB950 LINX, TB950PLATE 180 DRIVE

GATE CLOSER ACCESSORIES

Product	Description
TBLINX	For mounting TB200, TB400, TB600, TB250, TB450, TB650 on chain link gates
TBLINX 4"	For mounting TB200, TB400, TB600, TB250, TB450, TB650 on chain link gates, 4"
TB950 LINX	For mounting TB950 Magnum on chain link gates
TB950PLATE 180 DRIVE	180 Drive Plate for TB950, increases max. opening angle to 180 degrees, saloon style
TBMOUNTING KIT	Mounting Kit for TB200, TB400, TB600, TB250, TB450, TB650

For a list of all available accessories, please contact your LockeyUSA sales representative.

GATE & PANIC HARDWARE

2900 STRIKE BRACKET

• Strike Bracket for 2900/2950 locks, includes necessary mounting hardware



Part Number	Description
SB2900-KIT	Strike Bracket for use with 2900, 2950

2985 STRIKE BRACKET

• Strike Bracket for 2930/2985 locks, includes necessary mounting hardware



Part Number	Description
SB2985-KIT	Strike Bracket for 2930, 2985

PS STRIKE BRACKET

• For standard style shield setups, includes mounting hardware



Part Number	Description
PSSBB-KIT	Strike Bracket, black
PSSBS-KIT	Strike Bracket, silver

ED STRIKE BRACKET

• For EDGE style shield setups, includes mounting hardware



Part Number	Description
ED-SB-BLACK	EDGE Strike Bracket, black
ED-SB-SILVER	EDGE Strike Bracket, silver

MAX GUARD

• Mounts above panic bar to prevent



Part Number	Description
PSMAXBLACK	Max Guard, black
PSMAXSILVER	Max Guard, silver

LATCH PROTECTOR

• Provides extra security to gate latches, for gates with over 1" gap



Part Number	Description
LPB	Latch Protector, black
LPS	Latch Protector, silver

GATE STOP

• Prevents gate from opening past 90°



Part Number	Description
GSHD-90 KIT	Gate Stop, Heavy Duty

EDGE JAMB STOP

• Prevents chain link gate from swinging through



Part Number	Description
ED-LINX	EDGE LINX Gate Jamb Stop

GATE STOP FOR CHAIN LINK GATES

• Prevents chain link gate from opening past 90°



Part Number	Description
GS-LINX	Gate Stop for Chain Link Gates
GS-LINX4"	Gate Stop for Chain Link Gates, 4"

PRE-DRILLED PANIC SHIELDS

- Mounting plate for a panic bar
- Pre-drilled for PB1100 and V40 Series
- Turns gates into emergency exits
- 16ga Electro-galvanized Steel
- Adjustable width from 28" to 54"
- Available in 12" and 24" shield heights
- Powder coated finish



Part Number	Description
ED3X1BLACK12"	12" EDGE Style Panic Shield 3x1, predrilled for PB1100 & V40 Series Panic Bars, black
ED3X1SILVER12"	12" EDGE Style Panic Shield 3x1, predrilled for PB1100 & V40 Series Panic Bars, silver
ED3X1BLACK24"	24" EDGE Style Panic Shield 3x1, predrilled for PB1100 & V40 Series Panic Bars, black
ED3X1SILVER24"	24" EDGE Style Panic Shield 3x1, predrilled for PB1100 & V40 Series Panic Bars, silver
PS3X1BLACK12"	12" PS Panic Shield 3x1, predrilled for PB1100 & V40 Series Panic Bars, black
PS3X1SILVER12"	12" PS Panic Shield 3x1, predrilled for PB1100 & V40 Series Panic Bars, silver
PS3X1BLACK24"	24" PS Panic Shield 3x1, predrilled for PB1100 & V40 Series Panic Bars, black
PS3X1SILVER24"	24" PS Panic Shield 3x1, predrilled for PB1100 & V40 Series Panic Bars, silver

PANIC SHIELDS

- Mounting plate for a panic bar
- Turns gates into emergency exits
- 16ga Electro-galvanized Steel
- Adjustable width from 28" to 54"
- Available in 12" and 24" shield heights
- Powder coated finish



PS12 PS24

Part Number	Description
PS12-B	12" PS Panic Shield, black
PS12-S	12" PS Panic Shield, silver
PS24-B	24" PS Panic Shield, black
PS24-S	24" PS Panic Shield, silver

PANIC SHIELD EXTENSION PANELS

- Extension shields
- Extends panic shield to 74"
- 16ga Electro-galvanized Steel
- Available in 12" and 24" shield heights
- Powder coated finish





PSEXT12 PSEXT24

Part Number	Description
PSEXT12BLACK	12" PS Extension Panel, black
PSEXT12SILVER	12" PS Extension Panel, silver
PSEXT24BLACK	24" PS Extension Panel, black
PSEXT24SILVER	24" PS Extension Panel, silver

PB1100 PANIC BARS

- Grade 1 Certified ANSI/BHMA A156.3 Series
- Complies with ANSI A117.a ADA requirements
- UL/cUL Listed
- Weather Resistant
- Latch Bolt: Stainless Steel Powder Metallurgy, 11/16" throw
- Deadlocking Latch: Stainless Steel Powder Metallurgy, 9/16" throw
- Narrow Stile: 2 1/2"
- Door Thickness: 1 3/4" (standard)
- Field-sizable: Can be cut down to 27"
- Compatible with all LockeyUSA Panic Trims & Keyless Panic Trims
- PB1100 Device Length: 33" for 36" doors
- PB1142 Device Length: 42" for 48" doors
- PB1100FR only: UL/cUL Listed 3 hour fire-rated 10C, UBC 7-2 (1997)

Part Number	Description
PB1100-AL	PB1100 Panic Bar
PB1100-SS	PB1100 Panic Bar, Stainless Steel
PB1100FRFIRE	PB1100 Panic Bar, Fire Rated
PB1142-42	PB1142 Panic Bar for 48" Doors
PB1142-SS	PB1142 Panic Bar for 48" Doors, Stainless Steel

V40 SERIES

- ANSI and BHMA Grade 1 Certified
- UL/cUL Listed
- ADA Compliant
- Narrow Stile: 2 1/2"
- Door Thickness: 1 3/4" (standard)
- Field-sizable
- Weatherized option available



Description
Detex 33" Panic Bar
Detex 42" Panic Bar
Detex 33" Panic Bar, black
Detex 42" Panic Bar, black
Detex 33" Panic Bar, weatherized
Detex 33" Alarm Bar

Part Number	Description
V40xEBx48	Detex 42" Alarm Bar
V40xEBx711	Detex 33" Alarm Bar, black
V40xEBx711x48	Detex 42" Alarm Bar, black
V40xEBxW	Detex 33" Alarm Bar, weatherized
V40xEBxWx48	Detex 42" Alarm Bar, weatherized
V40xEBxWx711	Detex 33" Alarm Bar, weatherized, black
V40xEBxWx711x48	Detex 42" Alarm Bar, weatherized, black

KEYLESS PANIC TRIMS

- Compatible with panic bars that accept a flat tail piece and have a turn radius of 74° or less.
- Passage Function



115P

 Available Finishes: Jet Black Marine Grade (JBMG), Satin Chrome Marine Grade (SCMG)

Part Number Description	
115P-(finish)	115P Keyless Panic Trim



285P

Available Finishes: Jet Black Marine Grade (JBMG),
 Oil Rubbed Bronze (OIL), Satin Chrome Marine Grade (SCMG),
 Satin Nickel (SN)

Part Number	Description
285P-(finish)	285P Keyless Panic Trim

PANIC TRIMS



PBDUMED

Pull Handle Entry Trim - Compatible with PB1100, V40 Series Panic Bars



PBLHCL

Lever Handle Clutch Trim - Compatible with PB1100 and V40 Series Panic Bars



PBLHED

Lever Handle Keyed Entry - Compatible with PB1100, V40 Series Panic Bars



PBLHSR

Lever Handle Storeroom - Compatible with PB1100, V40 Series Panic Bars



PBLHPS

Lever Handle Passage Trim - Compatible with PB1100, V40 Series Panic Bars



PBNLED

Night Latch Handleset Trim - Compatible with PB1100 and V40 Series Panic Bars



PBTPED

Thumbpiece Keyed Entry Trim - Compatible with PB1100 and V40 Series Panic Bars



V08BN689 PASSAGE

Detex Panic Trim Passage Lever -Compatible with Detex V40 Panic Bars



V09BN689 STOREROOM

Detex Panic Trim Janitor Lever -Compatible with Detex V40 Panic Bars

TRIM BOXES



Part Number	Description
ED-GB-5B	EDGE Key Box for use with keyed cylinder on EDGE panic shield setups, black
ED-GB-5S	EDGE Key Box for use with keyed cylinder on EDGE panic shield setups, silver



Part Number	Description
ED-GB200-B	EDGE Keyless Trim Gate Box for use with 285P, black
ED-GB200-S	EDGE Keyless Trim Gate Box for use with 285P, silver



Part Number	Description
PSGB5BLACK	Key Box for use with keyed cylinder on standard panic shield setups, black
PSGB5SILVER	Key Box for use with keyed cylinder on standard panic shield setups, silver



Part Number	Description
PSGB100BLACK	Keyless Trim Box for use with 115P/160P, black
PSGB100SILVER	Keyless Trim Box for use with 115P/160P, silver



Part Number	Description
PSGB200BLACK	Keyless Trim Box for use with 285P, black
PSGB200SILVER	Keyless Trim Box for use with 285P, silver



Part Number	Description
PSGBLH BLACK LEVER	Trim Box for use with PBLHPS/PBLHED/PBLHSR, black
PSGBLH LEVER S	Trim Box for use with PBLHPS/PBLHED/PBLHSR, silver



Part Number	Description
GB08GS	Trim Box for use with DETEX V08BN689/V09BN689 Panic Trims

PANIC HARDWARE ACCESSORIES

Product	Description
V-P-TAIL LOCKEY	Tailpiece/Spindle for use with P-Series Lever Locks and Detex V40 Series Panic Bars
V-TAIL - KNOB	Tailpiece/Spindle for use with P-Series Knob Locks and Detex V40 Series Panic Bars
PBSTRIKE KIT	PB1100 Strike Kit
PSCYL	Keyed Rim Cylinder for use with PSGB5 Key Box (1-1/8" Schlage 5 pin)
VCYL	Mortised Cylinder for use with PB Keyed Trims & V40 Alarm (1-1/8" Schlage C 5 pin)



STANDARD PANIC SHIELD KITS

NO PANIC BAR INCLUDED





Part Number	Description
PS40B	Black - 24" Panic Shield, PSSB Strike Bracket
PS40S	Silver - 24" Panic Shield, PSSB Strike Bracket
PS50B	Black - 24" Panic Shield, PSSB Strike Bracket, PSGB5 Key Box, Key Cylinder
PS50S	Silver - 24" Panic Shield, PSSB Strike Bracket, PSGB5 Key Box, Key Cylinder
PS60B	Black - 24" Panic Shield, PSSB Strike Bracket, PSGB200 Gate Box, 285-P Keyless Panic Trim, Max Guard
PS60S	Silver - 24" Panic Shield, PSSB Strike Bracket, PSGB200 Gate Box, 285-P Keyless Panic Trim, Max Guard

EDGE PANIC SHIELD KITS

NO PANIC BAR INCLUDED



Part Number	Description
ED40B	Black - 24" Panic Shield, ED-SB Strike Bracket, Latch Protector, Jamb Stop
ED40S	Silver - 24" Panic Shield, ED-SB Strike Bracket, Latch Protector, Jamb Stop
ED50B	Black - 24" Panic Shield, ED-SB Strike Bracket, ED-GB5 Key Box, Key Cylinder, Latch Protector, Jamb Stop
ED50S	Silver - 24" Panic Shield, ED-SB Strike Bracket, ED-GB5 Key Box, Key Cylinder, Latch Protector, Jamb Stop
ED60B	Black - 24" Panic Shield, ED-SB Strike Bracket, ED-GB200 Gate Box, 285-P Keyless Panic Trim, Latch Protector, Jamb Stop, Max Guard
ED60S	Silver - 24" Panic Shield, ED-SB Strike Bracket, ED-GB200 Gate Box, 285-P Keyless Panic Trim, Latch Protector, Jamb Stop, Max Guard





PS41 Standard Panic Shield Value Kits, PB1100 Panic Bar included

Part Number	Description
PS41B	Black - 24" Panic Shield, PB1100 Panic Bar, PSSB Strike Bracket
PS41S	Silver - 24" Panic Shield, PB1100 Panic Bar, PSSB Strike Bracket

AVAILABLE UPGRADES

PS41RF Black - 24" Panic Shield, PB1100FR Fire Rated Panic Bar, PSSB Strike Bracket PS41BI Black - 24" Panic Shield, PB1142 42" Panic Bar, PSSB Strike Bracket

PS41BLM Black - 24" Panic Shield, PB1142SS 42" Stainless Steel Panic Bar, PSSB Strike Bracket Black - 24" Panic Shield, PB1100SS Stainless Steel Panic Bar, PSSB Strike Bracket PS41BM PS41SF Silver - 24" Panic Shield, PB1100FR Fire Rated Panic Bar, PSSB Strike Bracket Silver - 24" Panic Shield, PB1142 42" Panic Bar, PSSB Strike Bracket PS41SI

Silver - 24" Panic Shield, PB1142SS 42" Stainless Steel Panic Bar, PSSB Strike Bracket PS41SLM PS41SM Silver - 24" Panic Shield, PB1100SS Stainless Steel Panic Bar, PSSB Strike Bracket



PS51 Standard Panic Shield Safety Kits, PB1100 Panic Bar included

Part Number	Description
PS51B	Black - 24" Panic Shield, PB1100 Panic Bar, PSSB Strike Bracket, PSGB5 Key Box, Key Cylinder
PS51S	Silver - 24" Panic Shield, PB1100 Panic Bar, PSSB Strike Bracket, PSGB5 Key Box, Key Cylinder

AVAILABLE UPGRADES

Black - 24" Panic Shield, PB1142 42" Panic Bar, PSSB Strike Bracket, PSGB5 Key Box, Key Cylinder PS51BI PS51BM Black - 24" Panic Shield, PB1100SS Stainless Steel Panic Bar, PSSB Strike Bracket, PSGB5 Key Box, Key Cylinder Black - 24" Panic Shield, PB1100FR Fire Rated Panic Bar, PSSB Strike Bracket, PSGB5 Key Box, Key Cylinder PS51BF Black - 24" Panic Shield, PB1142SS 42" Stainless Steel Panic Bar, PSSB Strike Bracket, PSGB5 Key Box, Key Cylinder PS51SL Silver - 24" Panic Shield, PB1142 42" Panic Bar, PSSB Strike Bracket, PSGB5 Key Box, Key Cylinder PS51SM Silver - 24" Panic Shield, PB1100SS Stainless Steel Panic Bar, PSSB Strike Bracket, PSGB5 Key Box, Key Cylinder PS51SF Silver - 24" Panic Shield, PB1100FR Fire Rated Panic Bar, PSSB Strike Bracket, PSGB5 Key Box, Key Cylinder Silver - 24" Panic Shield, PB1142SS 42" Stainless Steel Panic Bar, PSSB Strike Bracket, PSGB5 Key Box, Key Cylinder



PS61 Standard Panic Shield Security Kits, PB1100 Panic Bar included

Part Number	Description
PS61B	Black - 24" Panic Shield, PB1100 Panic Bar, PSSB Strike Bracket, PSGB200 gate box, 285-P Keyless Panic Trim, Max Guard
PS61S	Silver - 24" Panic Shield, PB1100 Panic Bar, PSSB Strike Bracket, PSGB200 gate box, 285-P Keyless Panic Trim, Max Guard

AVAILABLE UPGRADES

PS61BL Black - 24" Panic Shield, PB1142 42" Panic Bar, PSSB Strike Bracket, PSGB200 Gate Box, 285-P Keyless Panic Trim, Max Guard PS61BM Black - 24" Panic Shield, PB1100SS Stainless Steel Panic Bar, PSSB Strike Bracket, PSGB200 Gate Box, 285-P Keyless Panic Trim, Max Guard PS61BF Black - 24" Panic Shield, PB1100FR Fire Rated Panic Bar, PSSB Strike Bracket, PSGB200 Gate Box, 285-P Keyless Panic Trim, Max Guard Black - 24" Panic Shield, PB1142SS 42" Stainless Steel Panic Bar, PSSB Strike Bracket, PSGB200 Gate Box, 285-P Keyless Panic Trim, Max Guard PS61BLM PS61SL Silver - 24" Panic Shield, PB1142 42" Panic Bar, PSSB Strike Bracket, PSGB200 Gate Box, 285-P Keyless Panic Trim, Max Guard PS61SM Silver - 24" Panic Shield, PB1100SS Stainless Steel Panic Bar, PSSB Strike Bracket, PSGB200 Gate Box, 285-P Keyless Panic Trim, Max Guard Silver - 24" Panic Shield, PB1100FR Fire Rated Panic Bar, PSSB Strike Bracket, PSGB200 Gate Box, 285-P Keyless Panic Trim, Max Guard PS61SF PS61SLM Silver - 24" Panic Shield, PB1142SS 42" Stainless Steel Panic Bar, PSSB Strike Bracket, PSGB200 Gate Box, 285-P Keyless Panic Trim, Max Guard



ED41 EDGE Panic Shield Value Kits, PB1100 Panic Bar included

Part Number	Description
ED41B	Black - 24" Panic Shield, PB1100 Panic Bar, ED-SB Strike Bracket, Latch Protector, Jamb Stop
ED41S	Silver - 24" Panic Shield, PB1100 Panic Bar, ED-SB Strike Bracket, Latch Protector, Jamb Stop

AVAILABLE UPGRADES

ED41BF	Black - 24" Panic Shield, PB1100FR Fire Rated Panic Bar, ED-SB Strike Bracket, Latch Protector, Jamb Stop
ED41BL	Black - 24" Panic Shield, PB1142 42" Panic Bar, ED-SB Strike Bracket, Latch Protector, Jamb Stop
ED41BLM	Black - 24" Panic Shield, PB1142SS 42" Stainless Steel Panic Bar, ED-SB Strike Bracket, Latch Protector, Jamb Stop
ED41BM	Black - 24" Panic Shield, PB1100SS Stainless Steel Panic Bar, ED-SB Strike Bracket, Latch Protector, Jamb Stop
ED41SF	Silver - 24" Panic Shield, PB1100FR Fire Rated Panic Bar, ED-SB Strike Bracket, Latch Protector, Jamb Stop
ED41SL	Silver - 24" Panic Shield, PB1142 42" Panic Bar, ED-SB Strike Bracket, Latch Protector, Jamb Stop
ED41SLM	Silver - 24" Panic Shield, PB1142SS 42" Stainless Steel Panic Bar, ED-SB Strike Bracket, Latch Protector, Jamb Stop
ED41SM	Silver - 24" Panic Shield, PB1100SS Stainless Steel Panic Bar, ED-SB Strike Bracket, Latch Protector, Jamb Stop



ED51 EDGE Panic Shield Safety Kits, PB1100 Panic Bar included

Part Number	Description
ED51B	Black - 24" Panic Shield, PB1100 Panic Bar, ED-SB Strike Bracket, ED-GB5 Key Box, Key Cylinder, Latch Protector, Jamb Stop
ED51S	Silver - 24" Panic Shield, PB1100 Panic Bar, ED-SB Strike Bracket, ED-GB5 Key Box, Key Cylinder, Latch Protector, Jamb Stop

AVAILABLE UPGRADES

ED51BL	Black - 24" Panic Shield, PB1142 42" Panic Bar, ED-SB Strike Bracket, ED-GB5 Key Box, Key Cylinder, Latch Protector, Jamb Stop
ED51BM	Black - 24" Panic Shield, PB1100SS Stainless Steel Panic Bar, ED-SB Strike Bracket, ED-GB5 Key Box, Key Cylinder, Latch Protector, Jamb Stop
ED51BF	Black - 24" Panic Shield, PB1100FR Fire Rated Panic Bar, ED-SB Strike Bracket, ED-GB5 Key Box, Key Cylinder, Latch Protector, Jamb Stop
ED51BLM	Black - 24" Panic Shield, PB1142SS 42" Stainless Steel Panic Bar, ED-SB Strike Bracket, ED-GB5 Key Box, Key Cylinder, Latch Protector, Jamb Stop
ED51SL	Silver - 24" Panic Shield, PB1142 42" Panic Bar, ED-SB Strike Bracket, ED-GB5 Key Box, Key Cylinder, Latch Protector, Jamb Stop
ED51SM	Silver - 24" Panic Shield, PB1100SS Stainless Steel Panic Bar, ED-SB Strike Bracket, ED-GB5 Key Box, Key Cylinder, Latch Protector, Jamb Stop
ED51SF	Silver - 24" Panic Shield, PB1100FR Fire Rated Panic Bar, ED-SB Strike Bracket, ED-GB5 Key Box, Key Cylinder, Latch Protector, Jamb Stop
ED51SLM	Silver - 24" Panic Shield, PB1142SS 42" Stainless Steel Panic Bar, ED-SB Strike Bracket, ED-GB5 Key Box, Key Cylinder, Latch Protector, Jamb Stop



ED61 EDGE Panic Shield Security Kits, PB1100 Panic Bar included

Part Number	Description
ED61B	Black - 24" Panic Shield, PB1100 Panic Bar, ED-SB Strike Bracket, ED-GB200 Gate Box, 285-P Keyless Panic Trim, Latch Protector, Jamb Stop, Max Guard
ED61S	Silver - 24" Panic Shield, PB1100 Panic Bar, ED-SB Strike Bracket, ED-GB200 Gate Box, 285-P Keyless Panic Trim, Latch Protector, Jamb Stop, Max Guard

ED61BL	Black - 24" Panic Shield, PB1142 42" Panic Bar, ED-SB Strike Bracket, ED-GB200 Gate Box, 285-P Keyless Panic Trim, Latch Protector, Jamb Stop, Max Guard
ED61BM	Black - 24" Panic Shield, PB1100SS Stainless Steel Panic Bar, ED-SB Strike Bracket, ED-GB200 Gate Box, 285-P Keyless Panic Trim, Latch Protector, Jamb Stop, Max Guard
ED61BF	Black - 24" Panic Shield, PB1100FR Fire Rated Panic Bar, ED-SB Strike Bracket, ED-GB200 Gate Box, 285-P Keyless Panic Trim, Latch Protector, Jamb Stop, Max Guard
ED61BLM	Black - 24" Panic Shield, PB1142SS 42" Stainless Steel Panic Bar, ED-SB Strike Bracket, ED-GB200 Gate Box, 285-P Keyless Panic Trim, Latch Protector, Jamb Stop, Max Guard
ED61SL	Silver - 24" Panic Shield, PB1142 42" Panic Bar, ED-SB Strike Bracket, ED-GB200 Gate Box, 285-P Keyless Panic Trim, Latch Protector, Jamb Stop, Max Guard
ED61SM	Silver - 24" Panic Shield, PB1100SS Stainless Steel Panic Bar, ED-SB Strike Bracket, ED-GB200 Gate Box, 285-P Keyless Panic Trim, Latch Protector, Jamb Stop, Max Guard
ED61SF	Silver - 24" Panic Shield, PB1100FR Fire Rated Panic Bar, ED-SB Strike Bracket, ED-GB200 Gate Box, 285-P Keyless Panic Trim, Latch Protector, Jamb Stop, Max Guard
ED61SLM	Silver - 24" Panic Shield, PB1142SS 42" Stainless Steel Panic Bar, ED-SB Strike Bracket, ED-GB200 Gate Box, 285-P Keyless Panic Trim, Latch Protector, Jamb Stop, Max Guard



PS42 Standard Panic Shield Value Kits, V40 Panic Bar included

Part Number	Description
PS42B	Black - 24" Panic Shield, Detex V-40 Panic Bar, PSSB Strike Bracket
PS42S	Silver - 24" Panic Shield, Detex V-40 Panic Bar, PSSB Strike Bracket



AVAILABLE UPGRADES

PS42BL	Black - 24" Panic Shield, Detex V-40x48 42" Panic Bar, PSSB Strike Bracket
PS42BW	Black - 24" Panic Shield, Detex V-40xW Weatherized Panic Bar, PSSB Strike Bracket
PS42B7	Black - 24" Panic Shield, Detex V-40x711 Black Panic Bar, PSSB Strike Bracket
PS42BL7	Black - 24" Panic Shield, Detex V-40x711x48 42" Black Panic Bar, PSSB Strike Bracket
PS42SL	Silver - 24" Panic Shield, Detex V-40x48 42" Panic Bar, PSSB Strike Bracket
PS42SW	Silver - 24" Panic Shield, Detex V-40xW Weatherized Panic Bar, PSSB Strike Bracket
PS42S7	Silver - 24" Panic Shield, Detex V-40x711 Black Panic Bar, PSSB Strike Bracket
PS42SL7	Silver - 24" Panic Shield, Detex V-40x711x48 42" Black Panic Bar, PSSB Strike Bracket



PS52 Standard Panic Shield Safety Kits, V40 Panic Bar included

Part Number	Description
PS52B	Black - 24" Panic Shield, Detex V-40 Panic Bar, PSSB Strike Bracket, PSGB5 Key Box, Key Cylinder
PS52S	Silver - 24" Panic Shield, Detex V-40 Panic Bar, PSSB Strike Bracket, PSGB5 Key Box, Key Cylinder





AVAILABLE UPGRADES

PS52B7	Black - 24" Panic Shield, Detex V40x711 Black Panic Bar, PSSB Strike Bracket, PSGB5 Key Box, Key Cylinder
PS52BL	Black - 24" Panic Shield, Detex V-40x48 42" Panic Bar, PSSB Strike Bracket, PSGB5 Key Box, Key Cylinder
PS52BW	Black - 24" Panic Shield, Detex V-40xW Weatherized Panic Bar, PSSB Strike Bracket, PSGB5 Key Box, Key Cylinder
PS52BL7	Black - 24" Panic Shield, Detex V-40x711x48 42" Black Panic Bar, PSSB Strike Bracket, PSGB5 Key Box, Key Cylinder
PS52SL	Silver - 24" Panic Shield, Detex V-40x48 42" Panic Bar, PSSB Strike Bracket, PSGB5 Key Box, Key Cylinder
PS52SW	Silver - 24" Panic Shield, Detex V-40xW Weatherized Panic Bar, PSSB Strike Bracket, PSGB5 Key Box, Key Cylinder
PS52S7	Silver - 24" Panic Shield, Detex V40x711 Black Panic Bar, PSSB Strike Bracket, PSGB5 Key Box, Key Cylinder
PS52SL7	Silver - 24" Panic Shield, Detex V-40x711x48 42" Black Panic Bar, PSSB Strike Bracket, PSGB5 Key Box, Key Cylinder



PS62 Standard Panic Shield Security Kits, V40 Panic Bar included

Part Number	Description
PS62B	Black - 24" Panic Shield, Detex V-40 Panic Bar, PSSB Strike Bracket, PSGB200 Gate Box, 285-P Keyless Panic Trim, Max Guard
PS62S	Silver - 24" Panic Shield, Detex V-40 Panic Bar, PSSB Strike Bracket, PSGB200 Gate Box, 285-P Keyless Panic Trim, Max Guard

PS62BL	Black - 24" Panic Shield, Detex V-40x48 42" Panic Bar, PSSB Strike Bracket, PSGB200 Gate Box, 285-P Keyless Panic Trim, Max Guard
PS62BW	Black - 24" Panic Shield, Detex V-40xW Weatherized Panic Bar, PSSB Strike Bracket, PSGB200 Gate Box, 285-P Keyless Panic Trim, Max Guard
PS62B7	Black - 24" Panic Shield, Detex V-40x711 Black Panic Bar, PSSB Strike Bracket, PSGB200 Gate Box, 285-P Keyless Panic Trim, Max Guard
PS62BL7	Black - 24" Panic Shield, Detex V-40x711x48 42" Black Panic Bar, PSSB Strike Bracket, PSGB200 Gate Box, 285-P Keyless Panic Trim, Max Guard
PS62SL	Silver - 24" Panic Shield, Detex V-40x48 42" Panic Bar, PSSB Strike Bracket, PSGB200 Gate Box, 285-P Keyless Panic Trim, Max Guard
PS62SW	Silver - 24" Panic Shield, Detex V-40xW Weatherized Panic Bar, PSSB Strike Bracket, PSGB200 Gate Box, 285-P Keyless Panic Trim, Max Guard
PS62S7	Silver - 24" Panic Shield, Detex V-40x711 Black Panic Bar, PSSB Strike Bracket, PSGB200 Gate Box, 285-P Keyless Panic Trim, Max Guard
PS62SL7	Silver - 24" Panic Shield, Detex V-40x711x48 42" Black Panic Bar, PSSB Strike Bracket, PSGB200 Gate Box, 285-P Keyless Panic Trim, Max Guard



$\textbf{ED42} \ \mathsf{EDGE} \ \mathsf{Panic} \ \mathsf{Shield} \ \mathsf{Value} \ \mathsf{Kits}, \mathsf{V40} \ \mathsf{Panic} \ \mathsf{Bar} \ \mathsf{included}$

Part Number	Description
ED42B	Black - 24" Panic Shield, Detex V-40 Panic Bar, ED-SB Strike Bracket, Latch Protector, Jamb Stop
ED42S	Silver - 24" Panic Shield, Detex V-40 Panic Bar, ED-SB Strike Bracket, Latch Protector, Jamb Stop

AVAILABLE UPGRADES

ED42BL	Black - 24" Panic Shield, Detex V-40x48 42" Panic Bar, ED-SB Strike Bracket, Latch Protector, Jamb Stop
ED42BW	Black - 24" Panic Shield, Detex V-40xW Weatherized Panic Bar, ED-SB Strike Bracket, Latch Protector, Jamb Stop
ED42B7	Black - 24" Panic Shield, Detex V-40x711 Black Panic Bar, ED-SB Strike Bracket, Latch Protector, Jamb Stop
ED42BL7	Black - 24" Panic Shield, Detex V-40x711x48 42" Black Panic Bar, ED-SB Strike Bracket, Latch Protector, Jamb Stop
ED42SL	Silver - 24" Panic Shield, Detex V-40x48 42" Panic Bar, ED-SB Strike Bracket, Latch Protector, Jamb Stop
ED42SW	Silver - 24" Panic Shield, Detex V-40xW Weatherized Panic Bar, ED-SB Strike Bracket, Latch Protector, Jamb Stop
ED42S7	Silver - 24" Panic Shield, Detex V-40x711 Black Panic Bar, ED-SB Strike Bracket, Latch Protector, Jamb Stop
ED42SL7	Silver - 24" Panic Shield, Detex V-40x711x48 42" Black Panic Bar, ED-SB Strike Bracket, Latch Protector, Jamb Stop



ED52 EDGE Panic Shield Safety Kits, V40 Panic Bar included

Part Number	Description
PS52B	Black - 24" Panic Shield, Detex V-40 Panic Bar, ED-SB Strike Bracket, ED-GB5 Key Box, Key Cylinder
PS52S	Silver - 24" Panic Shield, Detex V-40 Panic Bar, ED-SB Strike Bracket, ED-GB5 Key Box, Key Cylinder

AVAILABLE UPGRADES

PS52B7 Black - 24"	Panic Shield, Detex V40x711 Black Panic Bar, ED-SB Strike Bracket, ED-GB5 Key Box, Key Cylinder
PS52BL Black - 24"	Panic Shield, Detex V-40x48 42" Panic Bar, ED-SB Strike Bracket, ED-GB5 Key Box, Key Cylinder
PS52BW Black - 24"	Panic Shield, Detex V-40xW Weatherized Panic Bar, ED-SB Strike Bracket, ED-GB5 Key Box, Key Cylinder
PS52BL7 Black - 24"	Panic Shield, Detex V-40x711x48 42" Black Panic Bar, ED-SB Strike Bracket, ED-GB5 Key Box, Key Cylinder
PS52SL Silver - 24"	Panic Shield, Detex V-40x48 42" Panic Bar, ED-SB Strike Bracket, ED-GB5 Key Box, Key Cylinder
PS52SW Silver - 24"	Panic Shield, Detex V-40xW Weatherized Panic Bar, ED-SB Strike Bracket, ED-GB5 Key Box, Key Cylinder
PS52S7 Silver - 24"	Panic Shield, Detex V40x711 Black Panic Bar, ED-SB Strike Bracket, ED-GB5 Key Box, Key Cylinder
PS52SL7 Silver - 24"	Panic Shield, Detex V-40x711x48 42" Black Panic Bar, ED-SB Strike Bracket, ED-GB5 Key Box, Key Cylinder



ED62 EDGE Panic Shield Security Kits, V40 Panic Bar included

Part Number	Description
PS62B	Black - 24" Panic Shield, Detex V-40 Panic Bar, ED-SB Strike Bracket, EDGB200 Gate Box, 285-P Keyless Panic Trim, Max Guard
PS62S	Silver - 24" Panic Shield, Detex V-40 Panic Bar, ED-SB Strike Bracket, EDGB200 Gate Box, 285-P Keyless Panic Trim, Max Guard

PS62BL	Black - 24" Panic Shield, Detex V-40x48 42" Panic Bar, ED-SB Strike Bracket, EDGB200 Gate Box, 285-P Keyless Panic Trim, Max Guard
PS62BW	Black - 24" Panic Shield, Detex V-40xW Weatherized Panic Bar, ED-SB Strike Bracket, EDGB200 Gate Box, 285-P Keyless Panic Trim, Max Guard
PS62B7	Black - 24" Panic Shield, Detex V-40x711 Black Panic Bar, ED-SB Strike Bracket, EDGB200 Gate Box, 285-P Keyless Panic Trim, Max Guard
PS62BL7	Black - 24" Panic Shield, Detex V-40x711x48 42" Black Panic Bar, ED-SB Strike Bracket, EDGB200 Gate Box, 285-P Keyless Panic Trim, Max Guard
PS62SL	Silver - 24" Panic Shield, Detex V-40x48 42" Panic Bar, ED-SB Strike Bracket, EDGB200 Gate Box, 285-P Keyless Panic Trim, Max Guard
PS62SW	Silver - 24" Panic Shield, Detex V-40xW Weatherized Panic Bar, ED-SB Strike Bracket, EDGB200 Gate Box, 285-P Keyless Panic Trim, Max Guard
PS62S7	Silver - 24" Panic Shield, Detex V-40x711 Black Panic Bar, ED-SB Strike Bracket, EDGB200 Gate Box, 285-P Keyless Panic Trim, Max Guard
PS62SL7	Silver - 24" Panic Shield, Detex V-40x711x48 42" Black Panic Bar, ED-SB Strike Bracket, EDGB200 Gate Box, 285-P Keyless Panic Trim, Max Guard





PS43 Standard Panic Shield Value Kits, V40 Alarm Bar included

Part Number	Description
PS43B	Black - 24" Panic Shield, Detex V-40xEBxW Weatherized Alarm Panic Bar, PSSB Strike Bracket
PS43S	Silver - 24" Panic Shield, Detex V-40 EBxW Weatherized Alarm Panic Bar, PSSB Strike Bracket

AVAILABLE UPGRADES

PS43BL	Black - 24" Panic Shield, Detex V-40xEBxWx48 42" Weatherized Alarm Panic Bar, PSSB Strike Bracket
PS43B7	Black - 24" Panic Shield, Detex V-40xEBxWx711 Black Weatherized Alarm Panic Bar, PSSB Strike Bracket
PS43BL7	Black - 24" Panic Shield, Detex V-40xEBxWx711x48 42" Black Weatherized Alarm Panic Bar, PSSB Strike Bracket
PS43SL	Silver - 24" Panic Shield, Detex V-40xEBxWx48 42" Weatherized Alarm Panic Bar, PSSB Strike Bracket
PS43S7	Silver - 24" Panic Shield, Detex V-40xEBxWx711 Black Weatherized Alarm Panic Bar, PSSB Strike Bracket
PS43SL7	Silver - 24" Panic Shield, Detex V-40xEBxWx711x48 42" Black Weatherized Alarm Panic Bar, PSSB Strike Bracket



PS53 Standard Panic Shield Safety Kits, V40 Alarm Bar included

Part Number	Description
PS53B	Black - 24" Panic Shield, Detex V-40xEBxW Weatherized Alarm Panic Bar, PSSB Strike Bracket, PSGB5 Key Box, Key Cylinder
PS53S	Silver - 24" Panic Shield, Detex V-40xEBxW Weatherized Alarm Panic Bar, PSSB Strike Bracket, PSGB5 Key Box, Key Cylinder

AVAILABLE UPGRADES

PS53BL	Black - 24" Panic Shield, Detex V-40xEBxWx48 42" Weatherized Alarm Panic Bar, PSSB Strike Bracket, PSGB5 Key Box, Key Cylinder
PS53B7	Black - 24" Panic Shield, Detex V-40xEBxWx711 Black Weatherized Alarm Panic Bar, PSSB Strike Bracket, PSGB5 Key Box, Key Cylinder
PS53BL7	Black - 24" Panic Shield, Detex V-40xEBxWx711x48 42" Black Weatherized Alarm Panic Bar, PSSB Strike Bracket, PSGB5 Key Box, Key Cylinder
PS53SL	Silver - 24" Panic Shield, Detex V-40xEBxWx48 42" Weatherized Alarm Panic Bar, PSSB Strike Bracket, PSGB5 Key Box, Key Cylinder
PS53S7	Silver - 24" Panic Shield, Detex V-40xEBxWx711 Black Weatherized Alarm Panic Bar, PSSB Strike Bracket, PSGB5 Key Box, Key Cylinder
PS53SL7	Silver - 24" Panic Shield, Detex V-40xEBxWx711x48 42" Black Weatherized Alarm Panic Bar, PSSB Strike Bracket, PSGB5 Key Box, Key Cylinder





PS63 Standard Panic Shield Security Kits, V40 Alarm Bar included

Part Number	Description
PS63B	Black - 24" Panic Shield, Detex V-40xEBxW Weatherized Alarm Panic Bar, PSSB Strike Bracket, PSGB200 Gate Box, 285-P Keyless Panic Trim, Max Guard
PS63S	Silver - 24" Panic Shield, Detex V-40xEBxW Weatherized Alarm Panic Bar, PSSB Strike Bracket, PSGB200 Gate Box, 285-P Keyless Panic Trim, Max Guard

PS63BL	Black - 24" Panic Shield, Detex V-40xEBxWx48 42" Weatherized Alarm Panic Bar, PSSB Strike Bracket, PSGB200 Gate Box, 285-P Keyless Panic Trim, Max Guard
PS63B7	Black - 24" Panic Shield, Detex V-40xEBxWx711 Black Weatherized Alarm Panic Bar, PSSB Strike Bracket, PSGB200 Gate Box, 285-P Keyless Panic Trim, Max Guard
PS63BL7	Black - 24" Panic Shield, Detex V-40xEBxWx711x48 42" Black Weatherized Alarm Panic Bar, PSSB Strike Bracket, PSGB200 Gate Box, 285-P Keyless Panic Trim, Max Guard
PS63SL	Silver - 24" Panic Shield, Detex V-40xEBxWx48 42" Weatherized Alarm Panic Bar, PSSB Strike Bracket, PSGB200 Gate Box, 285-P Keyless Panic Trim, Max Guard
PS63S7	Silver - 24" Panic Shield, Detex V-40xEBxWx711 Black Weatherized Alarm Panic Bar, PSSB Strike Bracket, PSGB200 Gate Box, 285-P Keyless Panic Trim, Max Guard
PS63SL7	Silver - 24" Panic Shield, Detex V-40xFRxWx711x48.42" Black Weatherized Alarm Panic Bar, PSSB Strike Bracket, PSGB200 Gate Box, 285-P Keyless Panic Trim, Max Guard





ED43 EDGE Panic Shield Value Kits, V40 Alarm Bar included

Part Number	Description
ED43B	Black - 24" Panic Shield, Detex V-40xEBxW Weatherized Alarm Panic Bar, ED-SB Strike Bracket, Latch Protector, Jamb Stop
ED43S	Silver - 24" Panic Shield, Detex V-40xEBxW Weatherized Alarm Panic Bar, ED-SB Strike Bracket, Latch Protector, Jamb Stop

AVAILABLE UPGRADES

ED4	13BL	Black - 24" Panic Shield, Detex V-40xEBxWx48 42" Weatherized Alarm Panic Bar, ED-SB Strike Bracket, Latch Protector, Jamb Stop
ED4	13B7	Black - 24" Panic Shield, Detex V-40xEBxW711 Black Weatherized Alarm Panic Bar, ED-SB Strike Bracket, Latch Protector, Jamb Stop
ED4	13BL7	Black - 24" Panic Shield, Detex V-40xEBxW711x48 42" Black Weatherized Alarm Panic Bar, ED-SB Strike Bracket, Latch Protector, Jamb Stop
ED4	13SL	Silver - 24" Panic Shield, Detex V-40xEBxWx48 42" Weatherized Alarm Panic Bar, ED-SB Strike Bracket, Latch Protector, Jamb Stop
ED4	13S7	Silver - 24" Panic Shield, Detex V-40xEBxW711 Black Weatherized Alarm Panic Bar, ED-SB Strike Bracket, Latch Protector, Jamb Stop
ED4	13SL7	Silver - 24" Panic Shield, Detex V-40xEBxW711x48 42" Black Weatherized Alarm Panic Bar, ED-SB Strike Bracket, Latch Protector, Jamb Stop



ED53 EDGE Panic Shield Safety Kits, V40 Alarm Bar included

Part Number	Description
ED53B	Black - 24" Panic Shield, Detex V-40xEBxW Weatherized Alarm Panic Bar, ED-SB Strike Bracket, ED-GB5 Key Box, Key Cylinder, Latch Protector, Jamb Stop
ED53S	Silver - 24" Panic Shield, Detex V-40xEBxW Weatherized Alarm Panic Bar, ED-SB Strike Bracket, ED-GB5 Key Box, Key Cylinder, Latch Protector, Jamb Stop

AVAILABLE UPGRADES

ED53BL	Black - 24" Panic Shield, Detex V-40xEBxWx48 42" Weatherized Alarm Panic Bar, ED-SB Strike Bracket, ED-GB5 Key Box, Key Cylinder, Latch Protector, Jamb Stop
ED53B7	Black - 24" Panic Shield, Detex V-40xEBxWx711 Black Weatherized Alarm Panic Bar, ED-SB Strike Bracket, ED-GB5 Key Box, Key Cylinder, Latch Protector, Jamb Stop
ED53BL7	Black - 24" Panic Shield, Detex V-40xEBxWx711x48 42" Black Weatherized Alarm Panic Bar, ED-SB Strike Bracket, ED-GB5 Key Box, Key Cylinder, Latch Protector, Jamb Stop
ED53SL	Silver - 24" Panic Shield, Detex V-40xEBxWx48 42" Weatherized Alarm Panic Bar, ED-SB Strike Bracket, ED-GB5 Key Box, Key Cylinder, Latch Protector, Jamb Stop
ED53S7	Silver - 24" Panic Shield, Detex V-40xEBxWx711 Black Weatherized Alarm Panic Bar, ED-SB Strike Bracket, ED-GB5 Key Box, Key Cylinder, Latch Protector, Jamb Stop
ED53SL7	Silver - 24" Panic Shield, Detex V-40xEBxWx711x48 42" Black Weatherized Alarm Panic Bar, ED-SB Strike Bracket, ED-GB5 Key Box, Key Cylinder, Latch Protector, Jamb Stop



ED63 EDGE Panic Shield Security Kits, V40 Alarm Bar included

Part Number	Description
ED63B	Black - 24" Panic Shield, Detex V-40xEBxW Weatherized Alarm Panic Bar, ED-SB Strike Bracket, ED-GB200 Gate Box, 285-P Keyless Panic Trim, Latch Protector, Jamb Stop, Max Guard
ED63S	Silver - 24" Panic Shield, Detex V-40xEBxW Weatherized Alarm Panic Bar, ED-SB Strike Bracket, ED-GB200 Gate Box, 285-P Keyless Panic Trim, Latch Protector, Jamb Stop, Max Guard

AVAILABLE UPGRADES

ED63BL Black - 24" Panic Shield, Detex V-40xEBxWx48 42" Weatherized Alarm Panic Bar, ED-SB Strike Bracket, ED-GB200 Gate Box, 285-P Keyless Panic Trim, Latch Protector, Jamb Stop, Max Guard
ED63BT Black - 24" Panic Shield, Detex V-40xEBxWx711 Black Weatherized Alarm Panic Bar, ED-SB Strike Bracket, ED-GB200 Gate Box, 285-P Keyless Panic Trim, Latch Protector, Jamb Stop, Max Guard
ED63BL Black - 24" Panic Shield, Detex V-40xEBxWx711x48 42" Black Weatherized Alarm Panic Bar, ED-SB Strike Bracket, ED-GB200 Gate Box, 285-P Keyless Panic Trim, Latch Protector, Jamb Stop, Max Guard
ED63SL Silver - 24" Panic Shield, Detex V-40xEBxWx411 Black Weatherized Alarm Panic Bar, ED-SB Strike Bracket, ED-GB200 Gate Box, 285-P Keyless Panic Trim, Latch Protector, Jamb Stop, Max Guard
ED63SL Silver - 24" Panic Shield, Detex V-40xEBxWx711 Black Weatherized Alarm Panic Bar, ED-SB Strike Bracket, ED-GB200 Gate Box, 285-P Keyless Panic Trim, Latch Protector, Jamb Stop, Max Guard
ED63SL Silver - 24" Panic Shield, Detex V-40xEBxWx711x48 42" Black Weatherized Alarm Panic Bar, ED-SB Strike Bracket, ED-GB200 Gate Box, 285-P Keyless Panic Trim, Latch Protector, Jamb Stop, Max Guard

PANIC SHIELD KITS

Contents of kits are indicated by **x** below. See "How to Order Panic Shield Kit" for available panic bar upgrades.

STANDARD KITS - lockeyusa.com/standard-kits

Order #	Value Safety Security	24" Shield	PB1100	V40	V40xEBxW	Strike Bracket	Key Box	Keyed Cylinder	Keyless Lock Trim Box	285P Keyless Trim	Max Guard	LP	Jamb Stop
PS40	Value	x				x							
PS41	Value	×	х			x							
PS42	Value	×		×		x							
PS43	Value	x			x	x							
PS50	Safety	х				x	х	х					
PS51	Safety	×	x			x	x	x					
PS52	Safety	×		×		x	x	x					
PS53	Safety	x			x	x	x	x					
PS60	Security	x				x			х	х	x		
PS61	Security	×	х			x			x	x	x		
PS62	Security	x		x		x			x	x	x		
PS63	Security	x			x	x			x	x	x		

EDGE KITS - lockeyusa.com/edge-kits

Order #	Value Safety Security	24" Shield	PB1100	V40	V40xEBxW	Strike Bracket	Key Box	Keyed Cylinder	Keyless Lock Trim Box	285P Keyless Trim	Max Guard	LP	Jamb Stop
ED40	Value	x				x						×	x
ED41	Value	×	x			x						x	x
ED42	Value	x		×		x						x	x
ED43	Value	x			x	x						×	x
ED50	Safety	х				х	х	х				x	х
ED51	Safety	×	х			x	x	x				x	x
ED52	Safety	x		×		x	x	x				x	x
ED53	Safety	x			x	x	x	x				x	x
ED60	Security	х				х			x	х	х	x	х
ED61	Security	x	x			x			x	x	x	x	x
ED62	Security	x		х		x			x	x	x	x	×
ED63	Security	x			x	x			x	×	x	×	×

ELECTRONIC LOCKS

- Battery-powered electronic lock
- Remote capable (1 included, up to 5 capable)
- Up to 6 user codes, 4-10 digits in length
- Key Override (Schlage keyway)
- Auto-locking function



E915 Electronic Deadbolt with Remote Control

Part Number	Description
E915-(finish)	Electronic Deadbolt with Remote Control

Available Finishes : Antique Brass (AB), Bright Brass (BB), Satin Nickel (SN), Antique/Oil Rubbed Bronze (OIL)

Dimensions & Specs: EXTERIOR DIMENSIONS: 5-1/8" L X 3-1/8" W X 1-3/8" D, INTERIOR DIMENSIONS: 7-1/4" L X 2-7/8" W X 1-3/4" D, DOOR THICKNESS: 1-3/8" TO 1-3/4", MATERIAL: STAINLESS STEEL, LATCH: ADJUSTABLE, CYLINDER: 5 PIN SCHLAGE KEYWAY, POWER: 4 AA ALKALINE BATTERIES, KEYS INCLUDED: 2, WEATHER RESISTANT EXTERIOR LOCK BODY, INSIDE LOCK BODY FOR INTERIOR USE ONLY



E995 E995 Electronic Lever with Remote Control

Part Number	Description
E995-(finish)	Electronic Lever with Remote Control

Available Finishes : Antique Brass (AB), Bright Brass (BB), Satin Nickel (SN), Antique/Oil Rubbed Bronze (OIL)

Dimensions & Specs : EXTERIOR DIMENSIONS: 5-1/8" L X 3-1/8" W X 2-5/8" D, INTERIOR DIMENSIONS: 7-1/2" L X 2-7/8" W X 3-3/8" D, DOOR THICKNESS: 1-3/8" TO 1-3/4", MATERIAL: STAINLESS STEEL, LATCH: ADJUSTABLE, CYLINDER: 5 PIN SCHLAGE KEYWAY, POWER: 4 AA ALKALINE BATTERIES, KEYS INCLUDED: 2, WEATHER RESISTANT EXTERIOR LOCK BODY, INSIDE LOCK BODY FOR INTERIOR USE ONLY



EREMOTE

Remote control for use with E910*, E915, E930*, E985*, E995
 *discontinued

Part Number	Description
E-REMOTE	Remote control





FASTENERS AND PNEUMATICS

Exterior Screws | Building Accessories | RED System™



EXTERIOR SCREWS

Structural Screws, MAX Stainless, Trim Head & Coated



When nothing but the best will do, Grip-Rite MAX Stainless screws are the preferred premium exterior construction fastener on jobsites – especially those located in areas with high humidity, around pool areas or near the coasts. Grip-Rite 305 and 316 grade stainless steel screws are ideal for fastening decking, siding, roofing, finish and trim and are the best choice for use in cedar and redwood construction. Deep cut threads and T15-30 star drive heads are standard on all Grip-Rite MAX Stainless Exterior Screws, increasing holding power and quick engagement for a solid connection.



PrimeGuard Plus® **Exterior Coated Screws** & Trim Head Screws

Grip-Rite Exterior Coated Star Drive and Trim Head screws are engineered with our exclusive PrimeGuard Plus premium coating - guaranteed against rust and corrosion to prolong the beauty and durability of decks, siding, fencing, railing, and other outdoor projects. Grip-Rite Exterior Screws feature T25-T30 star drive heads to reduce cam outs when driving into your outdoor project. Our T-20 star drive Exterior Trim Head Screws are the perfect solution for railing, siding, or anywhere a thinner shank and smaller head are desired. Type 17 point tips on both screws reduce the need to pre-drill and help to keep the material from splitting. Coarse threading pulls the substrates together for a solid, tight connection.

Grip-Rite® Ninja™ Hidden Deck Člip

The Grip-Rite Ninja Hidden Deck Clip is your time-saving solution for grooved deck board installation. Take the guesswork out of deck board spacing with one clip. No more frustration with clips falling out of the groove and onto the ground. The compression fit levers hold the clip in position and evenly space the deck boards making installation quick and easy. Simply insert the clips into the board at each joist, slide the next deck board in place, and fasten the PrimeGuard Max® coated stainless-steel screws.

Grip-Rite® Deckforce™ **Exterior Screws**

Grip-Rite DeckForce exterior screws are THE premium choice for deck and fence installers using wood, composite, or PVC materials. Using innovative weather protective nanotechnology, DeckForce exterior screws are reinforced with corrosionresistant protection with PrimeGuard® Nano coating. Finish projects faster and with ease with expertly engineered DeckForce exterior screws from the brand you know and trust.



NEW - Grip-Rite PrimeGuard MAX' STAINLESS Available in clamshells, 1lb., 5lb., 25lb. and bulk packages





 ${\it Grip-Rite Deck Force Exterior Screws with Prime Guard 'Nano coating}$ Available in 1lb., 5lb., 10lb., 25lb, and bulk packages



BUILDING ACCESSORIES

Bags & Blades

Blades

Carbide: Designed to cut heavy nail-embedded wood, the offset carbide tips reduce tear out and thin kerf blade offers fast, smooth cuts.



GR71424TP





PrimeGuard MAX® Stainless Exterior Screws

MAXS21210DS3055	2-1/2 x 10 DECK SCREW T17 ST25 305 5LB
MAXS310DS3055	3 x 10 DECK SCREW T17 ST25 305 5LB



Deckforce[™] **Exterior Screws**

GRDF114STGD5	1-1/4" EXTERIOR WOOD SCREW BUCKET 5LB
GRDF158STGD5	1-5/8" EXTERIOR WOOD SCREW BUCKET 5LB
GRDF2STGD5	2" EXTERIOR WOOD SCREW BUCKET 5LB
GRDF212STGD5	2-1/2" EXTERIOR WOOD SCREW BUCKET 5LB
GRDF3STGD5	3" EXTERIOR WOOD SCREW BUCKET 5LB
GRDF312STGD5	3-1/2" EXTERIOR WOOD SCREW BUCKET 5LB



NEW! Ninja[™] Hidden Deck Clip

GRNJC31650	50 SQ FT BOX, 90 clips with color-coated stainless fastener
01/11/2/2 1020	30 3Q 1 1 DOX, 70 clips with color-coated stailliess lasteller



PrimeGuard Plus® Exterior Coated Screws

LP3STBK	3" x 9 PGP EXT SCR STAR DR GREEN 25LB BK
LP312STBK	3-1/2" x 10 PGP EXT SCR STAR DR GREEN 25LB BK
LP4STBK	4" x 10 PGP EXT SCR STAR DR GREEN 25LB BK
LP2STTBK	2" x 9 PGP EXT SCR STAR DR TAN 25LB BK
LP212STTBK	2-1/2" x 9 PGP EXT SCR STAR DR TAN 25LB BK
LP3STTBK	3" x 9 PGP EXT SCR STAR DR TAN 25LB BK
LP312STTBK	3-1/2" x 10 PGP EXT SCR STAR DR TAN 25LB BK
LP4STTBK	4" x 10 PGP EXT SCR STAR DR TAN 25LB BK



GR71424TP	GR 7.25" 24T PREMIUM CARBIDE BLADE



Unmistakably bold, the Grip-Rite RED System features tools, compressors, compressors and fasteners pros demand when they are looking for quality and value from a brand they know and trust. From framing and roofing to fencing and siding the RED System has everything needed to get the job done right!

COIL FRAMING NAILER GRTCN90

The Grip-Rite® GRTCN90 coil framing nailer is durable yet lightweight, weighing in at only 6.6 pounds. The selectable trigger allows workers to choose between bump and sequential fire. A rotating belt hook and durable molded rubber grip allow for comfort and ease of use.



21° FRAMING NAILER GRTFR83

One of the most durable, yet lightweight framers on the market. Well balanced and weighing only 6.9 lbs., the GRTFR83 dramatically reduces user fatigue and easily fits between 16" OC studs. Exclusive to Grip-Rite®, it features "True Drive" Technology, which actually recycles a portion of the air after each shot and reduces the amount of air needed for the next nail.



O° Fencing & Siding Nailer GRTCS250Z

The Grip-Rite® RED System™ GRTCS250Z coil nailer is designed with the professional contractor in mind. The tool is equipped with a 360° tool-free air exhaust, rotating belt hook and a durable molded rubber comfort grip. A no-mar pad protects work surfaces from damage.



Mini Palm Nailer GRTMP16

The small but powerful GRTMP16 mini palm nailer will reach almost anywhere and drives up to most 3-1/2" 16D nails. It features a magnetic insert in the nose to hold the fastener in place and allow users a free hand while working



15° Coil Siding & Fencing Nailer GRTCS250

GRTCS250 features a lightweight and balanced design and selectable firing power to handle your toughest jobs. This tool is loaded with features - a wire debris shield to protect against flying material and an included no mar pad to protect work surfaces....not to mention the 360 air exhaust, rotating belt hook and tool free depth adjustment.



4 Gallon Compressor GR2540LR

GR2540LR features a low 1725 RPM motor that increases the life of the compressor and dramatically reduces the noise level compared to similar 3450 RPM units. It only draws 12-Amps at start up which means no more tripped (blown) breakers. The extending pull handle and 10" No-Flat tires add to the versatility and functionality of this unique unit.











15° Coil Nails

GRC5R90DG3	15° WIRE 1-3/4" x .092 EG RING 3.6M
GRC5R90DHG	15° WIRE 1-3/4" x .092 HG RING 3M
GRC6R90DG	15° WIRE 2" x .092 EG RING 3M
GRC6R90DHG	15° WIRE 2" x .092 HG RING 3M



21° Plastic Strip Collated Nails

GR08RHG	21° PLASTIC 2-3/8" x .113 HG RING 5M
GR09HG	21° PLASTIC 2-3/8" x .113 HG PLAIN 5M
GR408HG	21° PLASTIC 3" x .120 HG RING 4M
GR033HG	21° PLASTIC 3" x .131 HG SMOOTH 4M
GR034HG	21° PLASTIC 3-1/4" x .131 HG SMOOTH 4M



O° Coil Nails



Stainless Steel Collated Nails

MAXC62818	1-3/4" x .090 15D W RS WOOD SID 304 3.6M
MAXC62820	2" x .090 15D W RS FBRCMT/WOOD SDG 304 3.6M



Grip-Rite® Tools

GRTCS250	GR 2-1/2" COIL SIDING NAILER WIRE/PLASTIC
GRTCS250Z	GR 0° 2-1/2" COIL SIDING NAILER PLASTIC
GRTCN90	GR 3-1/2" COIL FRAMING NAILER WIRE/PLASTIC
GRTFR83	GR 21° 3-1/4" RH SHORT BODY FRAMING NAILER
GRTMP16	GR 16D MINI PALM NAILER



4 Gallon Ultra Quiet Compressor

GR2540LR GR COMP 1725 RPM 2.5HP 4 GAL W/WHEEL KIT



Air Compressor Hoses -Polyurethane

GRPUR14100C	GR PU RED HOSE 1/4" x 100' W/COUPLER
-------------	--------------------------------------

NATIONWIDE INDUSTRIES

Phone: (813) 988-2628 nationwideindustries.com • info@nationwideindustries.com













Phone: (888) 395-0163 lockeyusa.com • info@lockeyusa.com













800-676-7777 www.primesourcebp.com